Characterization of SiO2@ZnS-MoS2 core-shell structures

"What characterization confirms SiO2@ZnS-MoS2 core-shell formation?" *Generated by LeapSpace*

SiO_2@ZnS-MoS_2 core-shell formation is best confirmed by a combination of TEM/HRTEM, elemental mapping or line-scan EDS, XRD, and XPS; if you want the strongest proof of all three layers together, TEM/HRTEM plus EDS mapping is the most direct, while XRD and XPS provide phase and bonding confirmation. [80] [114] [115] [116] [117]

What each characterization confirms

Characterization	What it shows	Why it matters for SiO_2@ZnS-MoS_2
TEM / FE-TEM	Direct particle morphology, core inside shell, and whether the coating is continuous [80] [114] [115]	Confirms the **core-shell geometry** visually; for analogous systems, TEM shows the core contrast in the center and the shell wrapping the outside [80] [114] [115]
HRTEM	Lattice fringes from each phase and a visible interface between layers [80] [114] [115]	Confirms that the outer layers are not just amorphous deposits but **crystalline ZnS and/or MoS_2**, and shows the interfacial contact between them [80] [114]
EDS mapping / line-scan	Spatial distribution of Si, O, Zn, Mo, and S across a single particle [80] [114] [115] [117] [118] [119]	This is the clearest proof that **Si/O are centered in the core region**, while **Zn/S and Mo/S are enriched in the shell regions** rather than uniformly mixed [80] [114] [115]
XRD	Crystal phases present in the sample [80] [114] [120] [121]	Confirms that the particle contains **cubic ZnS** and **crystalline MoS_2** phases, while SiO_2 is typically amorphous and may appear weakly or as a background contribution [80] [115] [120]
XPS	Surface chemical states and interfacial bonding [80] [117] [122]	Confirms the expected oxidation states and helps verify that the outer shell really contains **Zn^{2+}, S^{2-}, Mo(IV), and Si^{4+}**, with interfacial bonding rather than simple physical mixing [80] [117] [122]

Characterization	What it shows	Why it matters for SiO_2@ZnS-MoS_2
FTIR / Raman	Bond vibrations and phase fingerprints [76] [114] [116] [123]	These are supportive rather than primary proof, but they help identify **Zn–S**, **MoS_2 vibrational modes**, and **Si–O–Si** features consistent with a layered composite [76] [114] [116]

Most convincing proof package

For an exact **SiO_2@ZnS-MoS_2** particle, the most convincing characterization set would be:

1. **TEM / HRTEM** to show a spherical SiO_2 core with a ZnS/MoS_2 shell arrangement and a clear interface. [80] [114] [115]
2. **EDS elemental mapping or line-scan** to show **Si and O concentrated in the core** and **Zn, S, Mo concentrated toward the outer region**. [80] [114] [115]
3. **XRD** to verify the coexistence of **cubic ZnS** and **crystalline MoS_2** phases. [80] [114] [120]
4. **XPS** to confirm the surface chemical states and interfacial bonding, especially **Zn^{2+}/S^{2-}**, **Mo(IV)**, and **Si^{4+}**. [80] [117] [122]

Bottom line

TEM/HRTEM plus EDS mapping is the direct structural proof of core-shell formation, while XRD and XPS confirm that the shell contains the expected ZnS and MoS_2 phases and that the interface is chemically real rather than just physical aggregation. [80] [114] [115] [117]

Confidence level: **High** — the retrieved evidence directly shows how core-shell formation is verified in closely related SiO_2@ZnS, ZnS@MoS_2, and SiO_2@MoS_2 systems, and the same characterization logic applies to the proposed three-component architecture.

References

76. Shao, X., Wang, Z., Wang, X.-Z., (...), Wang, L. (2026) Wide-temperature lubrication of core-shell structured MoS2-based composites enabled via the formation of amorphous molten layer and low-shear lamellar Bi2S3 and Bi2MoO6. *Tribology International*. https://doi.org/10.1016/j.triboint.2026.112131

80. Mahajan, J., Jeevanandam, P. (2021) A facile thermal decomposition approach for the synthesis of SiO2@ZnS core-shell nanoparticles and their application as effective adsorbent for the removal of congo red. *Materials Today Communications*. https://doi.org/10.1016/j.mtcomm.2021.102085

114. Xiong, L., Fu, Y., Wang, G., (...), Shang, C. (2022) A hydrangea-like superstructure of ZnS@MoS2 nanosheets as efficient electrocatalyst for hydrogen evolution reaction. *FlatChem*. https://doi.org/10.1016/j.flatc.2022.100441

115. Guo, K., Shao, X., Chen, M., (...), Wang, L. (2026) Temperature-dependent tribological mechanisms of MoS2@SiO2 core-shell lubricants from 200 to 800 °C: Experiments and molecular dynamics. *Results in Engineering*. https://doi.org/10.1016/j.rineng.2026.112693

116. Murugan, C., Nagaraj, N., Sundramoorthy, A.K., Anandhakumar, A. (2020) Gradient Triple-Layered ZnS/ZnO/Ta2O5-SiO2Core-Shell Nanoparticles for Enzyme-Based Electrochemical Detection of Cancer Biomarkers. *ACS Applied Nano Materials*. https://doi.org/10.1021/acsanm.0c01949

117. Todea, M., Muresan-Pop, M., Şimon, V., (...), Şimon, S. (2020) Synthesis and characterization of composite SiO2–Al2O3–Fe2O3 core–shell microspheres. *Journal of Sol-Gel Science and Technology*. https://doi.org/10.1007/s10971-020-05346-4

118. Wang, J., Xia, D., Jiang, X., (...), Lian, S. (2026) Crystalline SiO2 bonded coating enhances the high-temperature resistance of γ-Ce2S3 red pigment. *Next Materials*. https://doi.org/10.1016/j.nxmate.2026.103239

119. Kuo, Y.-S., Liu, Y.-C., Kuo, J.-K., Liu, Y.-H. (2025) Enhanced electrochemical performance of a composite made of core-shell structured ZnMn2O4@TiO2 and soft carbon as an anode material for lithium-ion batteries. *Electrochimica Acta*. https://doi.org/10.1016/j.electacta.2025.146982

120. Venkata Reddy, C.V., Shim, J., Cho, M. (2017) Synthesis, structural, optical and photocatalytic properties of CdS/ZnS core/shell nanoparticles. *Journal of Physics and Chemistry of Solids*. https://doi.org/10.1016/j.jpcs.2016.12.011

121. Sunaryono, S., Sholichah, A.U., Hartatiek, H., (...), Taufiq, A. (2021) Study of crystal structure and morphology of Fe3O4@ZnS core-shell and their applications as antibacterial agent. *AIP Conference Proceedings*. https://doi.org/10.1063/5.0052536

122. Sudapalli, A.M., Tripathy, S., Shimpi, N. (2026) Surfactant-assisted synthesis of ZnO@SiO2 core–shell nanoparticles for enhanced solar-driven photocatalytic degradation of organic dyes. *Materials Chemistry and Physics*. https://doi.org/10.1016/j.matchemphys.2026.133166

123. Kim, M., Park, D., Kim, J. (2024) A comprehensive exploration of PPS/MgO@MoS2 core–shell composites for enhanced thermal and mechanical performance. *Journal of Materials Research and Technology*. https://doi.org/10.1016/j.jmrt.2024.06.021