



MAX-PLANCK-GESELLSCHAFT

DAILY REPORT

2012-01-19

Max-Planck Institute

Ahmad Ehyaei, Sara Ershadmanesh

Introduction



This is simple an R Markdown document to show MPIThemes features.
use # sign to define chapter. For definition subsection add ## to first line
and add name of sub chapter.



```
summary(cars)
```

speed		dist	
Min.	: 4.0	Min.	: 2.00
1st Qu.:	12.0	1st Qu.:	26.00
Median	:15.0	Median	: 36.00
Mean	:15.4	Mean	: 42.98
3rd Qu.:	19.0	3rd Qu.:	56.00
Max.	:25.0	Max.	:120.00

We can run inline R code $2^{10} = 1024$



In RMarkdown we can use markdown syntax, such as unordered list items

- ▶ item
- ▶ item
 - ▶ more item

Or use block quotes are written after `>`, e.g.,

To be, or not to be, that is the question!




We can easily write math expressions by latex syntax. Inline LaTeX equations can be written in a pair of dollar signs

$$f(k) = \binom{n}{k} p^k (1 - p)^{n-k}$$



Bubble chart

Sepal Length vs Petal Length





Think

Lorem Ipsum is simply dummy text of the printing and typesetting industry.

Lorem Ipsum is simply dummy text of the printing and typesetting industry.

Theorem 1.1: Pythagorean theorem

This is a theorem about right triangles and can be summarised in the next equation

$$x^2 + y^2 = z^2$$