



slington college
(इस्लिङ्टन कलेज)

Module Code & Module Title

Level 5 – CT5052NI - Network Operating Systems

Assessment Type

Practical Examination

Semester 3

2025 Autumn

Student Name: Eijkeyal Pakhrin

London Met ID: 2*****9

College ID: NP*****25

Assignment Submission Date: 20/01/2026

Submitted To: Mr. Nischal Pradhan

I confirm that I understand my exam needs to be submitted online via MST Classroom under the relevant module page before the deadline for my assignment to be accepted and marked. I am fully aware that late submissions will be treated as non-submission and a mark of zero will be awarded.

1. Create a directory structure shown below and show it in the terminal.

```
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % script Pratical
Script started, output file is Pratical
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % pwd
/Users/eijkeyalpakhrrin
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % mkdir -p Dev/{projects,scripts,backups,logs}
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % tree Dev
Dev
├── backups
├── logs
├── projects
└── scripts

5 directories, 0 files
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % █
```

2. Inside projects/, create a two sub directories alpha and beta using a relative path.

```
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air Dev % mkdir projects/{alpha,beta}
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air Dev % tree projects
projects
├── alpha
└── beta

3 directories, 0 files
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air Dev % █
```

3. Create an empty file readme.md in alpha/using an absolute path.

```
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air alpha % touch readme.md /users/eijkeyalpakhrrin/Dev/projects/alpha/
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air alpha % ls
readme.md
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air alpha % cd ../../../../
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % pwd
/Users/eijkeyalpakhrrin
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % tree Dev
Dev
├── backups
├── logs
├── projects
│   ├── alpha
│   │   └── readme.md
│   └── beta
└── scripts

7 directories, 1 file
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % █
```

4. Use the touch command with an absolute path to create a file named deploy.sh in the scripts directory.

```
eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % cd Dev/scripts
eijkeyalpakhrrin@Eijkeyals-MacBook-Air scripts % pwd
/Users/eijkeyalpakhrrin/Dev/scripts
eijkeyalpakhrrin@Eijkeyals-MacBook-Air scripts % touch deploy.sh /Users/eijkeyalpakhrrin/Dev/scripts
eijkeyalpakhrrin@Eijkeyals-MacBook-Air scripts % cd ../../
eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % pwd
/Users/eijkeyalpakhrrin
eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % tree Dev
Dev
├── backups
├── logs
├── projects
│   ├── alpha
│   │   └── readme.md
│   └── beta
└── scripts
    └── deploy.sh

7 directories, 2 files
eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ %
```

5. Display the detailed permissions and ownership of the deploy.sh file.

```
eijkeyalpakhrrin@Eijkeyals-MacBook-Air Scripts % pwd
/Users/eijkeyalpakhrrin/dev/Scripts
eijkeyalpakhrrin@Eijkeyals-MacBook-Air Scripts % ls -l
total 0
-rw-r--r--  1 eijkeyalpakhrrin  staff   0 Jan 20 13:30 deploy.sh
eijkeyalpakhrrin@Eijkeyals-MacBook-Air Scripts %
```

6. Set the permissions on deploy.sh so that the owner has rwx permissions and others have not.

```
eijkeyalpakhrrin@Eijkeyals-MacBook-Air Scripts % ls
deploy.sh
eijkeyalpakhrrin@Eijkeyals-MacBook-Air Scripts % chmod 700 deploy.sh
eijkeyalpakhrrin@Eijkeyals-MacBook-Air Scripts % ls -l
total 0
-rwx-----  1 eijkeyalpakhrrin  staff   0 Jan 20 13:30 deploy.sh
eijkeyalpakhrrin@Eijkeyals-MacBook-Air Scripts %
```

7. Set permissions of beta to:

- Users: RWX
- Group: RX
- Others: None

```
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air Scripts % cd ../../
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % pwd
/Users/eijkeyalpakhrrin
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % cd Dev/projects
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % ls
alpha  beta
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % chmod 750 beta
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % ls -l
total 0
drwxr-xr-x  3 eijkeyalpakhrrin  staff  96 Jan 20 13:26 alpha
drwxr-x---  2 eijkeyalpakhrrin  staff  64 Jan 20 13:18 beta
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects %
```

8. Copy alpha from projects/ to logs/.

```
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % pwd
/Users/eijkeyalpakhrrin
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % cd dev/projects
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % pw
zsh: command not found: pw
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % pwd
/Users/eijkeyalpakhrrin/dev/projects
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % ls
alpha
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % mv alpha ../logs
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % cd ../../
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % tree Dev
Dev
├── backups
├── logs
│   ├── alpha
│   └── readme.md
├── projects
├── scripts
│   └── deploy.sh
└──

6 directories, 2 files
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ %
```

9. Rename the copied file in logs/ to alpha_old.sh

```
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air logs % mv alpha alpha_old.sh
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air logs % ls
alpha_old.sh
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air logs % cd ../../
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % pwd
/Users/eijkeyalpakhrrin
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % tree Dev
Dev
├── backups
├── logs
│   ├── alpha_old.sh
│   └── readme.md
├── projects
├── scripts
│   └── deploy.sh

6 directories, 2 files
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ %
```

10. Delete the beta/ directory from projects/

```
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % rm -r beta
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % ls
alpha
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % tree projects
projects [error opening dir]

0 directories, 0 files
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air projects % cd ../../
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ % tree Dev
Dev
├── backups
├── logs
├── projects
│   └── alpha
│       └── readme.md
├── scripts
│   └── deploy.sh

6 directories, 2 files
[eijkeyalpakhrrin@Eijkeyals-MacBook-Air ~ %
```