lista06

```
library(DBI)
library(RSQLite)
con = dbConnect(RSQLite::SQLite(), "me315.sqlite")
```

1.

```
SELECT STATE, MIN(ACRES) AS MENOR_AREA FROM PRESERVE
GROUP BY STATE
```

Table 1: 3 records

STATE	MENOR_AREA
AZ	380
MA	4
MT	121

2.

```
SELECT STATE, MAX(ACRES) AS MAIOR_AREA FROM PRESERVE
WHERE ACRES < 10000
GROUP BY STATE
```

Table 2: 3 records

STATE	MAIOR_AREA
AZ	1200

STATE	MAIOR_AREA
MA	830
MT	1130

3.

```
SELECT STATE, MAX(ACRES) AS MAIOR_AREA FROM PRESERVE
WHERE ACRES < 10000
GROUP BY STATE
ORDER BY MAIOR_AREA DESC
```

Table 3: 3 records

STATE	MAIOR_AREA
AZ	1200
MT	1130
MA	830

4.

```
SELECT STATE, MAX(ACRES) AS MAIOR_AREA FROM PRESERVE
GROUP BY STATE
HAVING MAIOR_AREA < 25000
```

Table 4: 2 records

STATE	MAIOR_AREA
MA	830
MT	15000

5.

```
SELECT STATE, MIN(ACRES) AS MENOR_AREA FROM PRESERVE
GROUP BY STATE
HAVING MENOR_AREA < 100
```

Table 5: 1 records

STATE	MENOR_AREA
MA	4

6.

```
SELECT STATE, PNAME, MAX(ACRES) AS MAIOR_AREA FROM PRESERVE
WHERE ACRES > 1000
GROUP BY STATE
HAVING MAIOR_AREA < 25000
```

Table 6: 1 records

STATE	PNAME	MAIOR_AREA
MT	PINE BUTTE SWAMP	15000

7.

```
SELECT STATE, SUM(ACRES) AS TAMANHO_TOTAL FROM PRESERVE
GROUP BY STATE
HAVING TAMANHO_TOTAL BETWEEN 10000 AND 50000
```

Table 7: 1 records

STATE	TAMANHO_TOTAL
MT	16931

8.

```
SELECT STATE, AVG(ACRES) AS MEDIA_ACRES FROM PRESERVE
GROUP BY STATE
ORDER BY AVG(ACRES) DESC
LIMIT 1
```

Table 8: 1 records

STATE	MEDIA_ACRES
AZ	12840

9.

```
SELECT DNO, AVG(SALARY) AS SALARIO_MEDIO FROM EMPLOYEE
GROUP BY DNO
```

Table 9: 3 records

DNO	SALARIO_MEDIO
10	1200.000
20	4666.667
40	500.000

10.

```
SELECT DNO, SUM(SALARY) AS SOMA_SALARIOS, MAX(SALARY) AS MAIOR_SALARIO, MIN(SALARY) AS MENOR
GROUP BY DNO
```

Table 10: 3 records

DNO	SOMA_SALARIOS	MAIOR_SALARIO	MENOR_SALARIO
10	2400	2000	400
20	14000	9000	2000
40	500	500	500

11.

```
SELECT DNO, COUNT(*) AS QTD_FUNCIONARIOS FROM EMPLOYEE
WHERE DNO <> 40
GROUP BY DNO;
```

Table 11: 2 records

DNO	QTD_FUNCIONARIOS
10	2
20	3

12.

```
SELECT DNO, COUNT(*) AS QTD_FUNCIONARIOS FROM EMPLOYEE
GROUP BY DNO
HAVING COUNT(*) > 2
```

Table 12: 1 records

DNO	QTD_FUNCIONARIOS
20	3

13.

```
SELECT STATE, SUM(ACRES) FROM PRESERVE
GROUP BY STATE

UNION ALL

SELECT 'Total', SUM(ACRES) FROM PRESERVE
```

Table 13: 4 records

STATE	SUM(ACRES)
AZ	51360
MA	1760
MT	16931
Total	70051

```
Sys.setenv(TZ = "America/Sao_Paulo")
Sys.time()
```

```
[1] "2026-09-28 20:42:26 -03"
```