# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: fd. Annual number of days when TN < 0 degrees_C

Sen's slope = −0.181   lower bound = −0.216,   upper bound = −0.145,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: fd. Monthly number of days when TN < 0 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tnlt2. Annual number of days when TN < 2 degrees_C

Sen's slope = −0.381   lower bound = −0.436,   upper bound = −0.33,   p−value = 0

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tnlt2. Monthly number of days when TN < 2 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tnltm2. Annual number of days when TN < −2 degrees_C

Sen's slope = −0.06   lower bound = −0.086,   upper bound = −0.036,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tnltm2. Monthly number of days when TN < −2 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tnltm20. Annual number of days when TN < −20 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 1

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tnltm20. Monthly number of days when TN < −20 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 1

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: id. Annual number of days when TX < 0 degrees_C

Sen's slope = 0   lower bound = −0.011,   upper bound = 0,   p−value = 0

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: id. Monthly number of days when TX < 0 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: su. Annual number of days when TX > 25 degrees_C

Sen's slope = 0.448   lower bound = 0.368,   upper bound = 0.527,   p−value = 0

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: su. Monthly number of days when TX > 25 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tr. Annual number of days when TN > 20 degrees_C

Sen's slope = 0.214   lower bound = 0.167,   upper bound = 0.252,   p−value = 0

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tr. Monthly number of days when TN > 20 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: gsl. Annual number of days between the first occurrence of 6 consecutive days with TM > 5 degrees_C and the first occurrence of 6 consecutive days with TM < 5 degrees_C

Sen's slope = 0.284   lower bound = 0.169,   upper bound = 0.388,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: txx. Annual warmest daily TX

Sen's slope = 0.06   lower bound = 0.046,   upper bound = 0.075,   p–value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: txx. Monthly warmest daily TX

Sen's slope = 0.003   lower bound = 0.002,   upper bound = 0.004,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tnn. Annual coldest daily TN

Sen's slope = 0.034   lower bound = 0.022,   upper bound = 0.047,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tnn. Monthly coldest daily TN

Sen's slope = 0.002   lower bound = 0.002,   upper bound = 0.003,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tnx. Annual warmest daily TN

Sen's slope = 0.046   lower bound = 0.038,   upper bound = 0.054,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tnx. Monthly warmest daily TN

Sen's slope = 0.003   lower bound = 0.002,   upper bound = 0.003,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: txn. Annual coldest daily TX

Sen's slope = 0.032   lower bound = 0.02,   upper bound = 0.044,   p–value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: txn. Monthly coldest daily TX

Sen's slope = 0.003   lower bound = 0.002,   upper bound = 0.003,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: dtr. Mean annual difference between daily TX and daily TN

Sen's slope = 0.001   lower bound = 0,   upper bound = 0.003,   p−value = 0.147

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: dtr. Mean monthly difference between daily TX and daily TN

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.731

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: wsdi. Annual number of days contributing to events where 6 or more consecutive days
experience TX > 90th percentile

Sen's slope = 0.298   lower bound = 0.235,   upper bound = 0.368,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: wsdi3. Annual number of days with at least 3 consecutive days when TX > 90th percentile

Sen's slope = 0.564   lower bound = 0.468,   upper bound = 0.663,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: csdi. Annual number of days contributing to events where 6 or more consecutive days experience TN < 10th percentile

Sen's slope = 0   lower bound = −0.01,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: csdi3. Annual number of days with at least 3 consecutive days when TN < 10th percentile

Sen's slope = −0.143   lower bound = −0.176,   upper bound = −0.118,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: txgt50p. Annual percentage of days when TX > 50th percentile

Sen's slope = 0.289   lower bound = 0.252,   upper bound = 0.324,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: txgt50p. Monthly percentage of days when TX > 50th percentile

Sen's slope = 0.025   lower bound = 0.023,   upper bound = 0.027,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tx10p. Annual percentage of days when TX < 10th percentile

Sen's slope = −0.092   lower bound = −0.106,   upper bound = −0.079,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tx10p. Monthly percentage of days when TX < 10th percentile

Sen's slope = 0   lower bound = −0.003,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tx90p. Annual percentage of days when TX > 90th percentile

Sen's slope = 0.187   lower bound = 0.16,   upper bound = 0.214,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tx90p. Monthly percentage of days when TX > 90th percentile

Sen's slope = 0.014   lower bound = 0.012,   upper bound = 0.016,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tn10p. Annual percentage of days when TN < 10th percentile

Sen's slope = −0.097   lower bound = −0.11,   upper bound = −0.086,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tn10p. Monthly percentage of days when TN < 10th percentile

Sen's slope = −0.004   lower bound = −0.005,   upper bound = −0.003,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tn90p. Annual percentage of days when TN > 90th percentile

Sen's slope = 0.241   lower bound = 0.214,   upper bound = 0.266,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tn90p. Monthly percentage of days when TN > 90th percentile

Sen's slope = 0.018   lower bound = 0.017,   upper bound = 0.02,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tmge5. Annual number of days when TM >= 5 degrees_C

Sen's slope = 0.34   lower bound = 0.289,   upper bound = 0.392,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tmge5. Monthly number of days when TM >= 5 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tmlt5. Annual number of days when TM < 5 degrees_C

Sen's slope = −0.339   lower bound = −0.393,   upper bound = −0.287,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tmlt5. Monthly number of days when TM < 5 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p-value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tmge10. Annual number of days when TM >= 10 degrees_C

Sen's slope = 0.524   lower bound = 0.457,   upper bound = 0.585,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tmge10. Monthly number of days when TM >= 10 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0.001,   p-value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tmlt10. Annual number of days when TM < 10 degrees_C

Sen's slope = −0.526   lower bound = −0.585,   upper bound = −0.457,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tmlt10. Monthly number of days when TM < 10 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: txge30. Annual number of days when TX >= 30 degrees_C

Sen's slope = 0.304   lower bound = 0.242,   upper bound = 0.359,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: txge30. Monthly number of days when TX >= 30 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: txge35. Annual number of days when TX >= 35 degrees_C

Sen's slope = 0.086   lower bound = 0.058,   upper bound = 0.12,   p−value = 0

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: txge35. Monthly number of days when TX >= 35 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tx95t. Value of 95th percentile of TX

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: hddheat18. Annual sum of 18 – TM

Sen's slope = −7.028   lower bound = −7.86,   upper bound = −6.207,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: cddcold18. Annual sum of TM − 18

Sen's slope = 3.877   lower bound = 3.275,   upper bound = 4.454,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: gddgrow10. Annual sum of TM − 10

Sen's slope = 7.37   lower bound = 6.523,   upper bound = 8.258,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: cdd. Maximum annual number of consecutive dry days (when precipitation < 1.0 mm)

Sen's slope = 0.042   lower bound = 0,   upper bound = 0.071,   p−value = 0.011

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: cwd. Maximum annual number of consecutive wet days (when precipitation >= 1.0 mm)

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.301

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: r10mm. Annual number of days when precipitation >= 10 mm

Sen's slope = 0.043   lower bound = 0.02,   upper bound = 0.066,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: r10mm. Monthly number of days when precipitation >= 10 mm

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

**Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]**

Index: r20mm. Annual number of days when precipitation >= 20 mm

Sen's slope = 0.023   lower bound = 0.008,   upper bound = 0.035,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: r20mm. Monthly number of days when precipitation >= 20 mm

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: rx1day. Maximum annual 1−day precipitation total

Sen's slope = 0   lower bound = −0.014,   upper bound = 0.03,   p−value = 0.657

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: rx1day. Maximum monthly 1−day precipitation total

Sen's slope = 0.002   lower bound = 0.001,   upper bound = 0.003,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: rx5day. Maximum annual 5−day precipitation total

Sen's slope = 0.067   lower bound = −0.012,   upper bound = 0.142,   p−value = 0.101

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: rx5day. Maximum monthly 5−day precipitation total

Sen's slope = 0.004   lower bound = 0.002,   upper bound = 0.005,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: prcptot. Annual sum of daily precipitation >= 1.0 mm

Sen's slope = 0.789   lower bound = 0.258,   upper bound = 1.305,   p−value = 0.003

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: prcptot. Monthly sum of daily precipitation >= 1.0 mm

Sen's slope = 0.006   lower bound = 0.002,   upper bound = 0.009,   p−value = 0.002

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: sdii. Annual total precipitation divided by the number of wet days (when total precipitation >= 1.0 mm)

Sen's slope = 0.01   lower bound = 0.007,   upper bound = 0.013,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: r95p. Annual sum of daily precipitation > 95th percentile

Sen's slope = 0.717   lower bound = 0.39,   upper bound = 1.07,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: r99p. Annual sum of daily precipitation > 99th percentile

Sen's slope = 0.092   lower bound = 0,   upper bound = 0.452,   p−value = 0.059

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: r95ptot. 100*r95p / PRCPTOT

Sen's slope = 0.072   lower bound = 0.034,   upper bound = 0.114,   p–value = 0.001

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: r99ptot. 100*r99p / PRCPTOT

Sen's slope = 0.013   lower bound = 0,   upper bound = 0.054,   p−value = 0.164

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: rx3day. Maximum 3−day precipitation total

Sen's slope = 0.065   lower bound = −0.002,   upper bound = 0.139,   p−value = 0.055

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: rx3day. Maximum 3−day precipitation total

Sen's slope = 0.003   lower bound = 0.002,   upper bound = 0.005,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: r30mm. Number of days when precipitation >= 30

Sen's slope = 0   lower bound = 0,   upper bound = 0.011,   p−value = 0.129

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: r30mm. Number of days when precipitation >= 30

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.269

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: tx2tn2. Number of 2 consecutive days where both TX > 95th percentile and TN > 95th percentile

Sen's slope = 0.041   lower bound = 0.032,   upper bound = 0.049,   p−value = 0

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: txb2tnb2. Number of 2 consecutive days where both TX < 5th percentile and TN < 5th percentile

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWM−Tx90. Heatwave Magnitude (mean temperature of all heatwave events)

Sen's slope = 0.023   lower bound = 0.012,   upper bound = 0.033,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWA−Tx90. Heatwave Amplitude (peak temperature of the hottest heatwave event)

Sen's slope = 0.073   lower bound = 0.053,   upper bound = 0.092,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWN−Tx90. Heatwave Number (number of discreet heatwave events)

Sen's slope = 0.041   lower bound = 0.031,   upper bound = 0.05,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWD−Tx90. Heatwave Duration (length of longest heatwave event)

Sen's slope = 0.054   lower bound = 0.037,   upper bound = 0.069,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWF−Tx90. Heatwave Frequency (number of days contributing to heatwave events)

Sen's slope = 0.25   lower bound = 0.192,   upper bound = 0.304,   p−value = 0

Climpact v 3.1.6

**Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]**

Index: HWM–Tn90. Heatwave Magnitude (mean temperature of all heatwave events)

°C

Sen's slope = 0.01   lower bound = 0.004,   upper bound = 0.017,   p–value = 0.003

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWA−Tn90. Heatwave Amplitude (peak temperature of the hottest heatwave event)

Sen's slope = 0.051   lower bound = 0.04,   upper bound = 0.062,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWN−Tn90. Heatwave Number (number of discreet heatwave events)

Sen's slope = 0.058   lower bound = 0.05,   upper bound = 0.067,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWD−Tn90. Heatwave Duration (length of longest heatwave event)

Sen's slope = 0.097   lower bound = 0.077,   upper bound = 0.116,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWF−Tn90. Heatwave Frequency (number of days contributing to heatwave events)

Sen's slope = 0.393   lower bound = 0.333,   upper bound = 0.456,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWM−EHF. Heatwave Magnitude (mean temperature of all heatwave events)

Sen's slope = 0.032   lower bound = 0.009,   upper bound = 0.052,   p−value = 0.007

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWA−EHF. Heatwave Amplitude (peak temperature of the hottest heatwave event)

Sen's slope = 0.353   lower bound = 0.254,   upper bound = 0.473,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWN−EHF. Heatwave Number (number of discreet heatwave events)

Sen's slope = 0.048   lower bound = 0.038,   upper bound = 0.057,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWD−EHF. Heatwave Duration (length of longest heatwave event)

Sen's slope = 0.094   lower bound = 0.071,   upper bound = 0.118,   p−value = 0

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: HWF−EHF. Heatwave Frequency (number of days contributing to heatwave events)

Sen's slope = 0.375   lower bound = 0.294,   upper bound = 0.448,   p−value = 0

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: CWM−ECF. Coldwave Magnitude (mean temperature of all coldwave events)

Sen's slope = 0.002   lower bound = −0.044,   upper bound = 0.056,   p−value = 0.928

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: CWA−ECF. Coldwave Amplitude (minimum temperature of the coldest coldwave event)

Sen's slope = 0.056   lower bound = −0.063,   upper bound = 0.196,   p−value = 0.377

Climpact v 3.1.6

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: CWN−ECF. Coldwave Number (number of discreet coldwave events)

Sen's slope = −0.016   lower bound = −0.022,   upper bound = −0.008,   p−value = 0

# Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: CWD−ECF. Coldwave Duration (length of longest coldwave event)

Sen's slope = 0   lower bound = −0.038,   upper bound = 0.009,   p−value = 0.354

Climpact v 3.1.6

Station: final_1971_2005_Paris_rcp85 [48.85°N, 2.35°E]

Index: CWF−ECF. Coldwave Frequency (number of days contributing to coldwave events)

Sen's slope = −0.099   lower bound = −0.138,   upper bound = −0.062,   p−value = 0

Climpact v 3.1.6