

# Cucumber Report

16 sept de 2024, 5:44:16 p. m.

Start : sept 16, 5:44:09.445 p. m.

End : sept 16, 5:44:15.509 p. m.

Duration : 6.064 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 1  
FAILED - 4  
SKIPPED - 0

PASSED - 7  
FAILED - 4  
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Booking endpoint</u>	6.064 s	5	1	4	0	14	7	4	3

#	Feature Name	Scenario Name
1	<u>Booking endpoint</u>	<u>Verify GET booking by id</u>
2		<u>Verify GET booking with invalid id</u>
3		<u>Create a new booking with invalid fields POST</u>
4		<u>Create a new booking with missing fields POST</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Booking endpoint</u>	5	1	4	0	6.064 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Booking endpoint</u>	<u>Verify GET booking by id</u>	3	2	1	0	3.251 s
2		<u>Verify GET booking with invalid id</u>	3	1	1	1	0.688 s
3		<u>Create a new booking POST</u>	2	2	0	0	0.751 s
4		<u>Create a new booking with invalid fields POST</u>	3	1	1	1	0.677 s
5		<u>Create a new booking with missing fields POST</u>	3	1	1	1	0.650 s

## Booking endpoint



<b>FAILED</b>	DURATION - 6.064 s	Scenarios		Steps	
/ 5:44:09.445 p. m. // 5:44:15.509 p. m. /		Total - 5		Total - 14	
		Pass - 1		Pass - 7	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 3	

## Verify GET booking by id

<div><div>FAILED</div><div>DURATION - 3.251 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 0</div></div>	<div></div>
/ 5:44:09.447 p. m. // 5:44:12.698 p. m. /				
Booking endpoint				



#	Step / Hook Details	Status	Duration												
1	Given I perform a GET call to the booking endpoint with id "2"	PASSED	2.719 s												
2	Then I verify that the status code is 200	PASSED	0.006 s												
3	And The booking details are as follows: <table><tr><td>firstname</td><td>Mary</td></tr><tr><td>lastname</td><td>Ericsson</td></tr><tr><td>totalprice</td><td>634</td></tr><tr><td>depositpaid</td><td>false</td></tr><tr><td>checkin</td><td>2015-12-31</td></tr><tr><td>checkout</td><td>2020-09-05</td></tr></table> <p>org.junit.ComparisonFailure: expected:&lt;[Mary]&gt; but was:&lt;[Jim]&gt; at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.bookingSteps.theBookingDetailsAreAsFollows(bookingSteps.java:44) at ?.The booking details are as follows:(file:///D:/CertificacionII/Tercer%20Parcial/APIFINAL/src/test/resources/booking.feature:7) * Not displayable characters are replaced by '?'. </p>	firstname	Mary	lastname	Ericsson	totalprice	634	depositpaid	false	checkin	2015-12-31	checkout	2020-09-05	FAILED	0.514 s
firstname	Mary														
lastname	Ericsson														
totalprice	634														
depositpaid	false														
checkin	2015-12-31														
checkout	2020-09-05														

## Verify GET booking with invalid id

<div>FAILED</div> <div>DURATION - 0.688 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 5:44:12.711 p. m. // 5:44:13.399 p. m. /				
Booking endpoint				

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with id "hsdjfasd"	PASSED	0.682 s
2	Then I verify that the status code is 400  <pre>java.lang.AssertionError: expected:&lt;400&gt; but was:&lt;404&gt;     at org.junit.Assert.fail(Assert.java:89)     at org.junit.Assert.failNotEquals(Assert.java:835)     at org.junit.Assert.assertEquals(Assert.java:647)     at org.junit.Assert.assertEquals(Assert.java:633)     at stepDefinitions.bookingSteps.iVerifyThatTheStatusCodesIs(bookingSteps.java:29)     at ?.I verify that the status code is 400(file:///D:/CertificacionII/Tercer%20Parcial/APIFINAL/src/test/resources/booking.feature:17)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	And The message is "Bad Request"	SKIPPED	0.002 s



## Create a new booking POST

<div>PASSED</div>	<div>DURATION - 0.751 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:44:13.413 p. m. // 5:44:14.164 p. m. /</div>				
<div>Booking endpoint</div>				

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the booking endpoint with the following data: <div><div>firstname</div><div>Billie</div></div>	PASSED	0.748 s

#	Step / Hook Details		Status	Duration
	lastname	Eilish		
	totalprice	1000		
	depositpaid	true		
	checkin	2001-12-18		
	checkout	2019-04-08		
	additionalneeds	Breakfast		
2	Then I verify that the status code is 200		PASSED	0.001 s

### Create a new booking with invalid fields POST



<b>FAILED</b> DURATION - 0.677 s / 5:44:14.174 p. m. // 5:44:14.851 p. m. / Booking endpoint		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the booking endpoint with the following invalid data:	PASSED	0.673 s
	firstname1234		
	lastname!@#\$\$%^		
	totalpriceone hundred		
	depositpaidnull		
	checkinrandom_date		
	checkoutnull_date		
	additionalneedsInvalidRequest		
2	Then I verify that the status code is 400	FAILED	0.002 s
java.lang.AssertionError: expected:<400> but was:<500> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.bookingSteps.iVerifyThatTheStatusCodeIs(bookingSteps.java:29) at ?.I verify that the status code is 400(file:///D:/CertificacionII/Tercer%20Parcial/APIFINAL/src/test/resources/booking.feature:40) * Not displayable characters are replaced by '?'. 			



#	Step / Hook Details	Status	Duration
3	And The message is "Bad Request"	SKIPPED	0.001 s

### Create a new booking with missing fields POST

<div>FAILED</div> <div>DURATION - 0.650 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 5:44:14.859 p. m. // 5:44:15.509 p. m. /</div>				
<div>Booking endpoint</div>				

#	Step / Hook Details	Status	Duration	
1	Given I perform a POST call to the booking endpoint with the following incomplete data:	PASSED	0.648 s	
	firstname			Jim
	lastname			
	totalprice			800
	depositpaid			false
	checkin			2018-03-09
	checkout			2019-04-08
	additionalneeds			Breakfast
2	Then I verify that the status code is 400  java.lang.AssertionError: expected:<400> but was:<500> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.bookingSteps.iVerifyThatTheStatusCodeIs(bookingSteps.java:29) at ?.I verify that the status code is 400(file:///D:/CertificacionII/Tercer%20Parcial/APIFINAL/src/test/resources/booking.feature:52) * Not displayable characters are replaced by '?'.  	FAILED	0.001 s	
3	And The message is "Bad Request"	SKIPPED	0.000 s	