



COMPLIANCE & SAFETY DOCUMENTATION

A STANDARDISED DOCUMENT PACK FOR THE DOOR, GATE AND SHUTTER INDUSTRY

THIS PACK BELONGS TO

[INSERT COMPANY LOGO]

Replace this panel with your business logo

BUSINESS NAME	
ABN	
PACK VERSION	
DATE ISSUED	
APPROVED BY	

These are templates. You add your logo, your business details and your own records; the structure, numbering, colours and formatting stay the same across every document, so the whole pack reads as one system.

15 documents **9** sections **A4** print and digital

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



CONTENTS — WHAT EACH DOCUMENT IS FOR

01 BUSINESS & DOCUMENT CONTROL

DL-BUS-001	Business Information & Document Register Records your business, people, licences and insurances once. Every other document reuses these details, and the register here tracks the version of each one.
-------------------	--

02 COMPLIANCE

DL-COMP-001	Contractor Compliance Requirements & Declaration Issued to contractors before they start: the legislation they work under, their status, and the insurances and licences they must produce and keep current.
--------------------	--

03 WORK HEALTH & SAFETY

DL-WHS-001	Workplace Health & Safety Policy Statement The signed safety commitment that clients, principal contractors and insurers usually ask to see first. Display it where workers can read it.
DL-WHS-002	Health & Safety Management Plan The parent document for your safety system: responsibilities, the risk process, key hazards and controls, training requirements and stage-by-stage site procedures.
DL-WHS-003	WHS Responsibilities Statement Evidence of how safety duties are communicated — procedures, inductions, toolbox talks and reviews — with an acknowledgement register workers sign.
DL-WHS-004	WHS Legislation & Continuous Improvement Statement Shows how you track legislative and standards change and feed it back into work procedures, with a dated review log.
DL-WHS-005	Safety Induction Statement & Record Delivers and records the induction every worker and subcontractor must complete before starting, covering rights, hazards and safe work procedures.
DL-WHS-006	Drug, Alcohol & Fatigue Management Policy Fitness for duty, your testing arrangements and shift and rest limits, with a rest and break log. Review the flagged sections with an employment adviser.
DL-WHS-007	Vehicle First Aid Kit Policy & Compliance Log Keeps a compliant, in-date first aid kit in every company and subcontractor vehicle, with a weekly signed check.

04 RISK MANAGEMENT

DL-RISK-001	Risk Register & Risk Assessment Your standing list of trade hazards and controls, the 5 x 5 risk matrix and action table, and the blank assessment completed on site before work starts.
--------------------	--

05 SAFE WORK PROCEDURES

DL-SWMS-001	Safe Work Method Statement Required for high-risk construction work. Scope, PPE, high-risk categories, legislation and standards, risk matrix, full job safety analysis and worker sign-on.
--------------------	---

06 INSPECTIONS & CHECKLISTS

DL-INSP-001	Master Maintenance Checklist Per-asset service record covering structure, drive system, electrical and safety controls, lubrication and cycle testing, with defects, photos and client sign-off.
--------------------	--

07 INCIDENTS & REPORTING

DL-INC-001**Work Incident, Near Miss & Hazard Report**

Injuries, near misses, hazards and property damage: what happened, who was involved, contributing factors and the corrective actions that follow.

08 EMERGENCY MANAGEMENT**DL-EMG-001****Business Continuity & Emergency Management Plan**

Emergency contacts, response steps, continuity actions, drill schedule and the site-specific arrangements workers need to know before they need them.

09 CUSTOMER & JOB DOCUMENTATION**DL-JOB-001****Warranty Certificate**

Issued on completion: works performed, equipment and serial numbers, warranty periods and exclusions, maintenance recommendation and handover checklist.



HOW TO USE THE PACK

1. Complete **DL-BUS-001** first. Every other document repeats the same business details block, so getting it right once saves repeating the work.
2. Work through the documents that apply to your business. Delete anything describing something you do not actually do — an untrue policy is worse than no policy.
3. Look for the orange **IMPORTANT** boxes. Each marks a point that depends on your jurisdiction, your insurer, your manufacturer or your legal advice.
4. Record the version and approval date of each document in the register in DL-BUS-001.
5. Review the pack at least annually, and immediately after any incident or change in legislation.



WHAT THESE TEMPLATES ARE NOT

These documents give you a consistent structure and a starting point drawn from common practice in the door, gate and shutter industry. They are not legal advice, they are not a substitute for a competent person assessing your actual worksites, and completing them does not by itself make a business compliant. Legislation, Codes of Practice and Australian Standards are revised over time and differ between states and territories.

Two areas need professional input before use: drug and alcohol testing arrangements, and any warranty wording given to consumers.




NUMBERING AND ICONS

Every document carries a number, a section, and the icon for the kind of form it is, so a page can be identified at a glance even out of context.

ICON	PREFIX	SECTION
	DL-BUS	Business and document control
	DL-COMP	Compliance
	DL-WHS	Work health and safety
	DL-RISK	Risk management
	DL-SWMS	Safe work procedures
	DL-INSP	Inspections and checklists
	DL-INC	Incidents and reporting
	DL-EMG	Emergency management

ICON	PREFIX	SECTION
	DL-JOB	Customer and job documentation

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



BUSINESS INFORMATION & DOCUMENT REGISTER

SECTION 01 — BUSINESS & DOCUMENT CONTROL • DL-BUS-001

[INSERT COMPANY LOGO]

Replace with your business logo

BUSINESS NAME

ABN

Complete this form once. Every other document in the DoorLink Compliance & Safety pack uses the same business details, so having them recorded and approved here keeps the whole system consistent.

01

BUSINESS DETAILS

COMPANY / BUSINESS NAME	
TRADING NAME	
ABN	
ACN (IF APPLICABLE)	
BUSINESS ADDRESS	
POSTAL ADDRESS	
PHONE	
MOBILE	
EMAIL	
WEBSITE	

02

KEY PEOPLE

BUSINESS OWNER / DIRECTOR	
OPERATIONS MANAGER	
COMPLIANCE CONTACT	
PRIMARY SITE CONTACT	
EMERGENCY CONTACT (NAME)	
EMERGENCY CONTACT NUMBER	
NOMINATED FIRST AID OFFICER	

03

JURISDICTION, LICENCES AND INSURANCE

Record the state or territory the business operates in and the regulator that applies. Where work is performed across more than one jurisdiction, list each one and confirm the licensing requirements separately.

STATE / TERRITORY	
APPLICABLE WHS REGULATOR	
TRADE LICENCE NUMBER	
ELECTRICAL LICENCE NUMBER (IF APPLICABLE)	
OTHER REGISTRATION / CERTIFICATION	
PUBLIC LIABILITY INSURER AND POLICY NUMBER	
PUBLIC LIABILITY EXPIRY DATE	
WORKERS COMPENSATION POLICY NUMBER	
WORKERS COMPENSATION EXPIRY DATE	

IMPORTANT

Insurance and licence details change. Diarise each expiry date above and review this page whenever a policy is renewed or a licence is added.

04

DOCUMENT REGISTER

Record the version of each document your business is currently using. Reissue the affected documents whenever a policy, procedure or legislative reference changes.

DOC NO.	DOCUMENT	VERSION	EFFECTIVE	REVIEW DUE	APPROVED BY
DL-BUS-001	Business Information & Document Register				
DL-COMP-001	Contractor Compliance Requirements & Declaration				
DL-WHS-001	Workplace Health & Safety Policy Statement				
DL-WHS-002	Health & Safety Management Plan				
DL-WHS-003	WHS Responsibilities Statement				
DL-WHS-004	WHS Legislation & Continuous Improvement Statement				
DL-WHS-005	Safety Induction Statement & Record				
DL-WHS-006	Drug, Alcohol & Fatigue Management Policy				
DL-WHS-007	Vehicle First Aid Kit Policy & Compliance Log				
DL-RISK-001	Risk Register & Risk Assessment				
DL-SWMS-001	Safe Work Method Statement				
DL-INSP-001	Master Maintenance Checklist				
DL-INC-001	Work Incident, Near Miss & Hazard Report				
DL-EMG-001	Business Continuity & Emergency Management Plan				
DL-JOB-001	Warranty Certificate				

05

REVISION HISTORY

VERSION	DATE	CHANGE MADE	CHANGED BY	APPROVED BY

06

APPROVAL

PREPARED BY

NAME

POSITION

SIGNATURE

DATE

APPROVED BY

NAME

POSITION

SIGNATURE

DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



CONTRACTOR COMPLIANCE REQUIREMENTS

SECTION 02 — COMPLIANCE • DL-COMP-001

[INSERT COMPANY LOGO]
Replace with your business logo

BUSINESS NAME

ABN

Issue this document to every contractor and subcontractor before they start work. It sets out the legislation they must work under, the status of their engagement, and the evidence they must provide.

01 BUSINESS DETAILS

COMPANY / BUSINESS NAME	
TRADING NAME	
ABN	
ACN (IF APPLICABLE)	
BUSINESS ADDRESS	
POSTAL ADDRESS	
PHONE	
EMAIL	
EMERGENCY CONTACT NUMBER	
RESPONSIBLE PERSON / DIRECTOR	
STATE / TERRITORY	
APPLICABLE REGULATOR	

DOCUMENT CONTROL

DOCUMENT NUMBER	DL-COMP-001	VERSION	
EFFECTIVE DATE		REVIEW DATE	
PREPARED BY		APPROVED BY	

02 LEGISLATIVE COMPLIANCE

All contractors and subcontractors engaged by the business must comply with all applicable Commonwealth and state legislation. Where the engagement is in New South Wales, that includes but is not limited to:

- Fair Work Act 2009 (Cth)
- Independent Contractors Act 2006 (Cth)
- Work Health and Safety Act 2011 (NSW)
- Work Health and Safety Regulation 2017 (NSW)
- Workers Compensation Act 1987 (NSW)
- Workers Compensation Regulation 2023 (NSW)
- Anti-Discrimination Act 1977 (NSW)
- Privacy Act 1988 (Cth)
- Electrical safety legislation and the Australian Standards applicable to the works being undertaken

CHECK YOUR JURISDICTION

The list above reflects New South Wales. If your business operates in another state or territory, replace the state legislation with the equivalent instruments for that jurisdiction before issuing this document.

03 CONTRACTOR STATUS

Contractors acknowledge that they are independent contractors operating their own business, and are responsible for maintaining all licences, insurances, taxation obligations, superannuation obligations where applicable, registrations and certifications required to lawfully perform the contracted works.

Contractors acknowledge that their engagement does not constitute an employment relationship unless otherwise determined under applicable legislation.

04 FAIR WORK COMPLIANCE

- The business is committed to complying with the Fair Work Act 2009 (Cth) and all applicable workplace laws.
- Sham contracting arrangements are prohibited. The business will not knowingly misrepresent an employment relationship as an independent contracting arrangement.
- Contractors must ensure that any workers they engage are lawfully engaged and entitled to work in Australia.

05 WORK HEALTH AND SAFETY

All contractors must take reasonable care for their own health and safety and for the safety of others who may be affected by their acts or omissions. Contractors must:

- Follow all site-specific safety requirements.
- Comply with approved Safe Work Method Statements (SWMS).
- Use appropriate Personal Protective Equipment (PPE).
- Report hazards, incidents and near misses immediately.
- Ensure all plant, tools and equipment are maintained and safe for use.

06 INSURANCE AND DOCUMENTATION REQUIRED BEFORE STARTING WORK

Current copies of the following must be provided and verified before the contractor attends site. Engagements may be suspended or terminated where documentation has expired or has not been provided.

DOCUMENT	PROVIDED	EXPIRY DATE	VERIFIED BY
Public liability insurance			
Workers compensation insurance (where required)			
Relevant trade licence			
Electrical licence (if applicable)			
Construction induction card (White Card)			
High-risk work licence (specify class)			
Plant operator licence / VOC (specify)			
Company SWMS for the contracted works			
Vehicle registration and insurance			
Other (specify)			

07 CONTRACTOR DECLARATION

I declare that I have read and understood the compliance requirements set out in this document, that the documentation I have provided is current and accurate, and that I will notify the business immediately if any licence, insurance or certification lapses or is cancelled.

FULL NAME (PRINT)		CONTRACTING COMPANY NAME	
RESIDENTIAL ADDRESS		ABN	
PHONE	EMAIL		
CONTRACTOR		ACCEPTED FOR THE BUSINESS	
NAME		NAME	
POSITION		POSITION	
SIGNATURE		SIGNATURE	
DATE		DATE	

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



WORKPLACE HEALTH & SAFETY POLICY

SECTION 03 — WORK HEALTH & SAFETY • DL-WHS-001

[INSERT COMPANY LOGO]

Replace with your business logo

BUSINESS NAME

ABN

A signed policy statement is usually the first document a client, principal contractor or insurer asks to see. Complete the business details, have it approved, and display it where workers can read it.

01**BUSINESS DETAILS**

COMPANY / BUSINESS NAME	
TRADING NAME	
ABN	
ACN (IF APPLICABLE)	
BUSINESS ADDRESS	
POSTAL ADDRESS	
PHONE	
EMAIL	
EMERGENCY CONTACT NUMBER	
RESPONSIBLE PERSON / DIRECTOR	
STATE / TERRITORY	
APPLICABLE REGULATOR	

DOCUMENT CONTROL

DOCUMENT NUMBER	DL-WHS-001	VERSION	
EFFECTIVE DATE		REVIEW DATE	
PREPARED BY		APPROVED BY	

02 POLICY STATEMENT

This business is committed to providing and maintaining a safe and healthy workplace for all workers, subcontractors, clients, visitors and members of the public. This policy is built around compliance with the Work Health and Safety Act 2011, the Work Health and Safety Regulation 2017 and the relevant SafeWork Codes of Practice applicable in the jurisdiction recorded in Section 01.

03 OUR COMMITMENTS

- Provide safe work systems covering installation, repairs, maintenance and emergency works.
- Identify hazards, assess risks and implement appropriate control measures.
- Ensure all workers are trained, competent and supervised in safe work practices.
- Maintain safe plant, tools and equipment, including lock-out / tag-out procedures.
- Consult with workers and subcontractors on safety matters and improvements.
- Regularly review safety procedures, incidents and near misses to ensure continual improvement.
- Ensure SWMS, health and safety management plans, JSA tables and emergency procedures are followed on all worksites.

04 RESPONSIBILITIES

ROLE	RESPONSIBILITY
Management	Implement WHS systems, provide training and equipment, and ensure full compliance with WHS legislation.
Workers	Follow procedures, use PPE, report hazards, and stop work immediately if a task is unsafe.
Subcontractors	Comply with this policy and follow all site safety rules.

05 CONTINUOUS IMPROVEMENT

The business maintains a systematic review process. WHS performance is evaluated through audits, toolbox talks, incident reviews, equipment inspections and worker consultation, so that WHS systems remain effective, current and aligned with regulation and industry practice.

06 STATEMENT OF COMMITMENT

The business will actively work to eliminate or reduce risks, promote safe behaviour, and ensure every worker returns home safely every day.

DIRECTOR / RESPONSIBLE OFFICER**NAME**

POSITION

SIGNATURE

DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



HEALTH & SAFETY MANAGEMENT PLAN

SECTION 03 — WORK HEALTH & SAFETY • DL-WHS-002

[INSERT COMPANY LOGO]

Replace with your business logo

BUSINESS NAME

ABN

The Health & Safety Management Plan is the parent document for your safety system. It states how hazards are controlled, who is responsible, and what training workers must hold before they attend site.

01**BUSINESS DETAILS**

COMPANY / BUSINESS NAME	
TRADING NAME	
ABN	
ACN (IF APPLICABLE)	
BUSINESS ADDRESS	
POSTAL ADDRESS	
PHONE	
EMAIL	
EMERGENCY CONTACT NUMBER	
RESPONSIBLE PERSON / DIRECTOR	
STATE / TERRITORY	
APPLICABLE REGULATOR	

DOCUMENT CONTROL

DOCUMENT NUMBER	DL-WHS-002	VERSION	
EFFECTIVE DATE		REVIEW DATE	
PREPARED BY		APPROVED BY	

02 PURPOSE AND OBJECTIVES

This plan outlines the safety policies, responsibilities and procedures required to ensure safe operations for all employees and subcontractors. It aligns with the WHS Act 2011, WHS Regulation 2017 and the SafeWork Codes of Practice applicable in the jurisdiction recorded in Section 01.

- Prevent injuries, incidents and property damage.
- Comply with all applicable WHS legislation.
- Provide safe work environments for workers and clients.
- Ensure adequate training, supervision, PPE and risk controls.

03 SAFETY RESPONSIBILITIES

ROLE	RESPONSIBILITY
Management	Implement this plan, ensure training is delivered, review incidents, and provide safe equipment.
Workers	Follow procedures, report hazards, use PPE, and stop unsafe work.
Subcontractors	Comply with the business's WHS requirements and applicable regulations.

04 RISK MANAGEMENT PROCESS

1. **Identify hazards** — site conditions, electrical, working at heights, traffic, springs under tension, power tools.
2. **Assess risks** — likelihood against consequence, using the risk matrix in DL-RISK-001.
3. **Control risks** — applying the hierarchy of control: eliminate, substitute, isolate, engineering, administration, PPE.
4. **Review controls** — confirm the controls remain effective and revise where they are not.

05 KEY HAZARDS AND CONTROLS

HAZARD	RISK	CONTROL MEASURES
Manual handling	Sprain and strain injuries	Team lifts, mechanical aids, training
Electrical work	Electric shock, arc flash	Isolation, lock-out / tag-out, insulated tools
Power tools	Cuts, sparks, eye injury	Inspect tools before use, PPE, correct technique
Springs under tension	Severe injury from sudden release	Qualified technicians only, correct winding bars
Traffic and public	Collision, injury to public	Cones, barriers, spotter, signage
Working at heights	Falls from ladders and platforms	Stable ladders, three points of contact, edge protection

06 TRAINING AND COMPETENCY

Record the minimum training every technician must hold before attending site. Add or remove items to match the work your business actually performs.

TRAINING / COMPETENCY	REQUIRED FOR	EVIDENCE HELD	EXPIRY
Construction induction card (White Card)			
Manual handling			
Electrical safety awareness and lock-out / tag-out			
Working at heights and ladder use			
Elevated work platform / scissor lift (specify class)			
Product and motor training (specify manufacturers)			
Emergency procedures and first aid awareness			
Other (specify)			

07 SAFE WORK PROCEDURES

STAGE	PROCEDURE
Arrival	Sign in, identify hazards, establish exclusion zones.
Setup	Place cones and barriers, isolate power.
Removal	Disconnect motor, release spring tension safely, remove parts.
Installation	Install tracks, drums, panels, motors and wiring.
Testing	Check limits, force settings and safety beams; run the manufacturer's recommended number of full cycles.
Completion	Clean the site, provide handover instructions, explain warranty.

CONFIRM AGAINST THE MANUAL

Testing cycle counts, force settings and commissioning steps vary between manufacturers. Confirm against the manufacturer's installation instructions for the specific product before relying on this table.

08 EMERGENCY RESPONSE

1. Stop work immediately.
2. Make the area safe — isolate power, block access.
3. Administer first aid within the limits of your training.
4. Call 000 for ambulance, fire or police.
5. Notify management immediately.
6. Document the incident using DL-INC-001.

09 SIGN OFF

WORKER

NAME

POSITION

SIGNATURE

DATE

SUPERVISOR


NAME

POSITION

SIGNATURE

DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



WHS RESPONSIBILITIES STATEMENT

SECTION 03 — WORK HEALTH & SAFETY • DL-WHS-003

[INSERT COMPANY LOGO]

Replace with your business logo

BUSINESS NAME

ABN

This statement records how WHS responsibilities are communicated across the business. Clients and principal contractors frequently request it as part of prequalification.

01**BUSINESS DETAILS**

COMPANY / BUSINESS NAME	
TRADING NAME	
ABN	
ACN (IF APPLICABLE)	
BUSINESS ADDRESS	
POSTAL ADDRESS	
PHONE	
EMAIL	
EMERGENCY CONTACT NUMBER	
RESPONSIBLE PERSON / DIRECTOR	
STATE / TERRITORY	
APPLICABLE REGULATOR	

DOCUMENT CONTROL

DOCUMENT NUMBER	DL-WHS-003	VERSION	
EFFECTIVE DATE		REVIEW DATE	
PREPARED BY		APPROVED BY	

02

STATEMENT OF COMPLIANCE

The business formally communicates and documents all health and safety responsibilities to employees and subcontractors in accordance with the WHS Act 2011 and the WHS Regulation 2017 applicable in the jurisdiction recorded in Section 01. Every worker is made aware of their role in maintaining a safe workplace, and is provided with the documentation, training and supervision needed to support it.

03

HOW RESPONSIBILITIES ARE COMMUNICATED

1. Documented safety procedures

- Safety responsibilities are defined in Safe Work Method Statements, the Health & Safety Management Plan, and company safety procedures.
- Responsibilities include hazard reporting, PPE requirements, safe work practices and incident response.

2. Position descriptions containing WHS duties

- Each role within the business includes specific WHS responsibilities.
- Technicians, installers, supervisors and subcontractors are given clear expectations around safety compliance, hazard control and reporting obligations.

3. Communication during inductions and training

- All workers and subcontractors complete a mandatory WHS induction before beginning work.
- The induction covers legal obligations, company rules, reporting procedures, emergency processes and safe work responsibilities.

4. Ongoing toolbox talks and safety meetings

- WHS responsibilities are reinforced through toolbox meetings, site briefings and regular safety discussions.
- Changes to legislation, procedures or safety requirements are communicated promptly.

5. Performance reviews and safety targets

- Safety performance is included in employee expectations and reviewed during performance discussions.
- Workers are measured on safe behaviour, compliance with PPE and procedures, and their contribution to a hazard-free workplace.

6. Accessible WHS documentation

- Safety documents, policies and procedures are stored so that staff and subcontractors can access them.
- Workers acknowledge receipt and understanding of updated WHS responsibilities.

04

ACKNOWLEDGEMENT RECORD

NAME	POSITION	DOCUMENT ISSUED	DATE	SIGNATURE

05

APPROVAL

DIRECTOR / RESPONSIBLE OFFICER

NAME

POSITION

SIGNATURE

DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



WHS LEGISLATION & IMPROVEMENT

SECTION 03 — WORK HEALTH & SAFETY • DL-WHS-004

[INSERT COMPANY LOGO]

Replace with your business logo

BUSINESS NAME

ABN

Use this statement to show how the business keeps up with legislative change and feeds it back into day-to-day work procedures.

01**BUSINESS DETAILS**

COMPANY / BUSINESS NAME	
TRADING NAME	
ABN	
ACN (IF APPLICABLE)	
BUSINESS ADDRESS	
POSTAL ADDRESS	
PHONE	
EMAIL	
EMERGENCY CONTACT NUMBER	
RESPONSIBLE PERSON / DIRECTOR	
STATE / TERRITORY	
APPLICABLE REGULATOR	

DOCUMENT CONTROL

DOCUMENT NUMBER	DL-WHS-004	VERSION	
EFFECTIVE DATE		REVIEW DATE	
PREPARED BY		APPROVED BY	

02

KEEPING UP TO DATE WITH WHS LEGISLATION

The business maintains an active commitment to staying informed of changes relating to:

- The WHS Act 2011 and WHS Regulation 2017 applicable in our jurisdiction
- SafeWork alerts, updates and industry bulletins
- Relevant Australian Standards (AS/NZS) covering doors, gates, electrical safety and machinery
- Industry best practice and manufacturer technical updates for the product ranges we install and service

Updates are monitored through the WHS regulator, Standards Australia, manufacturer notices and industry associations.

COMPLETE BEFORE ISSUING

List the specific manufacturers your business is authorised for in the field below, rather than naming brands you do not hold training or accreditation for.

MANUFACTURERS / PRODUCT RANGES SERVICED BY THIS BUSINESS

INDUSTRY ASSOCIATIONS AND SUBSCRIPTIONS HELD

03

UPDATING WORK PROCEDURES AND PRACTICES

Legislative changes are reviewed and incorporated into company practice through:

- Updates to Safe Work Method Statements
- Revision of the Health & Safety Management Plan
- Toolbox talks and internal briefings
- Updated installation, servicing and repair procedures
- Continuous improvement meetings and safety reviews

04

REVIEW LOG

DATE	CHANGE IDENTIFIED	SOURCE	DOCUMENTS UPDATED	COMPLETED BY

05

COMMITMENT STATEMENT

The business is committed to maintaining high WHS standards by continuously monitoring, reviewing and integrating legislative and industry-specific changes into daily operations.

DIRECTOR / RESPONSIBLE OFFICER

NAME

POSITION

SIGNATURE

DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



SAFETY INDUCTION & RECORD

SECTION 03 — WORK HEALTH & SAFETY • DL-WHS-005

[INSERT COMPANY LOGO]

Replace with your business logo

BUSINESS NAME

ABN

Deliver this induction to every worker and subcontractor before they start. The record at the back is the evidence that it happened.

01**BUSINESS DETAILS**

COMPANY / BUSINESS NAME	
TRADING NAME	
ABN	
ACN (IF APPLICABLE)	
BUSINESS ADDRESS	
POSTAL ADDRESS	
PHONE	
EMAIL	
EMERGENCY CONTACT NUMBER	
RESPONSIBLE PERSON / DIRECTOR	
STATE / TERRITORY	
APPLICABLE REGULATOR	

DOCUMENT CONTROL

DOCUMENT NUMBER	DL-WHS-005	VERSION	
EFFECTIVE DATE		REVIEW DATE	
PREPARED BY		APPROVED BY	

02 INDUCTION COMPLIANCE STATEMENT

The business requires all workers and subcontractors to complete a formal safety induction prior to commencing any work. The induction is aligned with the WHS Act 2011 and WHS Regulation 2017 applicable in the jurisdiction recorded in Section 01.

03 RIGHTS AND RESPONSIBILITIES

All inducted workers are informed of:

- Their WHS rights, including the right to cease unsafe work.
- Their responsibility to follow safety procedures, SWMS and instructions.
- The requirement to report hazards, incidents and near misses.
- PPE obligations and maintaining safe behaviour on all worksites.

04 WORKPLACE HAZARDS COVERED

- Manual handling of motors, shutters, doors and heavy components.
- Electrical hazards and lock-out / tag-out procedures.
- Working at heights, ladder use and fall prevention.
- Power tool safety, metal cutting, grinding and sharp edges.
- High-tension springs in garage doors and shutters.
- Traffic and public risk on residential and commercial sites.

05 SAFE WORK PROCEDURES COVERED

- Safe Work Method Statements.
- Site pre-start hazard assessments.
- Isolation and tagging procedures.
- Correct installation, servicing and repair processes.
- Emergency procedures and communication protocols.

IMPORTANT

No worker or subcontractor is permitted to begin work until they have completed the induction covering every item listed above.

06

INDUCTION RECORD

WORKER / SUBCONTRACTOR NAME		POSITION
EMPLOYEE / CONTRACTOR (CIRCLE ONE)	COMPANY	DATE OF INDUCTION
INDUCTED BY		POSITION

Tick to confirm each item was covered and understood:

- | | | |
|---|---|--|
| ☐ WHS rights and duties | ☐ Right to cease unsafe work | ☐ Hazard and incident reporting |
| ☐ PPE requirements | ☐ Manual handling | ☐ Electrical safety and LOTO |
| ☐ Working at heights | ☐ Springs under tension | ☐ Power tool safety |
| ☐ Traffic and public control | ☐ SWMS for the task | ☐ Emergency procedures |

ADDITIONAL SITE-SPECIFIC MATTERS COVERED

I confirm that I have received and understood this induction, that I have had the opportunity to ask questions, and that I will not undertake any task I have not been trained and authorised to perform.

WORKER / SUBCONTRACTOR	INDUCTED BY
NAME	NAME
POSITION	POSITION
SIGNATURE	SIGNATURE
DATE	DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



DRUG, ALCOHOL & FATIGUE POLICY

SECTION 03 — WORK HEALTH & SAFETY • DL-WHS-006

[INSERT COMPANY LOGO]
Replace with your business logo

BUSINESS NAME

ABN

This policy covers fitness for duty, testing and fatigue management. Testing arrangements carry privacy and employment-law obligations, so review the highlighted items before issuing it.

01

BUSINESS DETAILS

COMPANY / BUSINESS NAME	
TRADING NAME	
ABN	
ACN (IF APPLICABLE)	
BUSINESS ADDRESS	
POSTAL ADDRESS	
PHONE	
EMAIL	
EMERGENCY CONTACT NUMBER	
RESPONSIBLE PERSON / DIRECTOR	
STATE / TERRITORY	
APPLICABLE REGULATOR	

DOCUMENT CONTROL

DOCUMENT NUMBER	DL-WHS-006	VERSION	
EFFECTIVE DATE		REVIEW DATE	
PREPARED BY		APPROVED BY	

02

DRUG AND ALCOHOL POLICY

The business is committed to ensuring all workers are fit for duty and capable of performing work safely. This policy supports the business's duties under the WHS Act 2011 and WHS Regulation 2017. The following is strictly prohibited:

- Use or possession of illegal drugs on any company or client site.
- Reporting to work under the influence of drugs or alcohol.
- Misuse of prescription medication that impairs judgement or safety.

Worker responsibilities

- Present to work fit for duty.
- Report any medication that may affect performance.
- Comply with testing requirements.

Company responsibilities

- Provide a safe workplace free from impairment risks.
- Manage impaired workers safely and respectfully.
- Apply disciplinary processes fairly and consistently.

03

TESTING PROGRAM

Complete the fields below to record the testing arrangements that apply in your business. Leave blank any element you do not operate.

TESTING PROVIDER

MINIMUM TESTING FREQUENCY

CIRCUMSTANCES TRIGGERING A TEST

WHO MAY AUTHORISE A TEST

WHERE RESULTS ARE STORED

REVIEW BEFORE USE

Drug and alcohol testing involves the collection of sensitive health information and interacts with privacy law, the Fair Work Act, any applicable modern award or enterprise agreement, and the terms of each worker's engagement. Confirm your testing program, consent arrangements and consequences of a positive or refused test with a qualified employment adviser before implementing this section.

04

FATIGUE MANAGEMENT AND REST SCHEDULING

Work scheduling practices must support adequate rest and prevent worker fatigue. Record the limits that apply in your business:

SCHEDULING CONTROL	LIMIT SET BY THIS BUSINESS
Maximum shift length (including travel)	
Minimum rest between shifts	
Mandatory break frequency and duration	
Maximum consecutive days worked	
Driving or operating machinery when fatigued	Not permitted

High-risk fatigue situations

- Emergency call-outs at night.
- Extended repair works causing overtime.
- Long-distance travel to remote job sites.

Control measures

- Shift rotation to avoid excessive hours.
- Supervisor monitoring of fatigue indicators.
- Workers required to report fatigue immediately.

05 REST AND BREAK LOG						
DATE	SHIFT START	SHIFT END	TOTAL HOURS	BREAKS TAKEN	WORKER SIGNATURE	SUPERVISOR

06POLICY SIGN OFF

I have read and understood this policy, including the fitness for duty requirements and the fatigue management limits recorded above.

WORKER	DIRECTOR / RESPONSIBLE OFFICER
NAME	NAME
POSITION	POSITION
SIGNATURE	SIGNATURE
DATE	DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



VEHICLE FIRST AID KIT POLICY

SECTION 03 — WORK HEALTH & SAFETY • DL-WHS-007

[INSERT COMPANY LOGO]
Replace with your business logo

BUSINESS NAME

ABN

Vehicles are the mobile workplace in this industry. This policy sets the first aid kit requirement and provides the weekly compliance log.

01

BUSINESS DETAILS

COMPANY / BUSINESS NAME	
TRADING NAME	
ABN	
ACN (IF APPLICABLE)	
BUSINESS ADDRESS	
POSTAL ADDRESS	
PHONE	
EMAIL	
EMERGENCY CONTACT NUMBER	
RESPONSIBLE PERSON / DIRECTOR	
STATE / TERRITORY	
APPLICABLE REGULATOR	

DOCUMENT CONTROL

DOCUMENT NUMBER	DL-WHS-007	VERSION	
EFFECTIVE DATE		REVIEW DATE	
PREPARED BY		APPROVED BY	

02 PURPOSE

This policy ensures that all company vehicles, including any subcontractor vehicles working under the business, are equipped with a compliant and fully stocked first aid kit at all times. It supports the business's duties under the WHS Act 2011 and WHS Regulation 2017.

03 POLICY REQUIREMENTS

- Every company vehicle must contain a complete, accessible and in-date first aid kit.
- Every subcontractor vehicle operating under the business must also carry a compliant first aid kit.
- Kits must include adequate supplies for the hazards of this work, including electrical injury, cuts, abrasions and emergency response situations.

CONFIRM YOUR KIT REQUIREMENT

First aid kit contents and the number of kits required depend on the size of the workforce, the nature of the work and the distance from emergency services. Confirm your requirement against the First Aid in the Workplace Code of Practice published by your WHS regulator.

04 DRIVER RESPONSIBILITY

The designated driver of each vehicle is responsible for:

- Checking the first aid kit before starting work each day.
- Ensuring all items are stocked and not expired.
- Reporting missing or damaged items immediately.
- Signing the weekly compliance log.

05 MANAGEMENT RESPONSIBILITY

- Conduct regular inspections of all worker and subcontractor vehicles.
- Verify first aid kit condition and replenishment.
- Record findings in the inspection register below.
- Enforce corrective actions where required.

06 WEEKLY FIRST AID KIT COMPLIANCE LOG

WEEK ENDING	DRIVER	VEHICLE REGO	KIT COMPLETE	ITEMS REPLACED	DRIVER SIGN	REVIEWED BY

DIRECTOR / RESPONSIBLE OFFICER

NAME

POSITION

SIGNATURE

DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



RISK REGISTER & ASSESSMENT

SECTION 04 — RISK MANAGEMENT • DL-RISK-001

[INSERT COMPANY LOGO]
Replace with your business logo

BUSINESS NAME

ABN

A risk register lists the hazards your work creates every day. The assessment form behind it is completed on site, before work starts, whenever conditions differ from the register.

01 BUSINESS DETAILS

COMPANY / BUSINESS NAME	
TRADING NAME	
ABN	
ACN (IF APPLICABLE)	
BUSINESS ADDRESS	
POSTAL ADDRESS	
PHONE	
EMAIL	
EMERGENCY CONTACT NUMBER	
RESPONSIBLE PERSON / DIRECTOR	
STATE / TERRITORY	
APPLICABLE REGULATOR	

DOCUMENT CONTROL

DOCUMENT NUMBER	DL-RISK-001	VERSION	
EFFECTIVE DATE		REVIEW DATE	
PREPARED BY		APPROVED BY	

02 HOW TO USE THIS DOCUMENT

1. Review the register below and delete any hazard your business does not encounter.
2. Add hazards specific to your equipment, sites and workforce.
3. Confirm the controls listed are the controls you actually use — a control you do not apply must not remain in the register.
4. Complete a site risk assessment (Section 05) before work begins on any job where conditions differ from the register.

03 RISK REGISTER

Common hazards associated with installation, repair, servicing and emergency work for garage doors, roller shutters, sliding gates, swing gates and their electrical components.

HAZARD	RISK DESCRIPTION	INITIAL RISK	CONTROL MEASURES
Manual handling	Strain and back injury lifting motors and doors	Medium	Team lifts, trolleys and mechanical aids, correct technique
Electrical work	Electric shock, arc flash	High	Isolation, lock-out / tag-out, insulated tools, licensed electrician
Power tools	Cuts, sparks, eye injury	Medium	PPE, tool inspection and test tagging, correct use
Springs under tension	Severe injury from sudden release of tension	High	Qualified technicians only, correct winding bars, no adjustment without rated PPE
Working at heights	Falls from ladders and platforms	High	Stable ladder, three points of contact, EWP where practicable
Traffic and vehicles	Collision risk around work areas	Medium	Cones, barricades, spotter, high-visibility clothing

RATINGS MUST BE CONFIRMED ON SITE

The ratings above are indicative starting points carried over from common industry practice. Risk depends on the site, the equipment and the people doing the work — confirm the rating on site rather than relying on the register alone.

04

RISK MATRIX

Step 1 — consider how likely the risk is to be encountered and what might happen. Step 2 — use the matrix to determine the likely risk level. Step 3 — identify and apply control measures using the hierarchy of control.

	CONSEQUENCE	DESCRIPTION	ALMOST CERTAIN (A)	LIKELY (B)	POSSIBLE (C)	UNLIKELY (D)	RARE (E)
1	Catastrophic	Fatality or permanent disability; toxic release of chemicals; long-term or irreversible environmental impact; loss of facilities; very high financial loss	E (25)	E (24)	E (22)	E (19)	H (15)
2	Major	Long-term illness or serious injury; serious but reversible environmental impact; major property damage; loss of production; high financial loss	E (23)	E (21)	E (18)	H (14)	M (10)
3	Moderate	Medical treatment requiring up to several days off work; reversible environmental impact; significant property damage; medium to high financial loss	E (20)	H (17)	H (13)	M (9)	M (6)
4	Minor	Minor injury requiring first aid; minor reversible environmental impact; moderate property damage; low to medium financial loss	H (16)	H (12)	M (8)	L (5)	L (3)
5	Insignificant	No injuries or first aid only; minor property damage or environmental nuisance; very low financial loss	M (11)	M (7)	L (4)	L (2)	L (1)

LIKELIHOOD	MEANING
A — Almost certain	Event is expected to occur in most circumstances
B — Likely	Event will probably occur in most circumstances
C — Possible	Event might occur at some time
D — Unlikely	Event could occur at some time
E — Rare	Event may occur only in exceptional circumstances

RISK LEVEL	ACTION REQUIRED
E — Extreme	Urgent. Immediate action required to control the risk.
H — High	Highest management decision required urgently.
M — Medium	Follow management instructions regarding the risk.
L — Low	May not require immediate attention — monitor.

HIERARCHY OF CONTROL		
1. Elimination	2. Substitution	3. Isolation
4. Engineering	5. Administration	6. PPE

Highest protection at 1, lowest at 6. Always work down the list, not up it.

05 SITE RISK ASSESSMENT

Complete before work begins. One form per task or per significant change in conditions.

SITE / JOB NUMBER

DATE

TASK BEING ASSESSED

ASSESSED BY

POSITION

HAZARD IDENTIFIED	POTENTIAL HARM	L	C	RATING	CONTROLS REQUIRED	PERSON RESPONSIBLE	DATE

NEWLY IDENTIFIED HAZARDS AND ADDITIONAL CONTROLS

ASSESSED BY

SUPERVISOR APPROVAL

NAME

NAME

POSITION

POSITION

SIGNATURE

SIGNATURE

DATE

DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



SAFE WORK METHOD STATEMENT

SECTION 05 — SAFE WORK PROCEDURES • DL-SWMS-001

[INSERT COMPANY LOGO]
Replace with your business logo

BUSINESS NAME

ABN

A Safe Work Method Statement is a legal requirement for high-risk construction work. It must be prepared in consultation with the workers who will do the task, kept available on site, and reviewed whenever the method or the conditions change.

01 SWMS DETAILS

COMPANY / BUSINESS NAME	
ABN	
BUSINESS ADDRESS	
CONTACT NAME	
PHONE	
EMAIL	
SWMS NUMBER	
ISSUE DATE	
REVIEW DATE	
PERSON RESPONSIBLE FOR IMPLEMENTATION, MONITORING AND COMPLIANCE	

02 PROJECT DETAILS

PROJECT NAME	
LOCATION	
PRINCIPAL CONTRACTOR	
SITE MANAGER	
SUBMITTED TO	
SUBMISSION DATE	
LOCATION OF FIRST AID KIT	
MUSTER POINT	

03 WORKER CONSULTATION AND SIGN-ON

I acknowledge that I have been trained in this SWMS, that the controls are clearly understood, that my qualifications are current for the activity, and that I will only undertake the work activities prescribed. I have been consulted and had the opportunity to give input into this SWMS.

NAME	ROLE	QUALIFICATIONS / LICENCES HELD	SIGNATURE	DATE

This SWMS is implemented with all workers inducted into it immediately after the site-specific induction, and monitored by documented task observation at intervals not exceeding three months. Where amendments are made during monitoring and review, all applicable workers are re-inducted into the SWMS.

REVIEW NO.	DATE	REVIEWED BY	AMENDMENT MADE	WORKERS RE-INDUCTED
1				
2				
3				
4				
5				
6				

04 SCOPE OF WORKS

WORKS COVERED BY THIS SWMS

For example: installation of gates, garage doors, roller doors and shutters; motor installation; servicing and repair. Amend to match the task.

05 PPE REQUIRED

- ☐ High-visibility clothing
- ☐ Safety glasses
- ☐ Hard hat
- ☐ Safety footwear
- ☐ Gloves
- ☐ Hearing protection
- ☐ Respiratory protection
- ☐ Face shield
- ☐ Welding helmet and apron
- ☐ Fall arrest harness
- ☐ Sun protection
- ☐ Other

06 HIGH-RISK CONSTRUCTION WORK

Tick every category of high-risk construction work this SWMS covers. A SWMS is required by the WHS Regulation for each of these activities.

- ☐ A risk of a person falling more than 2 metres
- ☐ Work on a telecommunications tower
- ☐ Demolition of a load-bearing structure
- ☐ Likely disturbance of asbestos
- ☐ Temporary load-bearing support for structural alterations
- ☐ Work in or near a confined space
- ☐ Work in a shaft or trench deeper than 1.5 m, or in a tunnel
- ☐ Use of explosives
- ☐ Work on or near pressurised gas mains or piping
- ☐ Work on or near chemical, fuel or refrigerant lines
- ☐ Work on or near energised electrical installations or services
- ☐ Work in an area that may have a contaminated or flammable atmosphere
- ☐ Tilt-up or precast concrete work
- ☐ Work on, in or adjacent to a road, railway, shipping lane or other traffic corridor in use
- ☐ Work in an area with movement of powered mobile plant
- ☐ Work in an area with artificial extremes of temperature
- ☐ Work in or near water or other liquid involving a risk of drowning
- ☐ Diving work

07 PLANT, EQUIPMENT AND HAZARDOUS CHEMICALS

PLANT AND EQUIPMENT TO BE USED	INSPECTED	TEST TAG CURRENT
Various hand tools		
Various electric / battery operated tools		
Concrete saw		
Welder		
Platform ladders		
EWP		

HAZARDOUS CHEMICAL	SDS ATTACHED	ISSUE DATE	DOC REFERENCE

08 PRE-START REQUIREMENTS AND AUTHORISATIONS

- | | |
|---|--|
| ☐ Construction induction card | ☐ Vehicle pre-start inspection |
| ☐ Toolbox talk / pre-start | ☐ Risk assessment / hazard identification |
| ☐ Site specific induction | ☐ Driver's licence |
| ☐ Plant operator's licence / VOC | ☐ Work safely at heights training |
| ☐ Boom-type EWP licence (11 m or more) | ☐ Trade licence |
| ☐ Hot work permit | ☐ Working at heights permit |

09 LEGISLATION, CODES OF PRACTICE AND STANDARDS

Tick the instruments that apply to the works. References below are to New South Wales instruments; substitute the equivalent for your jurisdiction if you operate elsewhere.

Legislation and codes of practice

- | | |
|--|---|
| ☐ Work Health and Safety Act 2011 | ☐ Work Health and Safety Regulation 2017 |
| ☐ Construction Work CoP | ☐ Managing the Risk of Falls at Workplaces CoP |
| ☐ Managing Electrical Risks in the Workplace CoP | ☐ Managing Risks of Plant CoP |
| ☐ Hazardous Manual Tasks CoP | ☐ First Aid in the Workplace CoP |
| ☐ Managing Noise and Preventing Hearing Loss CoP | ☐ Welding Processes CoP |
| ☐ WHS Consultation, Cooperation and Coordination CoP | ☐ Managing the risk of respirable crystalline silica |
| ☐ How to Manage Work Health and Safety Risks CoP | ☐ Confined Spaces CoP |
| ☐ How to Manage and Control Asbestos in the Workplace CoP | ☐ Managing the Work Environment and Facilities CoP |

Australian Standards

- | | |
|---|--|
| ☐ AS/ISO 31000 — Risk management | ☐ AS/NZS 3000 — Electrical installations (wiring rules) |
|---|--|

- ☐ AS/NZS 3760 — In-service inspection and testing of electrical equipment
- ☐ AS/NZS 1892 — Portable ladders
- ☐ AS/NZS 1336 — Eye and face protection
- ☐ AS/NZS 1269 — Occupational noise management
- ☐ AS 1674 — Safety in welding and allied processes
- ☐ AS 1319 — Safety signs for the occupational environment
- ☐ AS/NZS 3012 — Electrical installations, construction and demolition sites
- ☐ AS/NZS 2210 — Occupational protective footwear
- ☐ AS/NZS 2616 — Occupational protective gloves
- ☐ AS/NZS 1801 — Occupational protective helmets
- ☐ AS 1841 — Portable fire extinguishers
- ☐ AS/NZS 4576 — Guidelines for scaffolding

VERIFY CURRENT EDITIONS

Australian Standards and Codes of Practice are periodically revised and withdrawn. Confirm the current designation and edition of each standard you rely on before issuing this SWMS to a principal contractor.

10 RISK MATRIX

	CONSEQUENCE	DESCRIPTION	ALMOST CERTAIN (A)	LIKELY (B)	POSSIBLE (C)	UNLIKELY (D)	RARE (E)
1	Catastrophic	Fatality or permanent disability; toxic release of chemicals; long-term or irreversible environmental impact; loss of facilities; very high financial loss	E (25)	E (24)	E (22)	E (19)	H (15)
2	Major	Long-term illness or serious injury; serious but reversible environmental impact; major property damage; loss of production; high financial loss	E (23)	E (21)	E (18)	H (14)	M (10)
3	Moderate	Medical treatment requiring up to several days off work; reversible environmental impact; significant property damage; medium to high financial loss	E (20)	H (17)	H (13)	M (9)	M (6)
4	Minor	Minor injury requiring first aid; minor reversible environmental impact; moderate property damage; low to medium financial loss	H (16)	H (12)	M (8)	L (5)	L (3)
5	Insignificant	No injuries or first aid only; minor property damage or environmental nuisance; very low financial loss	M (11)	M (7)	L (4)	L (2)	L (1)

E — EXTREME	H — HIGH	M — MEDIUM	L — LOW
Urgent. Immediate action required.	Highest management decision required urgently.	Follow management instructions.	Monitor. May not require immediate attention.

Hierarchy of control — highest protection to lowest: 1. Elimination 2. Substitution 3. Isolation 4. Engineering 5. Administration 6. PPE

11 JOB SAFETY ANALYSIS

Residual risk assumes every control listed is actually in place. Where a control cannot be applied, stop and reassess before continuing.

ACTIVITY	POTENTIAL HAZARD	L	C	RISK	CONTROL MEASURES	RESIDUAL	TYPE	RESPONSIBLE
Site specific induction	Miscommunication; unaware of emergency procedures	C	3	H13	Workers complete a site-specific induction before starting on site. Emergency procedures, muster point and first aid kit location confirmed.	D3 / M9	Admin	All workers
Prepare for task	Lack of consultation; unqualified personnel; changed conditions	C	3	H13	Pre-start meeting held and all site hazards identified. Tasks undertaken only by personnel assessed as competent. If conditions change, reassess using the additional hazards page at the back of this SWMS.	D3 / M9	Admin	All workers
Site establishment	Access and egress — struck by moving vehicles or plant	C	2	E18	Observe posted speed limits. Establish exclusion zones and signage. Spotter used for deliveries. Unload within the work area, away from public access.	E2 / M10	Admin	Licensed operator

ACTIVITY	POTENTIAL HAZARD	L	C	RISK	CONTROL MEASURES	RESIDUAL	TYPE	RESPONSIBLE
	Slips, trips, housekeeping	C	3	H13	Worker access clearly defined. Public space kept clear of rubbish, debris and tools. Housekeeping maintained; barricades and access ways continually assessed.	D3 / M9	Admin	All workers
	Exposure to the elements — UV, heat, cold, wet	C	3	H13	Hi-vis and UV protective clothing, sunscreen, hydration and rest breaks on hot days. Wet weather gear provided. Sunglasses and wide-brimmed hats where practicable.	C4 / M8	PPE	All workers
Manual handling	Musculoskeletal injury lifting motors, doors, shutters	C	3	H13	Use mechanical aids where available. Hold loads close to the body. Team lift heavy components. Store loads between knee and shoulder height. Vary tasks and rotate staff on repetitive work.	C4 / M8	Admin	All workers
	Pinch points and crush injuries when lowering and stacking	C	3	H13	Allow room for fingers. Ensure the object is secure when put down. Riggers gloves, safety boots and safety glasses worn. Ask for assistance when required.	D3 / M9	PPE	All workers
Ladders and work at height	Damaged or worn ladder; fall from height	C	3	H13	Inspect for splits, cracks and wear; clean of oil and grease. Non-slip feet fitted and sound. Unsafe ladders removed from site. Industrial rating of 120 kg or more on construction sites.	D3 / M9	Eng / Admin	Competent workers
	Unsafe work from ladders	C	2	E18	Three points of contact at all times. Face the ladder when climbing or descending. Do not over-reach — get down and move the ladder. Extend at least 1 m past the point of access. Set at 1 out for every 4 up on firm, stable ground. Do not block up under the feet — use a ladder leveller.	E2 / M10	Eng / Admin	Competent workers
	Trestle, plank and portable work platform use	C	2	E18	Inspect before use; do not use damaged equipment. Full open position, four legs firm and level, secured against movement. Platform not higher than 5 m. Working platforms at least 450 mm wide. Minimum 250 mm plank overhang at each end.	E2 / M10	Eng / Admin	Competent workers
Elevated work platform and scissor lift	Operator competency; fall from EWP; suspension trauma	C	3	H13	Boom length 11 m or more requires a High Risk Work Licence (class WP). Below 11 m, operators must have completed recognised RTO training and be assessed as competent. Scissor lift operators trained and assessed. Harness test-tagged and worn in boom lifts. Ground personnel trained on ground controls. Written approval or permit may be required before working at height.	D3 / M9	Admin / PPE	Licensed workers

ACTIVITY	POTENTIAL HAZARD	L	C	RISK	CONTROL MEASURES	RESIDUAL	TYPE	RESPONSIBLE
	Manoeuvring — struck by, tip over, overloading	C	3	H13	Exclusion zone established. Ground stable and flat; route planned before moving. Eye contact with the operator before approaching. SWL never exceeded. An EWP is never used as a substitute for a forklift, crane or hoist.	D3 / M9	Isol / Eng / Admin	Licensed workers
	Working from the platform; falling tools	C	3	H13	Do not stand on railings or boxes to gain height — reposition the platform. Do not exit the platform while raised. Tools tethered or secured. Operations cease in high wind, rain or hail pending reassessment. Confirm no-go zones with the supply authority where electrical hazards are present.	D3 / M9	Isol / Admin / PPE	Licensed workers
	Emergency rescue from height	C	3	H13	All persons in the platform instructed and competent in rescue. Summon assistance and call 000 if emergency services are required. Lower the basket from the operator console, or use ground controls, or a second EWP if disabled. Advise site management.	D3 / M9	Admin	Licensed workers
Hand and power tools	Electrocution from damaged tools or leads	C	2	E18	Check casing for damage, cracks and missing screws. Inspect lead and plug; current test tag attached. Do not use damaged, incomplete or out-of-test equipment — quarantine and arrange repair. Leads kept off wet ground and elevated on insulated hangers.	E2 / M10	Admin	Competent workers
	Cuts, entanglement, flying debris, noise	C	3	H13	Guards fitted and operating correctly. Blade or cutter suited to the task and inspected for cracks. Close-fitting safety glasses and gloves worn. Loose clothing, hair and jewellery secured around rotating tools. Hearing protection where noise levels are exceeded.	C4 / M8	Eng / PPE	Competent workers
	Angle grinder — kick back, sparks, fire	C	3	H13	Double eye protection: face shield and safety glasses. Firm grip maintained against kick back. Area cleared of combustibles and an extinguisher kept nearby. A hot work permit may be required before commencing.	C4 / M8	PPE / Admin	Competent workers
	Tools used for energised electrical work	C	2	E18	Tools used on or near exposed energised parts must be non-conductive or insulated. Inspect before use and discard if insulation is faulty. Test instruments confirmed appropriate and functioning. Insulating mat provided underfoot.	E2 / M10	Eng / Admin	Licensed workers

ACTIVITY	POTENTIAL HAZARD	L	C	RISK	CONTROL MEASURES	RESIDUAL	TYPE	RESPONSIBLE
Hot works — welding and cutting	Fire, burns, eye injury	C	3	H13	Permit to work obtained and authorised before commencing hot work. Area isolated and cleared of combustible material. Flashback arrestors fitted at cylinder and torch. Cylinders secured upright. At least one charged 2.5 kg extinguisher at the work area with a current test tag. Welding screens used to protect others.	C4 / M8	Admin / PPE	Competent workers
	Toxic fumes and asphyxiation	C	3	H13	Adequate natural or mechanical ventilation. Respiratory protection where ventilation is inadequate or toxic fumes may be present. Safety Data Sheet available and gases stored as per the SDS.	C4 / M8	Admin / PPE	Competent workers
Cutting and drilling masonry — silica	Respirable crystalline silica; silicosis, lung cancer	C	2	E18	Use wet cutting or on-tool extraction. Do not rely on sight to judge airborne dust. Fit-tested P2 respirator as a minimum; full-face P3 subject to risk assessment. Rotate staff away from dusty areas. Cordon the area and warn other trades. Class M or H vacuum used to remove dust.	E2 / M10	Admin / PPE	Competent workers
Motors and drives	Unsafe motor — loose or damaged parts	C	3	H13	Check mounting bolts and screws are in place and tightened. Do not use if faulty or damaged. Inspect regularly and tighten loose parts.	D3 / M10	Admin	Competent workers
	Electric shock during setup and testing	C	2	E18	De-energise and make safe all electrical contacts before commencing. Electrician to test. Keep motor units clear of standing water and connect through an RCD. Leads kept off the ground. Motor not energised prior to testing.	E2 / M10	Eng / Admin	Licensed electrician
	Cleaning and maintenance — motor failure	C	3	H13	Keep units clean of dirt and waste in cooling fins. Follow the manufacturer's instructions when servicing.	D3 / M9	Admin	Competent workers
Hanging roller doors and gates	Door falling during mounting; fall from height	C	3	H13	Do not remove the protective wrap from the door until it is in position and the spring is tensioned. Lift manually with two persons or use mechanical aids. Fit U-bolts immediately to prevent the door falling.	D3 / M9	Admin / Isolate	Competent workers
	Incorrect positioning and spring tensioning	C	3	H13	Follow the manufacturer's instructions to position the door and tighten U-bolts. Confirm the door is correctly positioned before final tightening. Ensure the chock holding the curtain down is correctly fitted and holding securely after tensioning, and is not dislodged when fitting stop brackets.	D3 / M9	Admin / Isolate	Competent workers

ACTIVITY	POTENTIAL HAZARD	L	C	RISK	CONTROL MEASURES	RESIDUAL	TYPE	RESPONSIBLE
	Adjustment of the fitted door	C	3	H13	Two persons recommended. Do not loosen U-bolts unless the axle is held securely by a pipe wrench and held in position while bolts are loose. Correct wrench size; head and body kept clear of the wrench.	C4 / M8	Admin	Competent workers
	Fitting guides and controls — sharp edges	C	3	H13	Exercise care handling door guides; sharp edges may be present. Safety boots, gloves, long sleeves and trousers worn.	C4 / M8	Admin / PPE	Competent workers
Clean up and demobilisation	Dust and eye injury when sweeping; slips and manual handling	C	3	H13	Training provided in hazardous substances and PPE. Dust mask and eye protection worn. Travel paths and loading areas kept clear. Waste disposed of in the bins provided; recycle where possible.	D3 / M9	Admin / PPE	All workers

12 ADDITIONAL SITE-SPECIFIC HAZARDS

Record any hazard, risk or control not covered elsewhere in this SWMS — arising from task observation, reassessment, a change in method, an incident, consultation with the work crew, or circumstances where the SWMS cannot be applied as documented.

ACTIVITY	POTENTIAL HAZARD	L	C	RISK	CONTROL MEASURES	RESIDUAL	RESPONSIBLE

PREPARED BY

NAME

POSITION

SIGNATURE

DATE

APPROVED BY

NAME

POSITION

SIGNATURE

DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



MASTER MAINTENANCE CHECKLIST

SECTION 06 — INSPECTIONS & CHECKLISTS • DL-INSP-001

[INSERT COMPANY LOGO]

Replace with your business logo

BUSINESS NAME

ABN

Complete one checklist per asset per attendance. The record it produces is what supports a warranty claim, a defect quotation, or a client's asset register.

01

JOB AND ASSET DETAILS

CLIENT NAME

ASSET ID / TAG

SITE ADDRESS

TECHNICIAN

SERVICE DATE

METER / CYCLES

JOB / WORK ORDER NUMBER

LICENCE OR QUALIFICATION HELD

ASSET TYPE

☐ Roller shutter☐ Sliding gate☐ Swing gate☐ Sectional door☐ Tilt / up-and-over door☐ Industrial shutter☐ Automatic door☐ Other (specify)

SERVICE TYPE

☐ Routine (6 monthly)☐ Routine (12 monthly)☐ Corrective☐ Breakdown / call-out

02

GENERAL MECHANICAL AND STRUCTURAL INTEGRITY

INSPECTION ITEM	SPECIFICATION & STANDARD	PASS / FAIL / N/A
Structural framing and guides	Check vertical guides, wall angles, track alignments and structural mounting brackets for loose anchor bolts, cracking, corrosion or distortion.	P ☐ F ☐ N/A ☐
Curtain, door leaves and gate panels	Inspect slats, panels, infills, hinges, welds and fixings for impact damage, corrosion, missing end locks or binding during travel.	P ☐ F ☐ N/A ☐
Counterbalance and torsion springs	Inspect spring tension, winding cones and anchor plugs; check for fatigue, elongation or rust pitting. Do not adjust without rated PPE and correct winding bars.	P ☐ F ☐ N/A ☐
Drums, shafts, bearings and pulleys	Verify bearing alignment, lubrication status, pillow block bolts and cable drums, and confirm components are secured to the main drive shaft.	P ☐ F ☐ N/A ☐

INSPECTION ITEM	SPECIFICATION & STANDARD	PASS / FAIL / N/A
Gate track, rollers and guide rollers	Check sliding or cantilever gate track for debris, levelness, wheel wear, bearing play and smooth upper guide roller operation.	P ☐ F ☐ N/A ☐

03 DRIVE SYSTEM, GEARBOX AND TRANSMISSION

INSPECTION ITEM	SPECIFICATION & STANDARD	PASS / FAIL / N/A
Operator motor and gearbox unit	Check for abnormal motor noise, vibration, overheating, oil leaks in industrial gearboxes, and secure mounting foot bolts.	P ☐ F ☐ N/A ☐
Drive chain, belts and sprockets	Inspect chain tension, alignment, wear on sprocket teeth and master links; apply the appropriate industrial lubricant.	P ☐ F ☐ N/A ☐
Clutch and manual release mechanism	Test the manual hand chain or quick-release disconnect. Verify the clutch re-engages securely and the manual release operates correctly.	P ☐ F ☐ N/A ☐
Limit switches (mechanical / electronic)	Verify precise open and close limit settings. Ensure cams, microswitches or absolute encoders do not slip during cycles.	P ☐ F ☐ N/A ☐

04 ELECTRICAL, SAFETY AND CONTROL SYSTEMS

INSPECTION ITEM	SPECIFICATION & STANDARD	PASS / FAIL / N/A
Control panel and enclosure	Inspect cabinet seals, door locks, internal wiring terminations, fuses, circuit breakers, isolators and transformer voltage outputs.	P ☐ F ☐ N/A ☐
Photoelectric beams and safety sensors	Test alignment, clean lenses, and verify obstruction reversal response on photoelectric beams and light curtains.	P ☐ F ☐ N/A ☐
Safety edge and pneumatic / resistive ribs	Test bottom bar safety edge sensitivity, wireless transmitter and receiver battery state, and automatic reversal on contact.	P ☐ F ☐ N/A ☐
Access control and interlock integration	Test loop detectors, intercoms, access card readers, keypads, radar sensors, fire alarm relays and warning lights.	P ☐ F ☐ N/A ☐
Emergency stop and interlock switchgear	Verify operation of all emergency-stop buttons, safety pull cords and interlocking door sequences.	P ☐ F ☐ N/A ☐

05 LUBRICATION AND OPERATIONAL CYCLE TESTING

INSPECTION ITEM	SPECIFICATION & STANDARD	PASS / FAIL / N/A
Lubrication of moving parts	Apply suitable grease or oil to chains, bearings, hinges, guide tracks where specified, spring coils and sliding gate tracks.	P ☐ F ☐ N/A ☐

INSPECTION ITEM	SPECIFICATION & STANDARD	PASS / FAIL / N/A
Full cycle operational test	Execute the manufacturer's recommended number of full open and close cycles under power. Monitor current draw, motor temperature rise, noise and smoothness.	P ☐ F ☐ N/A ☐
Final operational result	Confirm the asset opens, closes, stops and reverses correctly. Record any defects requiring repair, replacement or further quotation.	P ☐ F ☐ N/A ☐

06

TECHNICIAN OBSERVATIONS, DEFECTS AND RECOMMENDATIONS

OBSERVATIONS

RECOMMENDED FOLLOW-UP

☐ No further action required☐ Repairs recommended☐ Replacement / upgrade recommended☐ Quotation to follow

07

PHOTOGRAPHIC RECORD

PHOTO REF	CAPTION	LOCATION ON ASSET	DATE

Attach photographs to the job record. Do not include images that identify third parties without their consent.

08

SERVICE SIGN-OFF AND ACCEPTANCE

TECHNICIAN

CLIENT REPRESENTATIVE

NAME

NAME

POSITION

POSITION

SIGNATURE

SIGNATURE

DATE

DATE

SERVICE NOTE: This checklist records the visible condition and operation of the asset at the time of attendance. Any identified defects, safety risks or recommended works are detailed above or provided in a separate quotation or report. Impact damage, misuse, third-party interference and pre-existing defects are excluded from warranty.

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



INCIDENT & NEAR MISS REPORT

SECTION 07 — INCIDENTS & REPORTING • DL-INC-001

[INSERT COMPANY LOGO]

Replace with your business logo

BUSINESS NAME

ABN

Use this form for injuries, near misses, hazards and property damage. Complete it as soon as the area is safe and the injured person has been cared for.

NOTIFIABLE INCIDENTS

Serious incidents are notifiable to the WHS regulator, and the incident site generally must not be disturbed until the regulator directs otherwise. Confirm your notification obligations before altering the scene.

01 REPORT TYPE

- | | | |
|--|--|---|
| ☐ Injury | ☐ Near miss | ☐ Hazard report |
| ☐ Property damage | ☐ Environmental | ☐ Public / third party |

02 INCIDENT INFORMATION

DATE OF INCIDENT

TIME OF INCIDENT

LOCATION OF INCIDENT

SITE / JOB NUMBER

CLIENT

REPORTED TO (NAME AND TIME)

03 PEOPLE INVOLVED

NAME

ROLE (worker / contractor / public)

CONTACT NUMBER

INVOLVEMENT

WITNESS NAME

CONTACT NUMBER

STATEMENT TAKEN

04 DESCRIPTION OF THE INCIDENT

Describe what happened, including the sequence of events leading up to the incident.

DESCRIPTION

05 INJURY OR DAMAGE DETAILS

DETAILS OF INJURY OR DAMAGE	
BODY PART AFFECTED (IF INJURY)	
FIRST AID GIVEN (YES / NO)	
NAME OF FIRST AIDER	
MEDICAL TREATMENT SOUGHT	
TIME LOST FROM WORK	

06 IMMEDIATE ACTIONS TAKEN

IMMEDIATE ACTIONS

07 CONTRIBUTING FACTORS

- | | | |
|--|--|---|
| ☐ Procedure not followed | ☐ PPE not worn or unavailable | ☐ Equipment fault or failure |
| ☐ Inadequate training | ☐ Site conditions | ☐ Fatigue |
| ☐ Communication breakdown | ☐ Third party action | ☐ Other (describe below) |

08 CORRECTIVE ACTIONS TO PREVENT RECURRENCE

CORRECTIVE ACTION	RESPONSIBLE PERSON	DUE DATE	COMPLETED

09 DOCUMENTS UPDATED AS A RESULT

- | | | |
|--|---|---|
| ☐ SWMS | ☐ Risk register | ☐ HSMP |
| ☐ Induction content | ☐ Toolbox talk delivered | ☐ No change required |

10 SIGN OFF

REPORTED BY

NAME

POSITION

SIGNATURE

DATE

SUPERVISOR / MANAGER


NAME

POSITION

SIGNATURE

DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



EMERGENCY & CONTINUITY PLAN

SECTION 08 — EMERGENCY MANAGEMENT • DL-EMG-001

[INSERT COMPANY LOGO]
Replace with your business logo

BUSINESS NAME

ABN

This plan covers two things: keeping people safe when something goes wrong, and keeping the business running afterwards. Complete the contact tree before it is needed.

01

BUSINESS DETAILS

COMPANY / BUSINESS NAME	
TRADING NAME	
ABN	
ACN (IF APPLICABLE)	
BUSINESS ADDRESS	
POSTAL ADDRESS	
PHONE	
EMAIL	
EMERGENCY CONTACT NUMBER	
RESPONSIBLE PERSON / DIRECTOR	
STATE / TERRITORY	
APPLICABLE REGULATOR	

DOCUMENT CONTROL

DOCUMENT NUMBER	DL-EMG-001	VERSION	
EFFECTIVE DATE		REVIEW DATE	
PREPARED BY		APPROVED BY	

02 EMERGENCY CONTACTS

ROLE	NAME	PHONE	ALTERNATE
Emergency services	Ambulance / Fire / Police	000	
Director / responsible officer			
Supervisor			
Nominated first aid officer			
Electricity supply authority			
WHS regulator			
Insurer — claims line			

03 BUSINESS CONTINUITY PLAN

This plan supports continued operation during disruption while keeping staff and clients safe.

Objectives

- Maintain emergency response and essential services.
- Protect worker safety and communication.
- Reduce downtime and restore operations quickly.

Disruptions covered

Power loss, equipment failure, supply delays, extreme weather, worker shortages.

Continuity actions

- Backup communication arrangements.
- Spare parts stock for common failures.
- Multiple suppliers for critical components.
- Cross-trained technicians.
- Emergency contact tree kept current.

04 EMERGENCY RESPONSE PLAN**Emergency types**

Injury, electrical incident, fire, motor failure trapping vehicles or people, structural failure, traffic collision.

ROLE	RESPONSIBILITY IN AN EMERGENCY
Supervisor	Coordinates the response and contacts emergency services.
Lead technician	Isolates hazards and supports injured workers.
Workers	Follow directions and assist as required.

05 EMERGENCY RESPONSE PROCEDURE

1. **Stop work** immediately.
2. **Make the area safe** — isolate power, block access.
3. **Administer first aid** within the limits of your training until help arrives.
4. **Call 000** for ambulance, fire or police.
5. **Notify management** immediately.

6. **Document the incident** using DL-INC-001, and preserve the site if the incident is notifiable.

06

EMERGENCY TRAINING AND DRILLS

Training includes

- Emergency communication
- First aid awareness
- Fire extinguisher basics
- Electrical isolation (lock-out / tag-out)
- Manual handling

Drill schedule

ACTIVITY	FREQUENCY SET BY THIS BUSINESS	LAST COMPLETED	NEXT DUE
Toolbox talks			
Emergency drill			
Induction refresher			
First aid kit audit			

All training is documented and retained as required by the WHS Regulation.

07

SITE-SPECIFIC EMERGENCY ARRANGEMENTS

MUSTER POINT

NEAREST HOSPITAL

LOCATION OF FIRST AID KIT

LOCATION OF EXTINGUISHER

MAIN ELECTRICAL ISOLATION POINT

08

SIGN OFF

DIRECTOR / RESPONSIBLE OFFICER

NAME

POSITION

SIGNATURE

DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.



WARRANTY CERTIFICATE

SECTION 09 — CUSTOMER & JOB DOCUMENTATION • DL-JOB-001

[INSERT COMPANY LOGO]
Replace with your business logo

BUSINESS NAME

ABN

Issue on completion. The certificate records what was installed, what is covered, and for how long — which is what prevents a dispute two years later.

01 CUSTOMER DETAILS

CUSTOMER	
SITE CONTACT	
SITE ADDRESS	
CONTRACT / JOB NUMBER	
DATE OF INSTALLATION	

02 WORKS COMPLETED

List each item of work and equipment supplied. Record model and serial numbers where available — they are what a future technician will need.

ITEM / EQUIPMENT	MANUFACTURER & MODEL	SERIAL NUMBER	QTY

ADDITIONAL WORKS PERFORMED

03

WARRANTY TERMS

All products and components supplied and installed by the business are covered by the applicable manufacturer's warranty and by the workmanship warranty stated on this certificate.

COVERAGE	PERIOD	COMMENCES	EXPIRES
Workmanship — installation			
Motor / operator (manufacturer)			
Locking system			
Other equipment (specify)			

Exclusions

- Impact damage, misuse and third-party interference.
- Pre-existing defects in structures, fixings or power supply not installed by us.
- Damage caused by failure to carry out the recommended maintenance.
- Fair wear and tear on consumable items.

CONSUMER LAW

This warranty is provided in addition to, and does not exclude, restrict or modify, any rights the customer has under the Australian Consumer Law. Confirm your warranty wording against the ACL warranties-against-defects requirements before issuing this certificate to consumers.

04

MAINTENANCE RECOMMENDATION

A regular maintenance contract is strongly recommended to prevent problems, ensure smooth operation and maintain warranty coverage. Record the interval agreed:

RECOMMENDED SERVICE INTERVAL

FIRST SERVICE DUE

MAINTENANCE AGREEMENT IN PLACE (Y/N)

05

HANDOVER

- | | |
|---|--|
| ☐ Operating instructions demonstrated | ☐ Manual release demonstrated |
| ☐ Safety reversal tested with customer present | ☐ Remotes / handsets issued (record quantity) |
| ☐ Manufacturer documentation handed over | ☐ Maintenance requirements explained |

06

AUTHORISATION

ISSUED FOR THE BUSINESS

RECEIVED BY CUSTOMER

NAME

NAME

POSITION

POSITION

SIGNATURE

SIGNATURE

DATE

DATE

IMPORTANT: This document is provided as a general compliance and documentation template. Businesses must ensure that the information, procedures and controls are reviewed and adapted to their specific operations, jurisdiction, equipment, workers and legal obligations. Use of this template does not constitute legal advice and does not independently guarantee compliance with any law, regulation, standard, licence or insurance requirement.