CORE ENTERPRISE ERP • FINANCIAL MANAGEMENT LICENSE (ERPFIN)

SAGE X3 V12 ENTERPRISE FINANCIALS (ERPFIN)
TECHNICAL OPERATIONS MANUAL & STANDARD OPERATING PROCEDURE

Standard Operating Procedure (SOP) and Technical Reference Guide for General Ledger (GL), Accounts Payable (AP 3-Way Match), Accounts Receivable (AR & SOA Aging), Cash Management, Multi-Dimensional Analytics, and Database Schema Architecture.

DOCUMENT CONTROL & TECHNICAL GOVERNANCE METADATA

Document Title:	**Sage X3 v12 Enterprise Financials (ERPFIN) Technical Operations Manual**
System Architect / Owner:	**Muhammad Iskandar Zulkarnain Bin Zulkifli**
Responsible Stakeholders:	**Information Technology (IT), Finance & Accounts, Internal Audit, Commercial Operations**
Publication Date:	**September 2026 (Version 1.0 — Official Enterprise Release)**
Document Classification:	**STRICTLY CONFIDENTIAL / INTERNAL ORGANIZATIONAL USE ONLY**
System Footprint:	**Rantau Mineral Water Processing Plant, Sendayan Central Logistics Hub & HQ**

PREPARED BY (SYSTEM DEVELOPER):
Muhammad Iskandar Zulkarnain Bin Zulkifli
System Developer, Information Technology Department
BubblesO2 Sdn Bhd • Date: 10 September 2026

APPROVED BY (IT MANAGER):
Abdul Aziz Arifin
Manager, Information Technology Department
BubblesO2 Sdn Bhd • Date: 10 September 2026

VERSION	EFFECTIVE DATE	SUMMARY OF REVISIONS	AUTHORIZING OFFICER
v1.0 Official	10 September 2026	Complete technical documentation of ERPFIN module, Database.sql schema, and GESGAS screen layout.	Muhammad Iskandar (IT)

1.0 INTRODUCTION, ENTERPRISE ARCHITECTURE & ERPFIN SCOPE

The **Sage X3 v12 Financials (`ERPFIN`)** module forms the accounting core and compliance backbone of the **BubblesO2 Enterprise Resource Planning (ERPFULL)** ecosystem. It unifies financial accounting, multi-dimensional analytics, cash management, subledger auditing, and statutory tax reporting into a single auditable ledger.

1.1 Manual Bookkeeping vs Automated Sage X3 Financial Engine

OPERATIONAL DIMENSION	LEGACY MANUAL ACCOUNTING LIMITATIONS	SAGE X3 AUTOMATED FINANCIAL ENGINE
GL Journal Entry	Batch vouchers manually recorded in disconnected spreadsheets. Prone to debit/credit imbalance and delayed posting.	**Strict Real-Time Posting (`GESGAS`):** Enforces `Debit = Credit` balance tolerance (0.00). Configurable multi-column entry screens.
Accounts Payable (AP)	Supplier invoices entered without checking physical goods delivery. Risk of paying unreceived stock or wrong prices.	**3-Way Matching (`GESPIH`):** System matches Purchase Order (PO) → GRN Receipt (`GESPTH`) → AP Invoice. Computes PPV variance.
Accounts Receivable (AR)	Billing delayed until shipping manifests return. Invoices issued to customers with high overdue debt balances.	**Direct DO Invoicing (`GESSIH`):** Invoices generated directly from validated Delivery Orders. Dynamic aging and credit limits enforced.

1.2 Comprehensive Navigation Map: Top 12 Financial Fast Codes

Finance users navigate instantly by entering these 6-character function codes directly into the top Global Navigation Search Bar:

FAST CODE	MODULE DOMAIN	MENU NAVIGATION PATH	CORE BUSINESS PURPOSE
`GESGAS`	General Ledger	*Financials > Journals > Journal entry*	Manual journals, recurring provisions, batch entries, and GL vouchers.
`CONSBAL`	General Ledger	*Financials > Inquiries > Account balances*	Real-time GL trial balance, period net movements, and financial statements.
`CONSCPT`	General Ledger	*Financials > Inquiries > Account inquiry*	Detailed transaction audit trail drill-down per account and document.
`GESPIH`	Accounts Payable	*Purchasing > Invoices > Invoices*	Supplier purchase invoices matching against POs and Goods Receipts (GRN).
`GESBIS`	Accounts Payable	*A/Payable > Invoicing > Supplier BP invoices*	Direct overhead/expense invoices not associated with raw material inventory.
`GESSIH`	Accounts Receivable	*Sales > Invoices > Invoices*	Customer commercial billing generated directly from validated Delivery Orders.
`PAYMENT`	Cash / Banking	*A/Receivable / A/Payable > Payments*	Disbursement vouchers, customer receipts, and open item allocations.
`PAYPROPAL`	Cash / Banking	*A/Payable > Payments > Payment proposal*	Automated batch payment generation based on supplier invoice due dates.
`RECBAN`	Cash / Banking	*Financials > Banking > Bank reconciliation*	Bank statement reconciliation against general ledger cash transactions.
`CPTCLI`	Credit Control	*A/Receivable > Inquiries > Customer statement*	Customer Statement of Account (SOA), open items balance, and aging.
`GESDIE`	Cost Accounting	*Common data > Analytical > Dimension types*	Configuration of cost centers, departments, and analytical axes.
`CLOPER`	Period Closing	*Financials > Closing > Period closing*	Monthly period locks preventing retroactive posting into past periods.

USER AUTHORIZATION & SEPARATION OF DUTIES (SOD CONTROLS)

In compliance with financial audit controls, operational personnel (Warehouse/Purchasing) cannot approve or post financial invoices. Conversely, Accounts personnel cannot alter physical inventory stock quantities without an authorized inventory transaction.

Strictly Confidential • Official Property of BubblesO2 Sdn Bhd. Unauthorized copying, distribution, or external disclosure is strictly prohibited.

2.0 GENERAL LEDGER (GL) & JOURNAL ENTRIES ARCHITECTURE

The General Ledger is the primary repository of financial truth in Sage X3, governed by function **GESGAS**. Every operational and financial event results in balanced double-entry accounting records.

2.1 Document Status Lifecycle in Journal Entries

SIMULATION ENTRY	TEMPORARY (STA=1)	FINAL / POSTED (STA=2)	REVERSED ENTRY
Forecast State	**Editable Voucher**	**Locked GL Record**	**Contra Journal**
No Ledger Impact	Pre-Closing Validation	Immutable Audit Trail	Audit Compliant Offset

2.2 Document Types (TYP_0) Categorization

DOCUMENT TYPE	JOURNAL CATEGORY DESCRIPTION	BUSINESS APPLICATION AT BUBBLESO2
`GENJ`	General Adjustment Journal	Manual adjustment vouchers, monthly prepayments, interest charges, bank fees.
`NEWJ`	Fiscal Year Opening Journal	Carries forward real asset, liability, and equity balances into Fiscal Year (N+1).
`CLO`	Fiscal Year Closing Journal	Transfers net operational profit or loss into Retained Earnings (Account 9200).
`EXTJ`	External System Integration Journal	Batch journals imported from external legacy systems or third-party platforms.

2.3 BubblesO2 Chart of Accounts (GACCOUNT) Hierarchy

The Chart of Accounts reflects standard Malaysian Financial Reporting Standards (MFRS / IFRS):


ACCOUNT CLASS	CLASSIFICATION NAME	BALANCE	SPECIFIC BUBBLESO2 FINANCIAL MAPPINGS
1000 - 1999	Non-Current Assets	Debit	Bottling Line 1 (350ml), Line 2 (425ml), borehole wells, plant land.
2000 - 2999	Current Inventory Assets	Debit	Raw preforms, bottle caps, shrink labels, cartons, finished bottled water.
3000 - 3999	Trade Debtors (AR)	Debit	Petromart accounts (`3000/xxx`), Hypermarkets (Lotus/TF), Walk-ins.
4000 - 4999	Trade Creditors (AP) & Liabilities	Credit	Preform vendors, packaging suppliers, freight forwarders, SST payable.
5000 - 5999	Cash & Bank Balances	Debit	Maybank Operating Account, CIMB Collections, factory petty cash.
6000 - 6999	Commercial Sales Revenue	Credit	Sales revenue of 350ml, 425ml, 500ml, 1500ml natural & sparkling water.
7000 - 7999	Cost of Goods Sold (COGS)	Debit	Direct material cost, packaging cost, electricity, plant water extraction.
8000 - 8999	Operating & Administrative Expenses	Debit	Factory labor overhead, transport logistics, marketing, IT infrastructure.
9000 - 9999	Taxation & Shareholder Equity	Credit	Paid-up capital, corporate income tax, accumulated retained earnings.

Strictly Confidential • Official Property of BubblesO2 Sdn Bhd. Unauthorized copying, distribution, or external disclosure is strictly prohibited.

3.0 JOURNAL ENTRY SCREEN CUSTOMIZATION & BATCH ENTRY SOP

In direct response to the requirements submitted by the BubblesO2 Finance Team in `SAGE_simplify task request.xlsx`, this section provides exact configuration steps for column layouts, balance alerts, and interactive modal prompts in **GESGAS**.

FLOWCHART 1: GENERAL LEDGER JOURNAL POSTING & BALANCE VALIDATION WORKFLOW



3.1 Step-by-Step Configuration of the 11-Column Sequence (GESTBE)

SEQ #	REQUIRED COLUMN NAME	DATABASE FIELD (GACCENTRYD)	FIELD SPECIFICATION & USER GUIDANCE
1	**Date**	`ACCDAT_0`	Accounting transaction date (Format: `DD/MM/YYYY`).
2	**GL / Acc No.**	`ACC_0`	Account code from Chart of Accounts (e.g. `3000/001`, `6000`).
3	**Currency**	`CUR_0`	Transaction currency code (Default: `MYR`, optional: `USD`, `SGD`).
4	**Reference No.**	`REFINTLIN_0`	External reference number, invoice voucher, or commercial document ID.
5	**Debit / Credit Amount**	`AMTCUR_0` / `SNS_0`	Transaction value in currency. Positive numeric amount with debit/credit sign.
6	**Description 1**	`DES_0`	Primary line narrative (Standard journal text, up to 30 characters).
7	**Description 2**	`FREREF_0`	Free text secondary reference for supplier/customer notes.
8	**Description 3**	`STT1_0`	Third statistical narrative code for operational analysis.
9	**Cheque No. (Chq no.)**	`CHK_0`	Cheque number or electronic bank payment reference number.
10	**Dimension 1**	`PCCCOD_0` / `DIE_0`	Primary analytical cost center (e.g. `CC-PROD`, `CC-WHSE`, `CC-ADMN`).
11	**Dimension 2**	`PJTLIN_0` / `DIE_1`	Secondary dimension for product brand tracking (e.g. `BR-NAT`, `BR-CARB`).

3.2 Out-of-Balance Prompting & Modal Pop-Up Dialogues

- **Enforcing Double-Entry Balance:** In **Setup > Financials > Document types (GESTYP)**, select `GENJ` and set **Balance Tolerance = 0.00**. If total debits do not equal total credits, the system strictly blocks saving and posting.
- **Replacing Log Lists with Interactive Pop-Up Box:** In **Setup > General Parameters > Parameter Values > TC (Core / Accounting)**, navigate to group **BAT** and configure parameter **AUTOBAT = No**. This forces Sage X3 to display an immediate on-screen modal alert: *"Journal out of balance by RM X.XX. Reconcile entries before posting."*

Strictly Confidential • Official Property of BubblesO2 Sdn Bhd. Unauthorized copying, distribution, or external disclosure is strictly prohibited.

4.0 ACCOUNTS PAYABLE (AP) & SUPPLIER INVOICE VERIFICATION

The Accounts Payable subledger governs supplier liabilities, invoice controls, and procurement disbursements, ensuring every payment is backed by verified receiving documents.

4.1 3-Way Matching Control Workflow (PO to GRN to Invoice)

MATCHING MILESTONE	SAGE X3 FUNCTION	VERIFICATION CONTROL & RECONCILIATION LOGIC
1. Purchase Order (PO)	`GESPOH`	Establishes contracted purchase quantities, agreed unit rates, payment terms, and delivery schedules with the supplier.
2. Goods Receipt Note (GRN)	`GESPTH`	Warehouse stores confirm physical arrival of goods. Debits inventory and credits Goods Received Not Invoiced (GRNI accrual account).
3. Supplier Invoice (AP)	`GESPIH`	Accounts officer pulls verified GRN lines via *Receipt Selection*. System checks price variances and validates quantities.

4.2 Purchase Price Variance (PPV Account Mapping)

When an invoiced supplier rate differs from the contracted purchase order price, Sage X3 automatically segregates the variance:

```
PPV = (Invoiced Unit Price - PO Unit Price) × Invoiced Quantity
```

- **Favorable Variance (Invoice < PO):** Credit posted to PPV Variance Gain (Account `7210`).
- **Unfavorable Variance (Invoice > PO):** Debit posted to PPV Variance Loss (Account `7220`).
- **Tolerance Threshold:** If price variance exceeds 5%, the invoice is placed on **Approval Hold** requiring Head of Procurement and CFO electronic sign-off.

4.3 Direct Expense Invoices (Supplier BP Invoices - GESBIS)

For non-stock operational expenses (e.g. factory utilities, vehicle servicing, IT software subscriptions) that do not originate from a warehouse receipt, accounts officers use function **`GESBIS`** (*A/Payable > Invoicing > Supplier BP invoices*):

- **Direct Account Coding:** Expenses are charged directly to operational ledger accounts (Class `8xxx`).
- **Analytical Tagging:** Each expense line must specify Cost Center (`DIE_0`) and Department (`CCE_0`) for departmental P&L reporting.
- **SST Input Tax Compliance:** Automatically applies Malaysian Sales and Service Tax codes (e.g. `SST6` or `SST8`) debiting the SST Input Tax Receivable account.

4.4 Supplier Invoice Approval Holds & Debit Notes


INVOICE STATUS / ACTION	SYSTEM CONDITION	OPERATIONAL IMPACT ON PAYMENTS
ON HOLD (BLOSTA = 2)	Price variance > tolerance or GRN not attached.	Invoice cannot be selected for payment proposals until cleared by procurement.
AUTHORIZED (BLOSTA = 1)	3-Way match successful with zero discrepancies.	Invoice is open for payment in payment runs and bank transfers.
DEBIT NOTE (GESPNH)	Damaged materials returned to vendor.	Credits supplier liability and offsets future invoice payments.

Strictly Confidential • Official Property of BubblesO2 Sdn Bhd. Unauthorized copying, distribution, or external disclosure is strictly prohibited.

5.0 ACCOUNTS RECEIVABLE (AR), CUSTOMER BILLING & CREDIT CONTROL

The Accounts Receivable module oversees commercial customer billing, credit limit enforcement, open items tracking, and Statement of Account (SOA) aging analysis.

FLOWCHART 2: ORDER-TO-CASH (O2C) FINANCIAL INVOICING & CREDIT CONTROL



5.1 Delivery Order to Invoice Generation (GESSDH to GESSIH)

Commercial invoices are generated directly from validated Delivery Orders to prevent billing unfulfilled orders:

1. Open function **GESSIH** (*Sales > Invoices > Invoices*), click **New**.
2. Enter **Invoice Site** (e.g. BOMSB) and **Customer Code** (e.g. 3000/001 - CAFE MESRA).
3. Click **Delivery Selection** on the left drawer. Double-click the validated DO number (GESSDH).
4. Line items, quantities, agreed contract prices, and SST tax calculations populate automatically.
5. Click **Create**, then click **Post**. The transaction updates table SINVOICE and registers an open item in GACCDUDATE.

5.2 Customer Credit Limit & Exposure Rules (GESBPC)

Customer credit risk is enforced in real time using parameters defined in **GESBPC** (*Common Data > BPs > Customers*):

```
Total Customer Exposure = Active AR Open Invoices + Uninvoiced DOs + Approved Sales Orders
```

CREDIT CONTROL RULE	CONDITION TRIGGER	ENFORCED SYSTEM ACTION
Credit Limit Breach	Total Customer Exposure > Approved Credit Limit	**BLOCK:** Sales Orders and Delivery Orders blocked automatically. Requires Credit Committee approval.
Dynamic Aging Overdue	Days Overdue > Customer Credit Term Days	**CREDIT HOLD:** Account placed on hold if unpaid invoices exceed credit term grace period.
Cash Terms (COD)	Payment Terms = CASH or COD (0 Days Credit)	**PREPAYMENT:** Delivery Order blocked until full payment receipt is recorded in PAYMENT.

5.3 Customer Statement of Account (SOA) & Aging Balance

The finance team monitors debtor collections using inquiry function **CPTCLI** (*A/Receivable > Inquiries > Customer statement*):

- **Aging Buckets:** Current (0–30 days), 31–60 days, 61–90 days, and >90 days overdue.
- **Anchor Date:** Aging must always be computed against the **Statement Date** (never historic PO dates).

Strictly Confidential • Official Property of BubblesO2 Sdn Bhd. Unauthorized copying, distribution, or external disclosure is strictly prohibited.

6.0 CASH MANAGEMENT, BANKING & PAYMENT PROCESSING

The Cash Management and Banking module governs operating bank accounts, disbursement proposals, customer receipts, and daily liquidity monitoring.

6.1 Bank Master Configuration (GESBAN)

All operating accounts are defined in **GESBAN** (*Common Data > BP Accounting > Bank accounts*):

BANK IDENTIFIER	BANK NAME & ACCOUNT NO.	GL ACCOUNT LINK	OPERATIONAL FUNCTION
MBB-OPR	Maybank Berhad (A/C: 5142-XXXX-8901)	5110/001 (Operating GL)	Primary operational disbursements, payroll, vendor payments, utilities.
CIMB-COL	CIMB Bank (A/C: 8003-XXXX-1234)	5110/002 (Collections GL)	Customer payment receipts, retail collections, online bank transfers.
PETTY-RAN	Factory Petty Cash (Rantau Plant)	5120/001 (Petty Cash GL)	Minor factory emergency expenses, driver toll reimbursements.

6.2 Automated Supplier Payment Proposals (PAYPROPAL)

To eliminate manual cheque preparation and optimize cash flow, disbursements are generated via **Payment Proposals**:

1. Open function **PAYPROPAL** (*A/Payable > Payments > Payment proposal*).
2. Define criteria: **Payment Site**, **Due Date Cutoff**, and **Payment Method** (Cheque or Electronic Bank Transfer).
3. Click **Search**. Sage X3 scans open items in GACCDUDATE and compiles due invoices.
4. Review and adjust proposed payment amounts. Deselect invoices disputed by quality or procurement.
5. Click **Validation**. The system generates payment transactions (PAYMENTH) and marks open items as paid.

6.3 Customer Receipts & Payment Allocations (PAYMENT)

Customer payments received via bank transfers, cheques, or payment gateways are recorded via **PAYMENT**:

ALLOCATION MODE	OPERATIONAL MECHANISM	IMPACT ON OPEN ITEMS (GACCDUDATE)
Exact Invoice Knock-off	Customer provides payment remittance advice specifying exact invoice numbers.	Open item balance reduced to RM 0.00. Automatic letter-matching code applied (MTC_0).
FIFO Knock-off	Customer pays lump-sum without remittance details.	System allocates payment against oldest open invoices sequentially until exhausted.
Advance Payment (Overpayment)	Payment received exceeds total open invoice balances.	Negative balance recorded in customer subledger. Automatically offsets subsequent sales orders.

STRICT BANK POSTING RULE • MULTI-TIER REVIEW

Payment entries created by Accounts Assistants remain in status **Draft / Temporary** until reviewed and electronically approved by the Finance Manager. Approved payments update the bank subledger immediately.

Strictly Confidential • Official Property of BubblesO2 Sdn Bhd. Unauthorized copying, distribution, or external disclosure is strictly prohibited.

7.0 BANK RECONCILIATION & OPEN ITEM LETTER-MATCHING

Bank reconciliation and open item letter-matching ensure that internal ledger cash balances match physical bank statements and that all commercial invoices are paired with corresponding payment vouchers.

7.1 Bank Statement Reconciliation Workflow (RECBAN)

Bank reconciliation is executed monthly or weekly using function **RECBAN** (*Financials > Banking > Bank reconciliation*):

STAGE	ACTION REQUIRED	VERIFICATION & RECONCILIATION STANDARDS
Step 1: Header	Select Bank Code & Enter Statement Ending Date	Input the exact closing balance from the physical Maybank/CIMB bank statement.
Step 2: Matching	Check off cleared deposits and withdrawals	Pair statement transactions with internal GL bank lines. Matches receive mark (`MRK_0`).
Step 3: Adjustments	Post bank charges, interest, and FX differences	Create miscellaneous adjustment journals (`GENJ`) directly for direct debit deductions.
Step 4: Validation	Ensure Calculated Variance = RM 0.00	Click **Validation**. Reconciled entries locked permanently. Generates audit reconciliation report.

7.2 Manual and Automatic Open Item Letter-Matching (LETT / MTC)

Letter-matching links invoice debits to payment credits within the customer and supplier subledgers:

AUTOMATIC LETTER-MATCHING

Triggered via **LETT** batch process. Matches invoices and payment lines sharing the exact reference number and equal amount. Stamps uppercase matching letter (e.g. `AA`, `AB`).

MANUAL LETTER-MATCHING

Used for partial payments, split invoices, or multiple credit notes offset against a single invoice. User manually selects lines until balance reaches zero.

7.3 Handling Un-Matching (Reversal of Letter-Matching)

If a payment was matched against the wrong customer invoice:

- Open function **LETT**, enter the customer account number, and click **Matched Items**.
- Locate the matching code (e.g. `AC`), right-click and select **Unmatch**.
- The invoice and payment open items return to **Unmatched / Open** status in `GACCDUDATE`, restoring overdue aging balances.

Strictly Confidential • Official Property of BubblesO2 Sdn Bhd. Unauthorized copying, distribution, or external disclosure is strictly prohibited.

8.0 COST ACCOUNTING & MULTI-DIMENSIONAL ANALYTICS (ANALYTICAL GL)

Sage X3 analytical cost accounting operates across independent dimension axes without inflating the master Chart of Accounts, providing detailed departmental and product-line P&L reporting.

FLOWCHART 3: PURCHASE-TO-PAY (P2P) 3-WAY MATCHING & CASH DISBURSEMENT



8.1 Dimension Types (GESDIE) & Dimension Values (GESCCE)

DIMENSION AXIS (DIE)	ANALYTICAL DIMENSION VALUES (CCE)	COST CENTER REPORTING & P&L ALLOCATION
Cost Center (CC)	`CC-PROD`, `CC-WHSE`, `CC-QUAL`, `CC-ADMN`	Tracks departmental operating expenditure, direct factory labor, machine power, and maintenance.
Product Brand (BR)	`BR-NAT` (Natural Mineral), `BR-CARB` (Carbonated)	Tracks gross profit margins, promotional marketing spend, and packaging costs per product line.
Geographic Zone (ZN)	`ZN-KLANG`, `ZN-NORTH`, `ZN-SOUTH`, `ZN-EAST`	Tracks distribution freight costs, vehicle maintenance, and regional sales margins.

8.2 Automatic Analytical Allocation Keys

For common indirect overheads (e.g. factory electricity bills or IT maintenance fees) shared across multiple departments:

- **Allocation Keys:** An analytical allocation key splits an expense line automatically based on pre-set ratios:

  ```
  Electricity Expense: 70% Production (CC-PROD) + 20% Warehouse (CC-WHSE) + 10% Office (CC-ADMN)
  ```

- Entering the single master invoice automatically posts the split into analytical ledger table `CPTANALIN`.

Strictly Confidential • Official Property of BubblesO2 Sdn Bhd. Unauthorized copying, distribution, or external disclosure is strictly prohibited.

9.0 AUTOMATIC ACCOUNTING ENGINE & DATABASE SCHEMA LINKAGE

The Sage X3 Automatic Accounting Engine (**GESGAU**) translates physical warehouse and shop-floor events into balanced double-entry accounting records in real time.

9.1 Operational Event to Auto-Journal Mapping

OPERATIONAL EVENT	ORIGINATING FUNCTION	AUTO-JOURNAL (GAU)	GENERATED DOUBLE-ENTRY ACCOUNTING LINES
Goods Receipt (GRN)	`GESPTH`	`PRH` (Receipt)	**Debit:** Stock Raw Materials (2000) **Credit:** GRNI Accrual Account (4100)
Supplier AP Invoice	`GESPIH`	`PIH` (Purchase Inv)	**Debit:** GRNI Accrual (4100) + SST Input (4300) **Credit:** Trade Creditors AP (4000)
Production Tracking	`GESMTK`	`WOO` (Work Order)	**Debit:** Finished Goods Stock (2200) **Credit:** WIP Materials (2100) + Labor Applied (7100)
Delivery Order (DO)	`GESSDH`	`SDH` (Delivery)	**Debit:** Cost of Goods Sold (7000) **Credit:** Finished Goods Stock (2200)
Customer AR Invoice	`GESSIH`	`SIH` (Sales Inv)	**Debit:** Trade Debtors AR (3000) **Credit:** Sales Revenue (6000) + SST Output (4310)

9.2 Deep Database Schema Architecture from Database.sql

Extracted directly from `Database.sql` (8,229 tables, schema `[BASE]`), the primary database tables governing financial reporting include:

SQL TABLE NAME	PRIMARY KEY & KEY FIELDS	TABLE ROLE & BUSINESS APPLICATION IN SAGE X3
GACCOUNT	`COA_0`, `ACC_0`	Master Chart of Accounts defining account numbers, classifications, currency, and validation flags.
GACCENTRY	`TYP_0`, `NUM_0`	Journal entry header storing fiscal year, period, accounting date, journal type, and posting status.
GACCENTRYD	`TYP_0`, `NUM_0`, `LIN_0`	Journal entry lines holding account numbers, business partner codes, debit/credit signs, currency amounts, and dimensions.
GACCDUDATE	`TYP_0`, `NUM_0`, `LIG_0`	Open item tracking table recording invoice due dates, open balances, payment terms, and matching status.
SINVOICE	`NUM_0`, `BPR_0`	Sales invoice header recording total gross amounts, discounts, SST taxes, customer ID, and DO link.
PINVOICE	`NUM_0`, `BPR_0`	Purchase invoice header storing supplier voucher numbers, GRN references, and invoice approval flags.
PAYMENTH	`NUM_0`, `BAN_0`	Bank payment and receipt transaction headers linking physical bank accounts to ledger transactions.

Strictly Confidential • Official Property of BubblesO2 Sdn Bhd. Unauthorized copying, distribution, or external disclosure is strictly prohibited.

10.0 PERIOD-END & YEAR-END FINANCIAL CLOSING PROCEDURES

Month-end and year-end closing routines lock financial periods, reconcile subledgers, compute profit & loss, and roll forward balance sheet accounts into the next fiscal year.

FLOWCHART 4: PERIOD-END CLOSING & FINANCIAL RECONCILIATION WORKFLOW



10.1 Monthly Period Closing Checklist (CLOPER)

CLOSING MILESTONE	RESPONSIBLE TEAM	MANDATORY PRE-CLOSING AUDIT REQUIREMENT
1. Inventory Cut-off	Warehouse & Accounts	All physical delivery orders (GESSDH) and goods receipts (GESPTH) must be validated. Zero unposted staging movements.
2. AR/AP Open Items	Credit Control & AP	Execute letter-matching (LETT). Verify customer aging statements and supplier reconciliations.
3. Bank Reconciliation	Cash Management	Reconcile all operating bank accounts in RECBAN with verified ending variance = RM 0.00.
4. Depreciation Run	Asset Accountant	Run fixed asset depreciation schedule (DEPCALC) posting monthly wear & tear journals.
5. Period Lock (CLOPER)	Finance Head / IT	Open **CLOPER** and change Period Status to **Closed**. Retroactive posting is locked.

10.2 Fiscal Year End Closing Procedures (CLOFIY)

At the conclusion of the 12th financial period:

- **Net Profit/Loss Calculation:** Sage X3 aggregates all Revenue (6xxx), COGS (7xxx), and Expense (8xxx) accounts.
- **Closing Journal (CLO):** System generates closing journal transferring net profit into **Retained Earnings (Account 9200)**, resetting nominal P&L accounts to zero.
- **Opening Journal (NEWJ):** System generates opening balances for balance sheet accounts in Fiscal Year (N+1).

Strictly Confidential • Official Property of BubblesO2 Sdn Bhd. Unauthorized copying, distribution, or external disclosure is strictly prohibited.

11.0 FINANCIAL INQUIRIES, TROUBLESHOOTING & ACCOUNTING GLOSSARY

11.1 Financial Inquiries: Balances & Trial Balances

Finance personnel utilize real-time analytical inquiries without waiting for batch report generation:

- **Account Balances (`CONSBAL`):** Displays opening balance, debit/credit movements, and closing balance per GL account.
- **Account Ledger Drill-Down (`CONSCPT`):** Double-clicking any line in `CONSBAL` drills into every constituent journal voucher.
- **Aging Balance Inquiry (`AGENAG`):** Displays debtor and creditor aging buckets with drill-downs to original commercial invoices.

11.2 Troubleshooting Matrix for Common Financial Exceptions

EXCEPTION MESSAGE / SYMPTOM	ROOT SYSTEM CAUSE	STANDARD CORRECTIVE ACTION
"Transaction out of balance"	Debits do not equal credits in `GESGAS` batch entry.	Balance tolerance is strictly 0.00. Reconcile entries before saving. Review Debit/Credit columns.
"Period closed for posting"	Accounting date falls into a locked fiscal period in `PERIOD`.	Verify transaction date. If retro entry is authorized by CFO, temporarily reopen period in `CLOPER`.
"Dimension code mandatory on account"	Account is flagged with mandatory analytical distribution.	Ensure Dimension 1 (Cost Center) and Dimension 2 (Brand) are entered on line item.
"Delivery Order not validated"	Delivery Order `GESSDH` has not been validated by warehouse.	Request warehouse supervisor to execute **Validation** on `GESSDH` to release DO for billing.
"Customer account is on Credit Hold"	Customer exceeded credit limit or has overdue invoices.	Review Statement of Account in `CPTCLI`. Obtain payment receipt or execute authorized credit override.

11.3 Authoritative Financial & Sage X3 Glossary

- **3-Way Matching:** Internal control comparing Purchase Order, Goods Receipt, and Supplier Invoice.
- **Purchase Price Variance (PPV):** Accounting variance between contracted PO cost and invoiced price.
- **Open Items (`GACCDUDATE`):** Unpaid invoice obligations tracking due dates and aging stages.
- **Letter-Matching (`LETT`):** Reconciliation pairing debit invoices with credit payment vouchers.
- **Statement of Account (SOA):** Commercial ledger document summarizing open invoices and overdue debt.
- **Auto-Journal (`GESGAU`):** Rule engine converting operational warehouse events into balanced GL lines.

Strictly Confidential • Official Property of BubblesO2 Sdn Bhd. Unauthorized copying, distribution, or external disclosure is strictly prohibited.