Data Communication & Computer Networks — Topic 4: Networking Devices

Practice Test Booklet — 99 MCQs (2-column, without solutions) · Easy + Medium + Hard mix · Har question ke saath **Source** · Print ke liye · Reference: Forouzan + India-level & worldwide exam papers (GATE/NET/KVS/EMRS/ DSSSB/SSC/RRB/IBPS) · Prepared for: RPSC Programmer • ACP • RSMSSB IA • SA • DD • BCI • SCI • REET • RAS • DSSSB • KVS • NVS • HTET • SSC CGL/CHSL • RRB • IBPS • UPSC & all Rajasthan + Central Govt. Exams (Computer Awareness)

Section A — Physical-Layer Devices (Hub, Repeater, Modem & Simple Devices)

Q1. Which device operates only at the Physical layer (Layer 1) of the OSI model?

OSI model की केवल Physical layer (Layer 1) पर कौन-सा device काम करता है?

(A) Switch **(B)** Hub
(C) Router **(D)** Bridge

[Source: Repo: BCI_SCI Subject Test-7 (BCI/SCI Batch) · also CN Topic Test-6] · Easy

Q2. Which of the following pairs lists the network devices used at the physical layer?

निम्न में से कौन-सी जोड़ी physical layer पर उपयोग होने वाले network devices बताती है?

(A) Gateway, Bridge **(B)** Router, Repeater
(C) Hub, Switch **(D)** Repeater, Hub

[Source: Random Test- Rajasthan PYQ (OCR), p12 — Q93 (options reconstructed from screenshot)] · Medium

Q3. Which of the following are network connecting devices? 1. Repeater 2. Bridge 3. Hub 4. Bluetooth

निम्न में से कौन network connecting devices हैं? 1. Repeater 2. Bridge 3. Hub 4. Bluetooth

(A) 1, 2 and 3 **(B)** 1, 2 and 4
(C) 2, 3 and 4 **(D)** 1, 3 and 4

[Source: Unit Test -2 Solutions (OCR), p11] · Medium

Q4. Which of the following statements are TRUE? 1. Switch reduces collision domain. 2. Hub creates a separate collision domain for each port. 3. Router separates broadcast domains.

निम्न में से कौन-से कथन सही हैं? 1. Switch collision domain को कम करता है। 2. Hub हर port के लिए अलग collision domain बनाता है। 3. Router broadcast domains को अलग करता है।

(A) 1 and 2 only **(B)** 2 and 3 only
(C) 1 and 3 only **(D)** 1, 2 and 3

[Source: Repo: BCI Subject Test-9 (BCI/SCI Batch) — Q26] · Medium

Q5. Which device combines transmission from various I/O devices into one line?

कौन-सा device विभिन्न I/O devices के transmission को एक line में मिलाता है?

(A) Modifier **(B)** Multiplexer
(C) Concentrator **(D)** Gateway

[Source: Unit Test-4 Solution (OCR), p22] · Medium

Q6. A file server is a _____ which is used to store files received from various client machines.

File server एक _____ है जिसका उपयोग विभिन्न client machines से प्राप्त files संग्रहित करने के लिए होता है।

(A) Specialized computer system **(B)** Modem
(C) Router **(D)** Transponder

[Source: Unit Test-4 Solution (OCR), p24] · Medium

Q7. In a data-entry office, computer centres on the 1st and 4th floors are connected by LANs, but signals take time to travel. Which hardware can improve the data transmission?

एक data-entry office में 1वीं और 4वीं मंज़िल के computer centres LAN से जुड़े हैं, पर signals में समय लगता है. बेहतर transmission के लिए कौन-सा hardware लगाएँ?

(A) Repeater **(B)** Router
(C) Computer **(D)** Modem

[Source: RSMSSB Informatics Assistant 2023 (via examsmantra solved paper)] · Medium

Q8. A device that regenerates a weak signal bit-by-bit to its original strength is a:

कमज़ोर signal को bit-by-bit पुनः मूल शक्ति तक लाने वाला उपकरण है:

(A) Repeater **(B)** Amplifier
(C) Bridge **(D)** Router

[Source: Practice — original (textbook-based)] · Medium

Q9. Which of the following devices operates only in the physical layer?

निम्न में से कौन-सा device केवल physical layer पर काम करता है?

(A) Two-layer switch **(B)** Router
(C) Repeater **(D)** Bridge

[Source: Kerala PSC repeated PYQs (via pscarivukal)] · Hard

Q10. A device that operates at the physical layer of the OSI model is:

OSI model की physical layer पर काम करने वाला device है:

(A) Bridge **(B)** Router
(C) Repeater **(D)** All of these

[Source: SBI/IBPS Computer Awareness Capsule 2018 (IBT India)] · Hard

Q11. All ports of a hub belong to how many collision domains?

Hub के सभी ports कितने collision domains में आते हैं?

(A) One / एक **(B)** Equal to number of ports / Ports की संख्या के बराबर
(C) Two / दो **(D)** Zero / शून्य

[Source: Practice — original (textbook-based)] · Hard

Q12. A 24-port hub creates how many collision domains?

24-port hub कितने collision domains बनाता है?

(A) 1 **(B)** 12
(C) 24 **(D)** 48

[Source: Practice — original (textbook-based)] · Hard

Section B — Switch / NIC / Bridge

Q13. Which device stores MAC addresses in a CAM table?

कौन-सा device MAC addresses को CAM table में संग्रहित करता है?

(A) Hub **(B)** Router
(C) Switch **(D)** Modem

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Easy

Q14. A router is connected between two switches. If a broadcast frame is sent on Switch-A, what will Switch-B receive?

दो switches के बीच एक router जुड़ा है। यदि Switch-A पर broadcast frame भेजा जाए, तो Switch-B क्या प्राप्त करेगा?

(A) The broadcast **(B)** A unicast copy
(C) Nothing **(D)** A multicast

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Easy

Q15. What does a MAC address represent?

MAC address किसका प्रतिनिधित्व करता है?

(A) The location of the device in the network **(B)** The unique identity of the NIC
(C) Internet connectivity **(D)** The routing path

[Source: Repo: BCI_SCI Subject Test-7 (BCI/SCI Batch)] · Easy

Q16. Which device reduces collision domains (each port has its own collision domain) but does NOT break broadcast domains?

कौन-सा device collision domains को कम करता है (हर port का अपना collision domain) लेकिन broadcast domains को तोड़ता नहीं?

(A) Switch **(B)** Router
(C) Hub **(D)** Gateway

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch) · also CN Topic Test-6] · Medium

Q17. A switch receives a frame whose destination MAC is NOT in its MAC table. What does the switch do?

एक switch को frame मिलता है जिसका destination MAC उसके MAC table में नहीं है। Switch क्या करेगा?

(A) Send the frame to the router only **(B)** Flood the frame out of all its ports (same broadcast domain)
(C) Drop the frame **(D)** Broadcast it on the entire internet

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Medium

Q18. A switch has 4 VLANs configured. How many broadcast domains exist?

एक switch पर 4 VLANs configure हैं। कितने broadcast domains होंगे?

(A) 1 **(B)** 2
(C) 4 **(D)** Depends on the router

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Medium

Q19. In a router-on-a-stick setup with VLANs, which device handles VLAN tagging and which handles inter-VLAN routing?

VLANs वाले router-on-a-stick setup में VLAN tagging कौन करता है और inter-VLAN routing कौन?

(A) Switch – VLAN tags, Router – routing **(B)** Router – VLAN tags, Switch – routing
(C) Both switch and router do VLAN tagging **(D)** Neither does VLAN tagging

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Medium

Q20. A packet travels: wired PC → Switch → Access Point → Wireless laptop. Which devices operate at Layer 2 only?

एक packet यात्रा करता है: wired PC → Switch → Access Point → Wireless laptop। कौन-से devices केवल Layer 2 पर काम करते हैं?

(A) Switch only **(B)** Access Point only
(C) Both switch and access point **(D)** Neither

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Medium

Q21. Which of the following component is responsible for network communication in a computer system?

कंप्यूटर सिस्टम में network communication के लिए कौन-सा component ज़िम्मेदार होता है?

(A) UPS **(B)** Ethernet card (NIC)
(C) SVGA card **(D)** SMPS

[Source: Unit Test-4 Solution.pdf (OCR), p18] · Medium

Q22. LANs can be connected by which of the following devices that operate on the data link layer?

LANs को data link layer पर काम करने वाले निम्न में से किस device से जोड़ा जा सकता है?

(A) Hub **(B)** Bridges
(C) HDLC **(D)** Tunnel

[Source: SBI PO Computer Awareness PYQ (via bankersadda)] · Medium

Q23. A switch learns the port for a MAC address by:

Switch किसी MAC address का port कैसे सीखता है?

(A) Reading the source MAC of incoming frames / आने वाले frames के source MAC से **(B)** Asking the router / Router से पूछकर
(C) Reading the IP address / IP address पढ़कर **(D)** Broadcasting every frame / हर frame broadcast करके

[Source: Practice — original (textbook-based)] · Medium

Q24. VLANs on a switch are used to create:

Switch पर VLAN बनाए जाते हैं:

(A) More collision domains / अधिक collision domains **(B)** Separate broadcast domains / अलग-अलग broadcast domains
(C) More repeaters / अधिक repeaters **(D)** Faster cables / तेज़ cables

[Source: Practice — original (textbook-based)] · Medium

Q25. Connecting each switch port to a single host so that every port becomes its own collision domain is called:

Switch के हर port पर एक host लगाकर उसे अलग collision domain बनाना कहलाता है:

(A) Microsegmentation **(B)** Trunking
(C) VLAN hopping **(D)** Bridging loop

[Source: Practice — original (textbook-based)] · Medium

Q26. On a managed switch, which feature restricts a port to specific MAC addresses so that unauthorized hosts cannot connect?

Managed switch पर कौन-सी सुविधा एक port को तय MAC addresses तक सीमित करती है ताकि अनधिकित host न जुड़ सकें?

(A) Port Security **(B)** VTP pruning
(C) Spanning Tree **(D)** Port mirroring

[Source: Practice — original (SSC CGL/IBPS exam-pattern, textbook-based)] · Medium

Q27. Compared to a hub, a switch:

Hub की तुलना में switch:

(A) Sends every frame to all ports / हर frame सब ports पर भेजता है **(B)** Sends frames only to the destination port / Frame सिर्फ़ destination port पर भेजता है
(C) Works only at layer 3 / सिर्फ़ layer 3 पर काम करता है **(D)** Does not need MAC addresses / MAC addresses की ज़रूरत नहीं

[Source: Practice — original (textbook-based)] · Hard

Section C — Router / Brouter

Q28. A router performs which of the following? (1) Packet forwarding (2) Logical addressing (3) Collision detection (4) Routing decision

Router निम्न में से कौन-सा कार्य करता है? (1) Packet forwarding (2) Logical addressing (3) Collision detection (4) Routing decision

(A) 1, 2 and 4 **(B)** 2, 3 and 4
(C) 1 and 3 only **(D)** 1, 2, 3 and 4

[Source: Repo: BCI_SCI Subject Test-7 (BCI/SCI Batch) — Q28] · Easy

Q29. A router drops some packets deliberately due to congestion. What is this technique called?

Router congestion के कारण कुछ packets जानबूझकर छोड़ देता है। इस तकनीक को क्या कहते हैं?

(A) Delay policing **(B)** Redundancy
(C) Random Early Detection (RED) **(D)** Reverse flooding

[Source: Repo: BCI_SCI Subject Test-7 (BCI/SCI Batch)] · Easy

Q30. Which device creates a separate broadcast domain?

कौन-सा device अलग broadcast domain बनाता है?

(A) Switch **(B)** Bridge
(C) Router **(D)** Repeater

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Easy

Q31. Which device operates at Layer 3 of the OSI model?

OSI model की Layer 3 पर कौन-सा device काम करता है?

(A) Hub **(B)** Switch
(C) Router **(D)** Repeater

[Source: SSC CGL Tier-2 repeated Qs (via Oliveboard)] · Medium

Q32. Consider: S1: The TTL field decreases at each router. S2: The MAC address changes at each hop. Which is correct?

देखिए: S1: TTL field हर router पर घटती है। S2: MAC address हर hop पर बदलता है। कौन-सा सही है?

(A) Only S1 **(B)** Only S2
(C) Both S1 and S2 **(D)** Neither S1 nor S2

[Source: Repo: BCI_SCI Subject Test-7 (BCI/SCI Batch)] · Medium

Q33. A brouter is a device that can act as:

Brouter वह उपकरण है जो बन सकता है:

(A) Hub + repeater **(B)** Bridge + router
(C) Switch + modem **(D)** Firewall + gateway

[Source: Practice — original (textbook-based)] · Medium

Q34. A brouter forwards non-routable protocols (e.g., NetBEUI) at OSI layer _____ and routable protocols (e.g., IP) at layer 3:

Brouter non-routable protocols (जैसे NetBEUI) को OSI layer _____ पर और routable protocols (IP) को layer 3 पर भेजता है:

(A) 1 **(B)** 2
(C) 3 **(D)** 4

[Source: Practice — original (textbook-based)] · Medium

Q35. Which hardware forwards data packets between computer networks?

कौन-सा hardware computer networks के बीच data packets को आगे भेजता है?

(A) Switch **(B)** Router
(C) Cable **(D)** Nibble

[Source: KVS Librarian 2023 Official Paper (via Testbook) · also CN Topic Test-03] · Hard

Q36. Among these network devices — i. Repeater ii. Hub iii. Switch iv. Router — which are considered intelligent devices?

इन network devices में — i. Repeater ii. Hub iii. Switch iv. Router — कौन-से intelligent devices माने जाते हैं?

(A) i and iv only **(B)** i and ii only
(C) iii and iv only **(D)** ii and iii only

[Source: Kerala PSC repeated PYQs (via pscarivukal)] · Hard

Q37. When a router forwards a packet, which header field does NOT change?

Router के packet forward करने पर कौन-सा header field नहीं बदलता?

(A) TTL **(B)** Header checksum
(C) Source IP address **(D)** Both TTL and checksum / TTL और checksum दोनों

[Source: Practice — original (textbook-based)] · Hard

Section D — Gateway, Firewall & NAT Devices

Q38. Which type of firewall inspects packets at the network layer and decides based on IP addresses?

कौन-सी firewall network layer पर packets की जाँच करके IP addresses के आधार पर निर्णय लेती है?

(A) Packet Filtering Firewall **(B)** Stateful Firewall
(C) Proxy Firewall **(D)** Application Firewall

[Source: Repo: BCI Subject Test-9 (BCI/SCI Batch)] · Easy

Q39. Which firewall acts as an intermediary between the client and server at the application layer?

कौन-सी firewall application layer पर client और server के बीच मध्यस्थ (intermediary) के रूप में काम करती है?

(A) Packet Filtering Firewall **(B)** Stateful Firewall
(C) Proxy Firewall **(D)** Circuit-level Gateway

[Source: Repo: BCI Subject Test-9 (BCI/SCI Batch)] · Easy

Q40. If two systems use DIFFERENT protocols, which device is used to link them?

यदि दो systems भिन्न protocols उपयोग करते हैं, तो उन्हें जोड़ने के लिए कौन-सा device उपयोग होता है?

(A) Repeater **(B)** Gateway
(C) Bridge **(D)** Hub

[Source: Repo: CN Topic Test-01 (UNIT TEST-1)] · Medium

Q41. Which device can operate across all 7 layers of the OSI model?

कौन-सा device OSI model की सभी 7 layers पर काम कर सकता है?

(A) Router **(B)** Hub
(C) Gateway **(D)** Switch

[Source: Repo: CN Topic Test 6 (UNIT TEST-6)] · Medium

Q42. Devices on one network can communicate with devices on another network via:

एक network के devices दूसरे network के devices से किसके माध्यम से संवाद कर सकते हैं?

(A) File server **(B)** Utility server
(C) Printer server **(D)** Gateway

[Source: SSC CGL Internet & Networking (via EduRev bank)] · Medium

Q43. What is the role of a firewall in computer networks?

Computer networks में firewall की भूमिका क्या है?

(A) Managing IP addresses **(B)** Filtering and controlling network traffic
(C) Resolving domain names **(D)** Assigning MAC addresses dynamically

[Source: 30 important CN MCQs (Medium blog bank)] · Medium

Q44. What is the purpose of a proxy server in networking?

Networking में proxy server का उद्देश्य क्या है?

(A) Managing IP addresses **(B)** Filtering and forwarding network traffic
(C) Assigning MAC addresses dynamically **(D)** Encrypting network communication

[Source: 30 important CN MCQs (Medium blog bank)] · Medium

Q45. Which is a network security system designed to protect a trusted private network from an untrusted outside network to which it is connected?

कौन-सी network security system trusted private network को उस जुड़े हुए untrusted outside network से बचाने के लिए बनी है?

(A) Bridge **(B)** Cookies
(C) Firewall **(D)** SSL

[Source: Random Test- Rajasthan PYQ (OCR), p6 — Q110 (options reconstructed from screenshot)] · Medium

Q46. What kind of NAT maps one private IP to exactly one public IP?

किस प्रकार का NAT एक private IP को ठीक एक public IP से जोड़ता है?

(A) Dynamic NAT **(B)** Static NAT
(C) PAT (Port Address Translation) **(D)** Port Forwarding

[Source: Repo: CN Topic Test 6 (UNIT TEST-6)] · Medium

Q47. A firewall that keeps track of the state of live connections is called:

वह firewall जो चालू connections की state याद रखता है, कहलाता है:

(A) Packet-filter firewall **(B)** Stateful firewall
(C) Repeater **(D)** Modem

[Source: Practice — original (textbook-based)] · Medium

Q48. The area where public-facing servers (web, mail) are placed for security is called:

जहाँ public servers (web, mail) सुरक्षा हेतु रखे जाते हैं, वह क्षेत्र है:

(A) LAN **(B)** VLAN
(C) DMZ **(D)** SAN

[Source: Practice — original (textbook-based)] · Medium

Q49. Which NAT type uses a single public IP for many internal hosts?

कौन-सी NAT कई internal hosts के लिए एक ही public IP प्रयोग करती है?

(A) Static NAT **(B)** Dynamic NAT
(C) Overload / PAT **(D)** No NAT

[Source: Practice — original (textbook-based)] · Medium

Q50. Port Address Translation (PAT), which maps many private IP addresses to one public IP using port numbers, is also called:

Port Address Translation (PAT) — जो port numbers से कई private IPs को एक public IP पर map करती है — कहलाती है भी:

(A) NAT overload **(B)** Static NAT
(C) Dynamic NAT **(D)** Proxy NAT

[Source: Practice — original (textbook-based)] · Medium

Q51. Devices that provide the connectivity to a WiMAX network are known as

(A) subscriber stations **(B)** base stations
(C) gateway **(D)** none of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Medium

Q52. Discarding policy is mainly done by _____

(A) sender **(B)** receiver
(C) router **(D)** switch

[Source: Repo: computer-networks [set 10].pdf (new/ 2026 drop)] · Medium

Q53. Common gateway interface is used to _____

(A) generate executable files from web content by web server **(B)** generate web pages
(C) stream videos **(D)** download media files

[Source: Repo: computer-networks [set 11].pdf (new/ 2026 drop)] · Medium

Q54. _____ is another kind of fiber optic network with an active star for switching

(A) s/net **(B)** sw/net
(C) net/sw **(D)** fs/net

[Source: Repo: computer-networks [set 12].pdf (new/ 2026 drop)] · Medium

Q55. What does administrative distance rank?

(A) metrics **(B)** sources of routing information
(C) router reliability **(D)** best paths

[Source: Repo: computer-networks [set 12].pdf (new/ 2026 drop)] · Medium

Q56. Which two commands are required for basic OSPF configuration?

(A) "[network mask] area [area-id]" and "router ospf [process-id]" **(B)** "[wildcard-mask] area [area-id]" and "[network mask] area [area-id]"
(C) only "router ospf [process-id]" **(D)** "[wildcard-mask] area [area-id]" and "router ospf [process-id]"

[Source: Repo: computer-networks [set 13].pdf (new/ 2026 drop)] · Medium

Q57. Which of the following networks supports pipelining effect?

(A) circuit-switched networks **(B)** message-switched networks
(C) packet-switched networks **(D)** stream-switched networks

[Source: Repo: computer-networks [set 13].pdf (new/ 2026 drop)] · Medium

Q58. Automatic protection switching in linear network is defined at the _____

(A) line layer **(B)** section layer
(C) photonic layer **(D)** path layer

[Source: Repo: computer-networks [set 14].pdf (new/ 2026 drop)] · Medium

Q59. A unidirectional path switching ring is a network with _____

(A) one ring **(B)** two rings
(C) three rings **(D)** four rings

[Source: Repo: computer-networks [set 14].pdf (new/ 2026 drop)] · Medium

Q60. For default gateway, which of following commands will you use on a Cisco router?

(A) ip default network **(B)** ip default gateway
(C) ip default route **(D)** default network

[Source: Repo: computer-networks [set 15].pdf (new/ 2026 drop)] · Medium

Q61. A network router joins two together?

(A) Computers **(B)** Switches
(C) Networks **(D)** Gateway

[Source: Repo: computer-networks [set 15].pdf (new/ 2026 drop)] · Medium

Q62. A network point that provides entrance into another network is called as

(A) Node **(B)** Gateway
(C) Switch **(D)** Router

[Source: Repo: computer-networks [set 15].pdf (new/ 2026 drop)] · Medium

Q63. What is the full form of URL?

(A) Uniform routing locator **(B)** Uniform Resource Locator
(C) Universal Resource Locator **(D)** Uniform router locator

[Source: Repo: computer-networks [set 15].pdf (new/ 2026 drop)] · Medium

Q64. is a standard suite of protocols used for packet switching across computer networks

(A) x.22 **(B)** x.23
(C) x.25 **(D)** x.26

[Source: Repo: computer-networks [set 16].pdf (new/ 2026 drop)] · Medium

Q65. The PSTN is an example of a..... network

(A) packet switched **(B)** circuit switched
(C) message switched **(D)** None of these

[Source: Repo: computer-networks [set 17].pdf (new/ 2026 drop)] · Medium

Q66. A subset of a network that includes all the routers but contains no loopsis called:

(A) spanning tree **(B)** spider structure
(C) spider tree **(D)** none of the mentioned

[Source: Repo: computer-networks [set 17].pdf (new/ 2026 drop)] · Medium

Q67. What operates in the Data Link and the Network layer?

(A) NIC **(B)** Bridge
(C) Brouter **(D)** Router

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Medium

Q68. Which of the following network access standard is used for connecting stations to a circuit-switched network?

(A) X.3 **(B)** X.21
(C) X.25 **(D)** X.75

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Medium

Q69. Terminals are required for

(A) real time, batch processing, and timesharing **(B)** real time, timesharing, and distributed processing
(C) real time, distributed processing, and manager inquiry **(D)** real time, timesharing, and message switching

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Medium

Q70. Propagation delay depends on

(A) Packet length **(B)** Transmission rate
(C) Distance between the routers **(D)** Speed of the CPU

[Source: Repo: computer-networks [set 19].pdf (new/ 2026 drop)] · Medium

Q71. Multiplexing is used in _____

(A) packet switching **(B)** circuit switching
(C) data switching **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Medium

Q72. If there are N routers from source to destination, total end to end delay in sending packet P(L->number of bits in the packet R-> transmission rate)

(A) n **(B)** (n*l)/r
(C) (2n*l)/r **(D)** l/r

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Medium

Q73. As the resouces are reserved between two communicating end systems in circuit switching, this is achieved

(A) authentication **(B)** guaranteed constant rate
(C) reliability **(D)** store and forward

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Medium

Q74. If you want to find the number of routers between a source and destination, the utility to be used is

(A) route **(B)** ipconfig
(C) ifconfig **(D)** traceroute

[Source: Repo: computer-networks [set 5].pdf (new/ 2026 drop)] · Medium

Q75. Sniffers can be prevented by using _____

(A) wired environment **(B)** wifi
(C) ethernet lan **(D)** switched network

[Source: Repo: computer-networks [set 8].pdf (new/ 2026 drop)] · Medium

Q76. What are the Methods to move data through a network of links and switches?

(A) packet switching and line switching **(B)** circuit switching and line switching
(C) line switching and bit switching **(D)** packet switching and circuit switching

[Source: Repo: computer-networks [set 8].pdf (new/ 2026 drop)] · Medium

Q77. In _____ systems, resources are allocated on demand

(A) packet switching **(B)** circuit switching
(C) line switching **(D)** frequency switching

[Source: Repo: computer-networks [set 8].pdf (new/ 2026 drop)] · Medium

Q78. BER stands for _____

(A) basic encoding rules **(B)** basic encoding resolver
(C) basic encoding rotator **(D)** basic encoding router

[Source: Repo: computer-networks [set 9].pdf (new/ 2026 drop)] · Medium

Q79. If router J is on the optimal path from router I to router K, then the optimal path from J to K also falls along the same route is known as

(A) Routing principle **(B)** Optimality principle
(C) Sink tree principle **(D)** Network principle

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q80. A network that needs human beings to manually route signals is called

(A) Fiber Optic Network **(B)** Bus Network
(C) T-switched network **(D)** Ring network

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q81. Which of the following is NOT a networking device?

निम्न में से कौन-सा networking device नहीं है?

(A) Gateway **(B)** Linux
(C) Router **(D)** Firewall

[Source: InstrumentationTools 150 CN MCQs] · Hard

Q82. Which of the following is NOT a networking device? (Hub / Switch / Bridge / None of these)

निम्न में से कौन-सा networking device नहीं है? (Hub / Switch / Bridge / इनमें से कोई नहीं)

(A) Hub **(B)** Switch
(C) Bridge **(D)** None of these

[Source: Repo: CN Topic Test-01 (UNIT TEST-1)] · Hard

Q83. Which of these is not a type of error-reporting message?

(A) destination unreachable **(B)** source quench
(C) router error **(D)** time exceeded

[Source: Repo: computer-networks [set 11].pdf (new/ 2026 drop)] · Hard

Q84. How often does a RIPv1 router broadcast its routing table by default?

(A) every 30 seconds **(B)** every 60 seconds
(C) every 90 seconds **(D)** ripv1 does not broadcast periodically

[Source: Repo: computer-networks [set 12].pdf (new/ 2026 drop)] · Hard

Q85. Which of the situations might not require multiple routing protocols in a network?

(A) when a new layer 2-only switch is added to the network **(B)** when you are migrating from one routing protocol to another
(C) when you are using routers from multiple vendors
(D) when there are host-based routers from multiple vendors

[Source: Repo: computer-networks [set 12].pdf (new/ 2026 drop)] · Hard

Q86. Which field is NOT a field within an OSPF packet header?

(A) packet length **(B)** router id
(C) authentication type **(D)** maxage time

[Source: Repo: computer-networks [set 13].pdf (new/ 2026 drop)] · Hard

Q87. Internet works on _____

(A) packet switching **(B)** circuit switching
(C) both packet switching and circuit switching **(D)** data switching

[Source: Repo: computer-networks [set 14].pdf (new/ 2026 drop)] · Hard

Q88. Which of these is a feature of hubs?

(A) Hubs amplifies the incoming signal **(B)** Hubs understand frames, packets or headers

(C) All lines coming into a Hub must operate at a same speed **(D)** all of these

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Hard

Q89. Which one of the following statements is FALSE?

(A) Packet switching leads to better utilization of bandwidth resources than circuit switching **(B)** Packet switching results in less variation in delay than circuitswitching

(C) Packet switching requires more per packet processing than circuitswitching **(D)** Packet switching can lead to reordering unlike in circuitswitching

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Hard

Q90. Which of the following statements is FALSE regarding a bridge?

(A) Bridge is a layer 2 device **(B)** Bridge reduces collision domain

(C) Bridge is used to connect two or more LAN segments **(D)** Bridge reduces broadcast domain

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Hard

Q91. In a packet switching network, if the message size is 48 bytes and each packet contains a header of 3 bytes. If 24 packets are required to transmit the message, the packet size is

(A) 2 bytes **(B)** 1 bytes

(C) 4 bytes **(D)** 5 bytes

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Hard

Q92. A local telephone network is an example of a _____ network

(A) packet switched **(B)** circuit switched

(C) both of the mentioned **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Hard

Q93. Most packet switches use this principle

(A) stop and wait **(B)** store and forward

(C) both of the mentioned **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Hard

Q94. Method(s) to move data through a network of links and switches

(A) packet switching **(B)** circuit switching

(C) line switching **(D)** both a and b

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Hard

Q95. Which of the following are not duties of Physical layer

(A) bit rate control **(B)** multiplexing

(C) error detection **(D)** circuit switching

[Source: Repo: computer-networks [set 5].pdf (new/ 2026 drop)] · Hard

Q96. Which of the following is not a storage device?

(A) switch **(B)** raid arrays

(C) tape drives **(D)** hub

[Source: Repo: computer-networks [set 9].pdf (new/ 2026 drop)] · Hard

Q97. When does the fixed path get established between the source and destination in the virtual packet switching network?

(A) Before the transmission of packets **(B)** After the transmission of packets

(C) During the transmission of packets **(D)** All of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Hard

Q98. The router has a _____

(A) Memory **(B)** Stores routing table

(C) Both a and b **(D)** None of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Hard

Q99. State true or false. i) Socks are a standard for circuit level gateways. ii) The NAT is used for small number of the hosts in a private network

(A) True, False **(B)** False, True

(C) True, True **(D)** False, False

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Hard

Answer Key — sirf letters (no solutions)

Q1: B **Q2:** D **Q3:** A **Q4:** C **Q5:** B **Q6:** A **Q7:** A **Q8:** A **Q9:** C **Q10:** C
Q11: A **Q12:** A **Q13:** C **Q14:** C **Q15:** B **Q16:** A **Q17:** B **Q18:** C **Q19:** A **Q20:** C
Q21: B **Q22:** B **Q23:** A **Q24:** B **Q25:** A **Q26:** A **Q27:** B **Q28:** A **Q29:** C **Q30:** C
Q31: C **Q32:** C **Q33:** B **Q34:** B **Q35:** B **Q36:** C **Q37:** C **Q38:** A **Q39:** C **Q40:** B
Q41: C **Q42:** D **Q43:** B **Q44:** B **Q45:** C **Q46:** B **Q47:** B **Q48:** C **Q49:** C **Q50:** A
Q51: A **Q52:** C **Q53:** A **Q54:** A **Q55:** B **Q56:** D **Q57:** C **Q58:** A **Q59:** B **Q60:** A
Q61: C **Q62:** B **Q63:** B **Q64:** C **Q65:** B **Q66:** A **Q67:** C **Q68:** B **Q69:** D **Q70:** C
Q71: B **Q72:** B **Q73:** B **Q74:** D **Q75:** D **Q76:** D **Q77:** A **Q78:** A **Q79:** B **Q80:** C
Q81: B **Q82:** D **Q83:** C **Q84:** A **Q85:** A **Q86:** D **Q87:** A **Q88:** C **Q89:** B **Q90:** D
Q91: D **Q92:** B **Q93:** B **Q94:** D **Q95:** C **Q96:** D **Q97:** A **Q98:** C **Q99:** B