Data Communication & Computer Networks — Topic 5: Transmission Medium

Practice Test Booklet — 174 MCQs (2-column, without solutions) · Easy + Medium + Hard mix · Har question ke saath **Source** · Print ke liye · Reference: Forouzan + India-level & worldwide exam papers (GATE/NET/KVS/EMRS/DSSSB/SSC/RRB/IBPS) · Prepared for: RPSC Programmer • ACP • RSMSSB IA • SA • DD • BCI • SCI • REET • RAS • DSSSB • KVS • NVS • HTET • SSC CGL/CHSL • RRB • IBPS • UPSC & all Rajasthan + Central Govt. Exams (Computer Awareness)

Section A — Signals & Performance (Encoding, Noise, Bandwidth, Data Rate)

Q1. 'Manchester Encoding' and 'Differential Manchester Encoding' are signal encoding techniques used at which layer?

'Manchester Encoding' और 'Differential Manchester Encoding' signal encoding techniques किस layer पर उपयोग होती हैं?

(A) Physical Layer **(B)** Data Link Layer
(C) Network Layer **(D)** Presentation Layer

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Easy

Q2. A channel has high bandwidth but suffers from high noise. Which encoding scheme gives better error resistance?

एक channel की bandwidth अधिक है लेकिन noise बहुत है। कौन-सी encoding scheme बेहतर error resistance देगी?

(A) NRZ **(B)** Manchester
(C) AMI **(D)** ASK

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Easy

Q3. Reduction in signal strength over distance is called:

दूरी के साथ signal strength में कमी को क्या कहते हैं?

(A) Distortion **(B)** Noise
(C) Attenuation **(D)** Interference

[Source: Repo: BCI Subject Test-9 (BCI/SCI Batch) · also CN Topic Test-04] · Easy

Q4. In a copper cable, attenuation increases with frequency. Which change will REDUCE attenuation?

Copper cable में attenuation frequency के साथ बढ़ता है। कौन-सा बदलाव attenuation घटाएगा?

(A) Increase cable length **(B)** Use lower-category UTP
(C) Use thicker copper core **(D)** Increase signal frequency

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Easy

Q5. Which noise is caused by electromagnetic coupling between nearby cables?

पास की cables के बीच electromagnetic coupling से कौन-सा noise होता है?

(A) Thermal noise **(B)** Crosstalk
(C) Impulse noise **(D)** Quantization noise

[Source: Repo: BCI Subject Test-9 (BCI/SCI Batch)] · Easy

Q6. Which impairment cannot be completely eliminated but only minimised?

कौन-सा impairment पूरी तरह समाप्त नहीं किया जा सकता, केवल कम किया जा सकता है?

(A) Attenuation **(B)** Distortion
(C) Noise **(D)** Delay

[Source: Repo: BCI Subject Test-9 (BCI/SCI Batch)] · Easy

Q7. Which parameter of an analog signal represents the number of cycles per second?

Analog signal का कौन-सा parameter प्रति सेकंड cycles की संख्या दर्शाता है?

(A) Amplitude **(B)** Phase
(C) Frequency **(D)** Wavelength

[Source: Repo: BCI Subject Test-9 (BCI/SCI Batch)] · Easy

Q8. Which of the following Ethernet encodings has the highest redundancy?

निम्न में से कौन-सी Ethernet encoding की redundancy सबसे अधिक है?

(A) 1B2B **(B)** 4B5B
(C) 5B6B **(D)** 8B10B

[Source: Unit Test-4 Solution (OCR), p9 (options recovered from source)] · Medium

Q9. Which encoding technique is used to transmit signals in Gigabit Ethernet over fiber optic medium?

Fiber optic medium पर Gigabit Ethernet में signal भेजने के लिए कौन-सी encoding technique उपयोग होती है?

(A) Differential Manchester encoding **(B)** Non-Return-to-Zero (NRZ)
(C) 4B/5B **(D)** 8B/10B

[Source: Unit Test-4 Solution (OCR), p30 (options recovered from source)] · Medium

Q10. _____ signals are discrete and are generated by digital modulation.

_____ signals discrete होते हैं और digital modulation से बनते हैं।

(A) Analog **(B)** Digital
(C) Noise **(D)** Bandwidth

[Source: Random Test- Rajasthan PYQ (OCR), p5 — Q108 (options recovered)] · Medium

Q11. Quantizing noise occurs in:

Quantizing noise किसमें होती है?

(A) PCM (Pulse Code Modulation) **(B)** TDM
(C) FDM **(D)** PPM

[Source: Random Test- Rajasthan PYQ (OCR), p10 — Q39 (options recovered)] · Medium

Q12. The effective bandwidth of a communication channel is primarily limited by:

Communication channel की effective bandwidth मुख्य रूप से किससे सीमित होती है?

(A) Protocol overhead **(B)** Noise and attenuation
(C) File size **(D)** MAC address filtering

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Medium

Q13. What technique allows multiple signals to share the same communication channel?

कौन-सी technique कई signals को एक ही communication channel share करने देती है?

(A) Multiplexing **(B)** Phase modulation
(C) Analog modulation **(D)** Digital modulation

[Source: Repo: CN Topic Test-02 (UNIT TEST-2)] · Medium

Q14. Communication using a modulated carrier to apply a data signal to a transmission medium in analog form is:

Modulated carrier का उपयोग करके data signal को analog रूप में transmission medium पर डालना क्या कहलाता है?

(A) Broadband networking **(B)** Baseband networking
(C) Modem **(D)** Local area network

[Source: IBPS RRB PO Computer Awareness PYQ (via Meritnotes)] · Medium

Q15. The amount of data transmitted in a fixed amount of time is called:

निश्चित समय में भेजे गए data की मात्रा को क्या कहते हैं?

(A) Refresh rate **(B)** Resolution
(C) Bandwidth **(D)** Frequency

[Source: Unit Test-4 Solution (OCR), p23] · Medium

Q16. Communication using a modulated carrier to apply a data signal to a transmission medium in analog form is called:

Modulated carrier का उपयोग करके data signal को analog रूप में transmission medium पर भेजना कहलाता है:

(A) Broadband communication **(B)** Baseband communication
(C) Modem **(D)** Local area network

[Source: IBPS RRB PO Computer Awareness PYQ (via meritnotes)] · Medium

Q17. Identify the odd one out: Optical fibre, Twisted pair wire, Microwaves, Hertz

असंगत वस्तु पहचानें: Optical fibre, Twisted pair wire, Microwaves, Hertz

(A) Optical fibre **(B)** Twisted pair wire
(C) Microwaves **(D)** Hertz

[Source: RRB NTPC previous-year computer banks (via adda247 50-PYQ PDF)] · Medium

Q18. Which encoding has a transition in the middle of every bit and is self-synchronizing?

कौन-सी encoding में हर bit के बीच transition होता है और वह self-synchronizing है?

(A) NRZ-L **(B)** Manchester
(C) Unipolar **(D)** Analog

[Source: Practice — original (textbook-based)] · Medium

Q19. Attenuation of a signal means:

Signal का attenuation अर्थ है:

(A) Its strength decreases with distance / दूरी के साथ शक्ति घटना **(B)** Its frequency increases / आवृत्ति बढ़ना
(C) It becomes digital / वह digital होना **(D)** It gets an error / उसमें त्रुटि आना

[Source: Practice — original (textbook-based)] · Medium

Q20. Crosstalk is a type of:

Crosstalk किसका प्रकार है?

(A) Noise **(B)** Encoding
(C) Protocol **(D)** Topology

[Source: Practice — original (textbook-based)] · Medium

Q21. In NRZ-I encoding, a binary 1 is represented by:

NRZ-I encoding में binary 1 को दर्शाया जाता है:

(A) A transition at the beginning of the bit interval / Bit interval की शुरुआत में transition **(B)** No transition at all / कोई transition नहीं
(C) A transition in the middle of the bit / Bit के बीच में transition **(D)** A positive voltage / धनात्मक voltage

[Source: Practice — original (textbook-based)] · Medium

Q22. The primary use of scramblers in line coding schemes is to:

Line coding schemes में scramblers का मुख्य उपयोग क्या है?

(A) Make the data look random **(B)** Compress transmission data
(C) Increase signal bandwidth **(D)** Decrease signal bandwidth

[Source: RPSC Programmer 2024 Paper-1 (official key)] · Hard

Q23. The period of a signal is 100 ms. What is its frequency in kilohertz?

एक signal की period 100 ms है। इसकी frequency kilohertz में कितनी होगी?

(A) 10^{-1} kHz **(B)** 10^{-2} kHz
(C) 10^{-3} kHz **(D)** 10^{-4} kHz

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Hard

Q24. If the channel bandwidth is limited to 6 kHz and the signal-to-noise ratio is 16, what is the channel capacity?

यदि channel bandwidth 6 kHz सीमित है और signal-to-noise ratio 16 है, तो channel capacity कितनी होगी?

(A) 15.15 kbps **(B)** 24.74 kbps
(C) 30.12 kbps **(D)** 52.18 kbps

[Source: Random Test- Rajasthan PYQ (OCR), p30 — Q45 (options recovered)] · Hard

Q25. Given a bit rate of b bits/sec, the time required to send 16 bits is:

यदि bit rate b bits/sec है, तो 16 bits भेजने में कितना समय लगेगा?

(A) 16 × b sec **(B)** 16/b sec
(C) 16b sec **(D)** b/16 sec

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Hard

Q26. Consider a noiseless channel with a bandwidth of 5000 Hz transmitting a signal with two signal levels. The maximum bit rate is:

एक noiseless channel जिसकी bandwidth 5000 Hz है, दो signal levels के साथ transmission कर रहा है. अधिकतम bit rate होगी:

(A) 2500 bps **(B)** 10000 bps
(C) 5000 bps **(D)** 20000 bps

[Source: UGC NET Computer Science Jan 2025 (via samagracs solved paper)] · Hard

Q27. Which of the following is NOT a type of broadband internet connection?

निम्न में से कौन-सा broadband internet connection का प्रकार नहीं है?

(A) Cable **(B)** DSL
(C) Satellite **(D)** Dial-up

[Source: SBI PO Computer Awareness PYQ (via bankersadda)] · Hard

Q28. According to Nyquist, the maximum bit rate of a noiseless channel with bandwidth 3000 Hz and 4 signal levels is:

Nyquist के अनुसार 3000 Hz bandwidth, 4 signal levels वाले noiseless channel की अधिकतम bit rate है:

(A) 6000 bps **(B)** 12000 bps
(C) 24000 bps **(D)** 3000 bps

[Source: Practice — original (textbook-based)] · Hard

Q29. A signal-to-noise ratio of 1000 corresponds to how many dB?

Signal-to-noise ratio 1000 कितने dB है?

(A) 3 dB **(B)** 10 dB
(C) 30 dB **(D)** 100 dB

[Source: Practice — original (textbook-based)] · Hard

Q30. According to Shannon's capacity theorem, a 1 MHz channel with SNR = 30 dB has a capacity of approximately:

Shannon के सूत्र से 1 MHz channel जिसका SNR = 30 dB हो, की capacity लगभग होगी:

(A) 10 Mbps **(B)** 20 Mbps
(C) 30 Mbps **(D)** 1 Mbps

[Source: Practice — original (textbook-based)] · Hard

Q31. A noiseless channel has a bandwidth of 4 kHz and uses 16 signal levels. Per Nyquist's theorem, the maximum bit rate is:

एक noiseless channel की bandwidth 4 kHz है और वह 16 signal levels प्रयोग करती है। Nyquist के अनुसार अधिकतम bit rate होगी:

(A) 32 kbps **(B)** 16 kbps
(C) 64 kbps **(D)** 8 kbps

[Source: Practice — original (RPSC Programmer/ACP/DD exam-pattern, textbook-based)] · Hard

Q32. An analog voice signal is sampled 8000 times per second with 8 bits per sample. The resulting digital bit rate is:

एक analog voice signal को प्रति सेकंड 8000 बार sample किया जाता है, हर sample 8 bits का। बनी digital bit rate होगी:

(A) 64 kbps **(B)** 8 kbps
(C) 56 kbps **(D)** 128 kbps

[Source: Practice — original (SSC CGL/IBPS exam-pattern, textbook-based)] · Hard

Section B — Guided Media (UTP, Coaxial, Fiber Optic)

Q33. Optical fiber uses reflection to guide light through a channel. At total internal reflection, the angle of incidence is _____ the critical angle.

Optical fiber प्रकाश को channel में भेजने के लिए reflection उपयोग करती है। Total internal reflection में angle of incidence, critical angle से _____ होता है।

(A) Equal to **(B)** Less than
(C) Greater than **(D)** Less than or equal to

[Source: Repo: CN Topic Test-04 (UNIT TEST-4) — recovered from BCI T8 Q33 options] · Easy

Q34. A network uses coaxial cable but suffers from signal reflection. What is the most likely cause?

एक network coaxial cable उपयोग करता है लेकिन signal reflection से पीड़ित है। सबसे संभावित कारण क्या है?

(A) EMI **(B)** Incorrect termination resistance
(C) Crosstalk **(D)** Low bandwidth

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Easy

Q35. Which transmission medium is primarily used in modern internet backbone networks?

आधुनिक internet backbone networks में मुख्य रूप से कौन-सा transmission medium उपयोग होता है?

(A) Twisted pair cable **(B)** Coaxial cable
(C) Single mode fiber optic cable **(D)** Microwave links

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Easy

Q36. Which cable has the maximum bandwidth?

किस cable की bandwidth अधिकतम होती है?

(A) Coaxial **(B)** Twisted pair
(C) Optical fiber **(D)** USB cable

[Source: Repo: BCI_SCI Subject Test-7 (BCI/SCI Batch)] · Easy

Q37. Assertion (A): Fiber optic cable is immune to electromagnetic interference (EMI). Reason (R): It transmits data in the form of light pulses rather than electrical signals. Which option is correct?

Assertion (A): Fiber optic cable electromagnetic interference (EMI) से मुक्त है। Reason (R): यह data electrical signals के बजाय light pulses के रूप में भेजती है। कौन-सा विकल्प सही है?

(A) Both (A) and (R) are true, and (R) is the correct explanation of (A) **(B)** Both (A) and (R) are true, but (R) is NOT the correct explanation
(C) (A) is true, but (R) is false **(D)** (A) is false, but (R) is true

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch) — Assertion-Reason] · Medium

Q38. Which statements are TRUE for fiber optic cables? I. Immune to tapping II. High bandwidth III. Requires electrical grounding IV. Works using total internal reflection

Fiber optic cables के लिए कौन-से कथन सही हैं? I. Tapping से मुक्त II. उच्च bandwidth III. Electrical grounding चाहिए IV. Total internal reflection से काम करती है

(A) I, II and IV **(B)** II and III
(C) I, III and IV **(D)** I and II

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch) — Q33] · Medium

Q39. A company needs long-distance communication (5-10 km), high data rate and immunity from electromagnetic interference. Which medium is best?

एक कंपनी को लंबी दूरी (5-10 km) संचार, उच्च data rate और EMI से मुक्ति चाहिए। कौन-सा medium सर्वोत्तम है?

(A) UTP **(B)** Coaxial cable
(C) Single-mode fiber **(D)** Multi-mode fiber

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Medium

Q40. A UTP cable used in Gigabit Ethernet shows high delay skew. What is the cause?

Gigabit Ethernet में उपयोग UTP cable में delay skew अधिक है। कारण क्या है?

(A) Different twist rates in the cable pairs **(B)** Excessive EMI
(C) Fiber splice error **(D)** Wrong wireless channel

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Medium

Q41. Which of the following best explains why fiber optic cables have a lower bit error rate than copper cables?

Fiber optic cables की copper cables की तुलना में कम bit error rate की सबसे अच्छी व्याख्या कौन-सी है?

(A) Higher signal power **(B)** Immunity to electromagnetic interference
(C) Simpler modulation techniques **(D)** Larger physical size

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Medium

Q42. Which transmission medium works on the principle of total internal reflection?

कौन-सा transmission medium total internal reflection के सिद्धांत पर काम करता है?

(A) Optical fiber cable **(B)** Shielded twisted pair
(C) Unshielded twisted pair **(D)** Coaxial cable

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Medium

Q43. Crosstalk in twisted pair cables is typically minimised by:

Twisted pair cables में crosstalk आमतौर पर किससे कम होता है?

(A) Increasing the power level **(B)** Increasing the twist rate
(C) Adding shielding to the core **(D)** Using longer cables

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Medium

Q44. Which connector is commonly used for coaxial cable in physical networks?

Physical networks में coaxial cable के लिए सामान्यतः कौन-सा connector उपयोग होता है?

(A) RJ-45 **(B)** USB-C
(C) BNC **(D)** HDMI

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Medium

Q45. Which transmission medium is best for a network exposed to heavy electrical interference?

भारी electrical interference वाले network के लिए कौन-सा transmission medium सर्वोत्तम है?

(A) Unshielded twisted pair **(B)** Optical fiber
(C) Coaxial cable **(D)** Microwave

[Source: Repo: CN Topic Test-01 (UNIT TEST-1)] · Medium

Q46. Which of the following CANNOT be used as a medium for 802.3 Ethernet?

निम्न में से कौन-सा 802.3 Ethernet के लिए medium उपयोग नहीं किया जा सकता?

(A) Thin coaxial cable **(B)** Twisted pair cable
(C) Microwave link **(D)** Fiber optic cable

[Source: Repo: CN Topic Test-01 (UNIT TEST-1)] · Medium

Q47. Which fiber type is used for long-distance communication?

लंबी दूरी के संचार के लिए कौन-सी fiber प्रयोग होती है?

(A) Multimode fiber **(B)** Single-mode fiber
(C) Coaxial cable **(D)** UTP

[Source: Practice — original (textbook-based)] · Medium

Q48. UTP cables are normally terminated with which connector?

UTP cables सामान्यतः किस connector से जुड़ती हैं?

(A) BNC **(B)** RJ-45
(C) SC **(D)** USB

[Source: Practice — original (textbook-based)] · Medium

Q49. Cable TV networks commonly use which cable impedance?

Cable TV networks सामान्यतः किस impedance की cable प्रयोग करते हैं?

(A) 50 ohm **(B)** 75 ohm
(C) 100 ohm **(D)** 600 ohm

[Source: Practice — original (textbook-based)] · Medium

Q50. For an office LAN needing low cost and easy installation up to 100 m, the best choice is:

100 m तक, कम लागत और आसान installation वाले office LAN के लिए सबसे अच्छा विकल्प:

(A) Fiber optic **(B)** UTP
(C) Coaxial **(D)** Satellite

[Source: Practice — original (textbook-based)] · Medium

Q51. A coaxial cable consists of _____ concentric copper conductors:

Coaxial cable में _____ संकेंद्रित (concentric) copper conductors होते हैं:

(A) Two (inner wire + outer shield) / दो (भीतरी तार + बाहरी shield) **(B)** Four / चार
(C) Eight / आठ **(D)** One / एक

[Source: Practice — original (textbook-based)] · Medium

Q52. 10Base5, 10Base2 and 10BaseT are different types of:

10Base5, 10Base2 और 10BaseT हैं किसके अलग-अलग प्रकार:

(A) Ethernet **(B)** Token Ring
(C) FDDI **(D)** ATM

[Source: Practice — original (textbook-based)] · Medium

Q53. In the Ethernet names 10Base2 and 10Base5, the digits '2' and '5' indicate:

Ethernet नामों 10Base2 और 10Base5 में अंक '2' और '5' बताते हैं:

(A) Maximum segment length in hundreds of metres (~200 m and ~500 m) / अधिकतम segment लंबाई, सौ मीटर में (~200 m और ~500 m) **(B)** Number of hosts per segment / प्रति segment hosts की संख्या
(C) Cable thickness in mm / Cable की मोटाई mm में **(D)** Transmission speed in Mbps / Transmission गति Mbps में

[Source: Practice — original (textbook-based)] · Medium

Q54. The function of a DSLAM (DSL Access Multiplexer) located at the telephone exchange is to:

Telephone exchange पर स्थित DSLAM (DSL Access Multiplexer) का काम है:

(A) Aggregate many DSL subscriber lines onto a high-speed backbone link / कई DSL subscriber lines को high-speed backbone link पर इकट्ठा करना **(B)** Convert digital voice to analog / Digital voice को analog में बदलना
(C) Assign IP addresses to DSL modems / DSL modems को IP addresses देना **(D)** Encrypt DSL traffic / DSL traffic encrypt करना

[Source: Practice — original (textbook-based)] · Medium

Q55. Cable Internet access (HFC) differs from DSL in that:

Cable Internet access (HFC), DSL से भिन्न है क्योंकि:

(A) The HFC bandwidth is shared among all subscribers on the neighbourhood segment / HFC bandwidth पड़ोस के segment के सभी subscribers में साझा होती है **(B)** It uses the telephone line's DSLAM / यह telephone line का DSLAM प्रयोग करता है

(C) It cannot carry television signals simultaneously / यह television signals साथ नहीं चला सकता **(D)** Each subscriber gets a dedicated fibre pair / हर subscriber को dedicated fibre जोड़ी मिलती है

[Source: Practice — original (textbook-based)] · Medium

Q56. In the SONET protocol stack, the photonic layer corresponds to which layer of the OSI model?

SONET protocol stack में, photonic layer OSI model की किस layer के बराबर है?

(A) Physical layer **(B)** Data link layer
(C) Network layer **(D)** Session layer

[Source: Practice — original (textbook-based)] · Medium

Q57. What is the typical maximum length of a UTP cable in Ethernet before signal degradation?

Signal degradation से पहले Ethernet में UTP cable की सामान्य अधिकतम लंबाई कितनी होती है?

(A) 50 meters **(B)** 100 meters
(C) 150 meters **(D)** 200 meters

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Hard

Q58. Which of the following is NOT a type of transmission medium?

निम्न में से कौन-सा transmission medium का प्रकार नहीं है?

(A) Coaxial cable **(B)** Fiber optics
(C) NIC **(D)** Twisted pair

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Hard

Q59. Which twisted-pair cable standard supports 10 Gbps Ethernet over the full 100 m channel?

कौन-सी twisted-pair cable standard पूरे 100 m channel पर 10 Gbps Ethernet चलाती है?

(A) Cat5e **(B)** Cat6
(C) Cat6a **(D)** Cat3

[Source: Practice — original (textbook-based)] · Hard

Q60. In SONET (Synchronous Optical Networking), the base electrical signal level STS-1 has a data rate of approximately:

SONET में, आधार electrical signal level STS-1 की data rate लगभग होती है:

(A) 51.84 Mbps **(B)** 155.52 Mbps
(C) 622.08 Mbps **(D)** 43.2 Mbps

[Source: Practice — original (textbook-based)] · Hard

Section C — Unguided Media (Wireless)

Q61. The name of a wireless network (Wi-Fi) that devices see while connecting is called:

वह नाम जो devices को Wi-Fi जोड़ते समय दिखता है, कहलाता है:

(A) SSID **(B)** BSSID
(C) MAC ID **(D)** IPX

[Source: Practice — original (SSC MTS/CHSL exam-pattern, textbook-based)] · Easy

Q62. Which of the following is a wireless networking technology?

निम्न में से कौन-सी wireless networking technology है?

(A) Ethernet **(B)** Wi-Fi
(C) Fiber Optic **(D)** DSL

[Source: Repo: BCI_SCI Subject Test-01 (CN and Security)] · Medium

Q63. Which wireless standard provides the highest data rate?

कौन-सा wireless standard सर्वोच्च data rate देता है?

(A) 802.11b **(B)** 802.11g
(C) 802.11n **(D)** 802.11ac

[Source: Repo: CN Topic Test 6 (UNIT TEST-6)] · Medium

Q64. Which type of wireless transmission requires line-of-sight?

किस प्रकार की wireless transmission के लिए line-of-sight आवश्यक है?

(A) Wi-Fi **(B)** Infrared
(C) Radio **(D)** Bluetooth

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Medium

Q65. Which transmission medium is used in Bluetooth technology?

Bluetooth technology में कौन-सा transmission medium उपयोग होता है?

(A) Radio links **(B)** Microwave links
(C) VSAT communication **(D)** Fiber optic

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Medium

Q66. Which physical-layer technique allows multiple users to share the same bandwidth simultaneously?

कौन-सी physical-layer technique कई users को एक ही bandwidth साथ-साथ share करने देती है?

(A) TDMA **(B)** FDMA
(C) CDMA **(D)** ARQ

[Source: Repo: CN Topic Test-04 (UNIT TEST-4)] · Medium

Q67. Microwave communication requires:

Microwave communication के लिए आवश्यक है:

(A) Line of sight **(B)** Wires / तार
(C) Fiber cable **(D)** Underground cable / भूमिगत cable

[Source: Practice — original (textbook-based)] · Medium

Q68. Bluetooth is designed for which type of network?

Bluetooth किस प्रकार के network के लिए बना है?

(A) WAN **(B)** PAN
(C) SAN **(D)** CAN

[Source: Practice — original (textbook-based)] · Medium

Q69. The IEEE 802.11n (Wi-Fi 4) standard greatly increased wireless throughput by using multiple antennas for parallel data streams, a technology called:

IEEE 802.11n (Wi-Fi 4) ने throughput बढ़ाने के लिए कई antennas से समांतर data streams भेजीं — यह तकनीक है:

(A) MIMO **(B)** OFDM
(C) DSSS **(D)** FHSS

[Source: Practice — original (textbook-based)] · Medium

Q70. Terrestrial radio channels are broadly classified into _____ groups:

Terrestrial radio channels मोटे तौर पर _____ समूहों में विभाजित हैं:

(A) Three / तीन **(B)** Two / दो
(C) Five / पाँच **(D)** Seven / सात

[Source: Practice — original (textbook-based)] · Medium

Q71. Terrestrial radio channels are broadly classifed into ____ groups

(A) 2 **(B)** 3
(C) 4 **(D)** 1

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Medium

Q72. The function of DSLAM is

(A) Convert analog signals into digital signals **(B)** Convert digital signals into analog signals
(C) Amplify digital signals **(D)** None of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Medium

Q73. StarBand provides

(A) FTTH internet access **(B)** Cable access
(C) Telephone access **(D)** Satellite access

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Medium

Q74. In wireless distribution system

(A) multiple access point are inter-connected with each other **(B)** there is no access point
(C) only one access point exists **(D)** none of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Medium

Q75. In wireless network an extended service set is a set of

(A) connected basic service sets **(B)** all stations
(C) all access points **(D)** none of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Medium

Q76. Mostly _____ is used in wireless LAN

(A) time division multiplexing **(B)** orthogonal frequency division multiplexing
(C) space division multiplexing **(D)** none of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Medium

Q77. WiMAX stands for

(A) wireless maximum communication **(B)** worldwide interoperability for microwave access
(C) worldwide international standard for microwave access **(D)** none of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Medium

Q78. ATM uses _____

(A) asynchronous frequency division multiplexing **(B)** asynchronous time division multiplexing
(C) asynchronous space division multiplexing **(D)** asynchronous amplitude division multiplexing

[Source: Repo: computer-networks [set 10].pdf (new/ 2026 drop)] · Medium

Q79. Which type of Ethernet framing is used for TCP/IP and DEC net?

(A) ethernet 802.3 **(B)** ethernet 802.2
(C) ethernet ii **(D)** ethernet snap

[Source: Repo: computer-networks [set 12].pdf (new/ 2026 drop)] · Medium

Q80. What is start frame delimeter (SFD) in ethernet frame?

(A) 10101010 **(B)** 10101011
(C) 00000000 **(D)** 11111111

[Source: Repo: computer-networks [set 13].pdf (new/ 2026 drop)] · Medium

Q81. High speed ethernet works on _____

(A) coaxial cable **(B)** twisted pair cable
(C) optical fiber **(D)** unshielded twisted pair cable

[Source: Repo: computer-networks [set 13].pdf (new/ 2026 drop)] · Medium

Q82. Bluetooth is the wireless technology for _____

(A) local area network **(B)** personal area network
(C) metropolitan area network **(D)** wide area network

[Source: Repo: computer-networks [set 14].pdf (new/ 2026 drop)] · Medium

Q83. Bluetooth uses _____

(A) frequency hopping spread spectrum **(B)** orthogonal frequency division multiplexing
(C) time division multiplexing **(D)** channel division multiplexing

[Source: Repo: computer-networks [set 14].pdf (new/ 2026 drop)] · Medium

Q84. WiMAX uses the _____

(A) orthogonal frequency division multiplexing **(B)** time division multiplexing
(C) space division multiplexing **(D)** channel division multiplexing

[Source: Repo: computer-networks [set 14].pdf (new/ 2026 drop)] · Medium

Q85. SONET stands for _____

(A) synchronous optical network **(B)** synchronous operational network
(C) stream optical network **(D)** shell operational network

[Source: Repo: computer-networks [set 14].pdf (new/ 2026 drop)] · Medium

Q86. The path layer of SONET is responsible for the movement of a signal _____

(A) from its optical source to its optical destination **(B)** across a physical line
(C) across a physical section **(D)** back to its optical source

[Source: Repo: computer-networks [set 14].pdf (new/ 2026 drop)] · Medium

Q87. From the options below, which suits best for MODEM?

(A) a device that modulates an analog carrier signal to encode digital information **(B)** a device that modulates a digital carrier signal to encode analog information
(C) a device that modulates an analog carrier signal to decode digital information **(D)** a device that modulates a digital carrier signal to decode analoginformation

[Source: Repo: computer-networks [set 15].pdf (new/ 2026 drop)] · Medium

Q88. In 10base2, 10base5, what do 2 and 5 stand for?

(A) Speed in Mbps **(B)** Number of segments
(C) Length of segment **(D)** Size of segment

[Source: Repo: computer-networks [set 16].pdf (new/ 2026 drop)] · Medium

Q89. What is the difference between ring and bustopology?

(A) In Ring, all nodes are connected with another in a loop while in the bus they are connected to a central cable **(B)** In Ring, all nodes are connected with another loop while on a bus they are connected to a central cable
(C) In the bus, all nodes are connected with another in a loop while instar they are connected to a centralbnode
(D) In Bus all nodes are connected with another loop while instar they are connected to a central cable

[Source: Repo: computer-networks [set 16].pdf (new/ 2026 drop)] · Medium

Q90. Your company has a LAN in its downtown office and has now set up aLAN in the manufacturing plant in the suburbs. To enable everyone to share data and resources between the two LANs, what type of device(s) are needed to connect them? Choose the most correct answer

(A) Modem **(B)** Cable
(C) Hub **(D)** Router

[Source: Repo: computer-networks [set 17].pdf (new/ 2026 drop)] · Medium

Q91. The slowest transmission speeds are those of

(A) Coaxial cable **(B)** Twisted pair wire
(C) Fiber-optic cable **(D)** Microwave

[Source: Repo: computer-networks [set 17].pdf (new/ 2026 drop)] · Medium

Q92. Who invented the modem?

(A) Wang Laboratories Ltd **(B)** AT & T Information Systems, USA
(C) Apple Computers Inc **(D)** Digital Equipment Corpn

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Medium

Q93. CSMA (Carrier Sense Multiple Access) is

(A) a method of determining which device has access to the transmission medium at any time **(B)** a method access control technique for multiple-access transmission media
(C) a very common bit-oriented data link protocol issued by ISO **(D)** network access standard for connecting stations to a circuit-switched network

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Medium

Q94. A single channel is shared by multiple signals by

(A) Analog modulation **(B)** Digital modulation
(C) Multiplexing **(D)** Phase modulation

[Source: Repo: computer-networks [set 19].pdf (new/ 2026 drop)] · Medium

Q95. If there are n signal sources of same data rate, then the TDMlink has slots

(A) N **(B)** n/2
(C) n*2 **(D)** 2n

[Source: Repo: computer-networks [set 19].pdf (new/ 2026 drop)] · Medium

Q96. In TDM, slots are further divided into

(A) Seconds **(B)** Frames
(C) Packets **(D)** Bits

[Source: Repo: computer-networks [set 19].pdf (new/ 2026 drop)] · Medium

Q97. In TDM, the transmission rate of a multiplexed path is always the sum of the transmission rates of the signal sources

(A) Greater than **(B)** Lesser than
(C) Equal to **(D)** Equal to or greater than

[Source: Repo: computer-networks [set 19].pdf (new/ 2026 drop)] · Medium

Q98. The time required to examine the packet's header and determine where to direct the packetis part of

(A) Processing delay **(B)** Queuing delay
(C) Transmission delay **(D)** Propagation delay

[Source: Repo: computer-networks [set 19].pdf (new/ 2026 drop)] · Medium

Q99. Which transmission media has the highest transmission speed in a network?

(A) coaxial cable **(B)** twisted pair cable
(C) optical fiber **(D)** electrical cable

[Source: Repo: computer-networks [set 1].pdf (new/ 2026 drop)] · Medium

Q100. Bits can be send over guided and unguided media as analog signal by

(A) digital modulation **(B)** amplitude modulation
(C) frequency modulation **(D)** phase modulation

[Source: Repo: computer-networks [set 1].pdf (new/ 2026 drop)] · Medium

Q101. DSL stands for

(A) data subscriber lines **(B)** dual subscriber lines
(C) delay subscriber lines **(D)** digital subscriber lines

[Source: Repo: computer-networks [set 20].pdf (new/ 2026 drop)] · Medium

Q102. ONT is connected to splitter using

(A) high speed fibre cable **(B)** hfc
(C) optical cable **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Medium

Q103. Which multiplexing technique transmits digital signals ?

(A) fdm **(B)** tdm
(C) wdm **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Medium

Q104. Voice privacy in GSM cellular telephone protocol is provided by

(A) a5/2 cipher **(B)** b5/4 cipher
(C) b5/6 cipher **(D)** b5/8 cipher

[Source: Repo: computer-networks [set 4].pdf (new/ 2026 drop)] · Medium

Q105. The operation of _____ is based on signals which are multiplexed and added in time domain but they occupy different slots in frequency domain

(A) fdm **(B)** tdm
(C) wdm **(D)** mdm

[Source: Repo: computer-networks [set 5].pdf (new/ 2026 drop)] · Medium

Q106. _____ media is a communication medium which allows the data to get guided along it

(A) transparent **(B)** cable
(C) guided **(D)** glass

[Source: Repo: computer-networks [set 5].pdf (new/ 2026 drop)] · Medium

Q107. If an Optical Carrier is represented as OC-n, generally the link speed equals(in Mbps) _____

(A) n*39.8 **(B)** n*51.8
(C) 2n*51.8 **(D)** none of the mentioned

[Source: Repo: computer-networks [set 6].pdf (new/ 2026 drop)] · Medium

Q108. DSL telcos provide which of the following services?

(A) wired phone access **(B)** isp
(C) wired phone access and isp **(D)** network routing and isp

[Source: Repo: computer-networks [set 6].pdf (new/ 2026 drop)] · Medium

Q109. The function of DSLAM is to _____

(A) convert analog signals into digital signals **(B)** convert digital signals into analog signals
(C) amplify digital signals **(D)** de-amplify digital signals

[Source: Repo: computer-networks [set 6].pdf (new/ 2026 drop)] · Medium

Q110. HFC contains _____

(A) fibre cable **(B)** coaxial cable
(C) a combination of fibre cable and coaxial cable **(D)** twisted pair cable

[Source: Repo: computer-networks [set 6].pdf (new/ 2026 drop)] · Medium

Q111. Which of the following factors affect transmission rate in DSL?

(A) the gauge of the twisted-pair line **(B)** degree of electrical interfernece

(C) shadow fading **(D)** the gauge of the twisted-pair line and degree of electrical interference

[Source: Repo: computer-networks [set 7].pdf (new/ 2026 drop)] · Medium

Q112. With respect to physical media, STP cables stands for _____

(A) shielded twisted pair cable **(B)** spanning tree protocol cable

(C) static transport protocol cable **(D)** shielded two power cable

[Source: Repo: computer-networks [set 7].pdf (new/ 2026 drop)] · Medium

Q113. What is the max length of the Shielded twisted pair cable?

(A) 100 ft **(B)** 200 ft

(C) 100 m **(D)** 200 m

[Source: Repo: computer-networks [set 7].pdf (new/ 2026 drop)] · Medium

Q114. Which connector does the STP cable use?

(A) bnc **(B)** rj-11

(C) rj-45 **(D)** rj-69

[Source: Repo: computer-networks [set 7].pdf (new/ 2026 drop)] · Medium

Q115. UTP is commonly used in _____

(A) dsl **(B)** fttp

(C) http **(D)** none of the mentioned

[Source: Repo: computer-networks [set 8].pdf (new/ 2026 drop)] · Medium

Q116. Telnet is used for _____

(A) television on net **(B)** network of telephones

(C) remote login **(D)** teleshopping site

[Source: Repo: computer-networks [set 9].pdf (new/ 2026 drop)] · Medium

Q117. A term related sending data to a satellite is?

(A) Downlink **(B)** Modulate

(C) Demodulate **(D)** Uplink

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q118. The common name for a modulator-demodulator is

(A) Modem **(B)** Joiner

(C) Networker **(D)** Connector

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q119. _____ is a type of transmission impairment in which the signal loses strength due to the different propagation speeds of each frequency that makes up the signal

(A) Attenuation **(B)** Noise

(C) Distortion **(D)** Decibel

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q120. Ethernet system uses which of the following technology

(A) Bus **(B)** Ring

(C) Star **(D)** Tree

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q121. The loss in signal power as light travels down the fiber is called

(A) Attenuation **(B)** Propagation

(C) Scattering **(D)** Interruption

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q122. A communication device that combines transmissions from several I/O devices into one line is a

(A) Concentrator **(B)** Modifier

(C) Multiplexer **(D)** Full duplex file

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q123. In a ..... topology, if there are n devices in a network, each device has n-1 ports for cables

(A) Mesh **(B)** Star

(C) Bus **(D)** Ring

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q124. is the predominant form of Fast Ethernet, and runs over two pairs of category 5 or above cable

(A) 100 BASE-T **(B)** 100 BASE-TX

(C) 100 BASE-T4 **(D)** 100 BASE-T2

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q125. IEEE 802.3ab defines Gigabit Ethernet transmission over unshielded twisted pair (UTP) category 5, 5e or 6 cabling known as

(A) 1000 BASE-T **(B)** 1000 BASE-SX
(C) 1000 BASE-LX **(D)** 1000 BASE-CX Answers:

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q126. A simple cabling method, known as the ..... topology allows about 30 computers on a maximum cable length of about 600 feet

(A) Ring **(B)** Bus
(C) Star **(D)** Mesh

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q127. Which of the following statements is NOT true about microwaves?

Microwaves के बारे में निम्न में से कौन-सा कथन सही नहीं है?

(A) They are electromagnetic waves with frequencies from 300 GHz to 400 THz **(B)** Propagation is line-of-sight
(C) Very high-frequency waves cannot penetrate walls
(D) Use of certain portions of the band requires permission from authorities

[Source: Repo: CN Topic Test-04 (UNIT TEST-4) — options cleaned from source] · Hard

Q128. Select the FALSE statement about CDMA technology: I. CDMA optimises the use of available bandwidth as it transmits over the entire frequency range. II. Each user in a CDMA system uses a different code to modulate their signal. III. CDMA offers less security compared to GSM technology. IV. A SIM card is always required for a CDMA device to work.

CDMA technology के बारे में गलत कथन चुनिए: I. CDMA उपलब्ध bandwidth के उपयोग को अनुकूलित करता है क्योंकि यह पूरी frequency range पर transmit करता है। II. CDMA system में हर user अपने signal को modulate करने के लिए अलग code उपयोग करता है। III. CDMA, GSM की तुलना में कम security देता है। IV. CDMA device के काम करने के लिए SIM card हमेशा आवश्यक है।

(A) Only (I) **(B)** Only (II)
(C) (I) and (II) **(D)** (III) and (IV)

[Source: Random Test- Rajasthan PYQ (OCR), p11 — Q83 (statements recovered from screenshot)] · Hard

Q129. A geostationary satellite orbits approximately at a height of:

Geostationary satellite लगभग किस ऊँचाई पर चक्कर लगाता है?

(A) 36,000 km **(B)** 500 km
(C) 1,000 km **(D)** 100 km

[Source: Practice — original (textbook-based)] · Hard

Q130. Which of the following is not applicable for IP?

(A) Error reporting **(B)** Handle addressing conventions
(C) Datagram format **(D)** Packet handling conventions

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Hard

Q131. Which of these is not applicable for IP protocol?

(A) is connectionless **(B)** offer reliable service
(C) offer unreliable service **(D)** None of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Hard

Q132. What is the access point (AP) in wireless LAN?

(A) device that allows wireless devices to connect to a wired network **(B)** wireless devices itself
(C) both (a) and (b) **(D)** none of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Hard

Q133. In wireless ad-hoc network

(A) access point is not required **(B)** access point is must
(C) nodes are not required **(D)** none of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Hard

Q134. A wireless network interface controller can work in

(A) infrastructure mode **(B)** ad-hoc mode
(C) both (a) and (b) **(D)** none of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Hard

Q135. Which one of the following event is not possible in wireless LAN

(A) collision detection **(B)** Acknowledgement of data frames
(C) multi-mode data transmission **(D)** none of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf (new/ 2026 drop)] · Hard

Q136. Which of the following are Gigabit Ethernets?

(A) 1000 base-sx **(B)** 1000 base-lx
(C) 1000 base-cx **(D)** all of the mentioned

[Source: Repo: computer-networks [set 12].pdf (new/ 2026 drop)] · Hard

Q137. Ethernet in metropolitan area network (MAN) can be used as _____

(A) pure ethernet **(B)** ethernet over sdh
(C) ethernet over mpls **(D)** all of the mentioned

[Source: Repo: computer-networks [set 13].pdf (new/ 2026 drop)] · Hard

Q138. The maximum size of payload field in ethernet frame is _____

(A) 1000 bytes **(B)** 1200 bytes
(C) 1300 bytes **(D)** 1500 bytes

[Source: Repo: computer-networks [set 13].pdf (new/ 2026 drop)] · Hard

Q139. In SONET, each synchronous transfer signal STS-n is composed of _____

(A) 2000 frames **(B)** 4000 frames
(C) 8000 frames **(D)** 16000 frames

[Source: Repo: computer-networks [set 14].pdf (new/ 2026 drop)] · Hard

Q140. A linear SONET network can be _____

(A) point-to-point **(B)** multi-point
(C) both point-to-point and multi-point **(D)** single point

[Source: Repo: computer-networks [set 14].pdf (new/ 2026 drop)] · Hard

Q141. Physical layer provides:

(A) mechanical specifications of electrical connectors and cables **(B)** electrical specification of transmission line signal level
(C) specification for IR over optical fiber **(D)** all of the mentioned

[Source: Repo: computer-networks [set 17].pdf (new/ 2026 drop)] · Hard

Q142. In an Ethernet local area network, which one of the following statementsis TRUE?

(A) A station stops to sense the channel once it starts transmitting a frame **(B)** The purpose of the jamming signal is to pad the frames that are smallerthan the minimum frame size
(C) A station continues to transmit the packet even after the collision is detected **(D)** The exponential back off mechanism reduces the probability of collision on retransmissions

[Source: Repo: computer-networks [set 17].pdf (new/ 2026 drop)] · Hard

Q143. The communication mode that supports data in both directions at the same time is

(A) simplex **(B)** half-duplex
(C) full-duplex **(D)** multiplex

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Hard

Q144. The basic Ethernet design does not provide

(A) access control **(B)** addressing
(C) automatic retransmission of a message **(D)** multiple virtual networks

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Hard

Q145. In Ethernet when Manchester encoding is used, the bit rate is:

(A) Half the baud rate **(B)** Twice the baud rate
(C) Same as the baud rate **(D)** none of the above

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Hard

Q146. Determine the maximum length of the cable (in km) for transmitting data at a rate of 500 Mbps in an Ethernet LAN with frames of size 10,000 bits. Assume the signal speed in the cable to be 2,00,000 km/s

(A) 1 **(B)** 2
(C) 2.5 **(D)** 5

[Source: Repo: computer-networks [set 18].pdf (new/ 2026 drop)] · Hard

Q147. Wireless transmission of signals can be done via

(A) Radio waves **(B)** Microwaves
(C) Infrared **(D)** All of the mentioned

[Source: Repo: computer-networks [set 19].pdf (new/ 2026 drop)] · Hard

Q148. is the multiplexing technique that shifts each signal to a different carrierfrequency

(A) FDM **(B)** TDM
(C) Both FDM & TDM **(D)** PDM

[Source: Repo: computer-networks [set 19].pdf (new/ 2026 drop)] · Hard

Q149. If link transmits 4000frames per second, and each slot has 8 bits, the transmission rate of circuit this TDM is

(A) 32kbps **(B)** 500bps
(C) 500kbps **(D)** 32bps

[Source: Repo: computer-networks [set 19].pdf (new/ 2026 drop)] · Hard

Q150. Which of the following delay is faced by the packet in travelling from one end system toanother?

(A) Propagation delay **(B)** Queuing delay
(C) Transmission delay **(D)** All of the mentioned

[Source: Repo: computer-networks [set 19].pdf (new/ 2026 drop)] · Hard

Q151. In an Ethernet local area network, which one of the following statements is TRUE?

(A) A station stops to sense the channel once it starts transmitting a frame **(B)** The purpose of the jamming signal is to pad the frames that are smaller than the minimum frame size

(C) A station continues to transmit the packet even after the collision is detected **(D)** The exponential back off mechanism reduces the probability of collision on retr

[Source: Repo: computer-networks [set 20].pdf (new/ 2026 drop)] · Hard

Q152. Which of this is not a constituent of residential telephone line?

(A) a high-speed downstream channel **(B)** a medium-speed downstream channel

(C) a low-speed downstream channel **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Hard

Q153. In DSL telco provides these services

(A) wired phone access **(B)** isp

(C) all of the mentioned **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Hard

Q154. The following term is not associted with DSL

(A) dslam **(B)** co

(C) splitter **(D)** cmts

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Hard

Q155. Choose the statement which is not applicable for cable internet access

(A) it is a shared broadcast medium **(B)** it includes hfcs

(C) cable modem connects home pc to ethernet port

(D) analog signal is converted to digital signal in dslam

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Hard

Q156. Home Access is provided by

(A) dsl **(B)** fttp

(C) cable **(D)** all of the mentioned

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Hard

Q157. The sharing of a medium and its link by two or more devices is called _____

(A) fully duplexing **(B)** multiplexing

(C) both a and b **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Hard

Q158. Multiplexing can provide

(A) efficiency **(B)** privacy

(C) anti jamming **(D)** both a and b

[Source: Repo: computer-networks [set 3].pdf (new/ 2026 drop)] · Hard

Q159. Sniffers can be deployed in

(A) wired environment **(B)** wifi

(C) ethernet lan **(D)** all of the mentioned

[Source: Repo: computer-networks [set 4].pdf (new/ 2026 drop)] · Hard

Q160. which of the following is not Guided transmission media

(A) twisted pair cables **(B)** co-axial cables

(C) infrared **(D)** fibre optics

[Source: Repo: computer-networks [set 5].pdf (new/ 2026 drop)] · Hard

Q161. Which of this is not a guided media?

(A) fiber optical cable **(B)** coaxial cable

(C) wireless lan **(D)** copper wire

[Source: Repo: computer-networks [set 6].pdf (new/ 2026 drop)] · Hard

Q162. Fiber optics posses following properties _____

(A) immune electromagnetic interference **(B)** very less signal attenuation

(C) very hard to tap **(D)** all of the mentioned

[Source: Repo: computer-networks [set 6].pdf (new/ 2026 drop)] · Hard

Q163. Radio channels are attractive medium because _____

(A) can penetrate walls **(B)** connectivity can be given to mobile user

(C) can carry signals for long distance **(D)** all of the mentioned

[Source: Repo: computer-networks [set 6].pdf (new/ 2026 drop)] · Hard

Q164. Geostationary satellites _____

(A) are placed at a fixed point above the earth **(B)** rotate the earth about a fixed axis

(C) rotate the earth about a varying axis **(D)** all of the mentioned

[Source: Repo: computer-networks [set 6].pdf (new/ 2026 drop)] · Hard

Q165. Which of the following terms is not associated with DSL?

(A) dslam **(B)** co

(C) splitter **(D)** cmts

[Source: Repo: computer-networks [set 6].pdf (new/ 2026 drop)] · Hard

Q166. Multiplexing provides _____

(A) efficiency **(B)** privacy

(C) anti jamming **(D)** both efficiency & privacy

[Source: Repo: computer-networks [set 7].pdf (new/ 2026 drop)] · Hard

Q167. What is the max data transfer rate of STP cables?

(A) 10 mbps **(B)** 100 mbps
(C) 1000 mbps **(D)** 10000 mbps

[Source: Repo: computer-networks [set 7].pdf (new/ 2026 drop)] · Hard

Q168. What is the max data transfer rate for optical fiber cable?

(A) 10 mbps **(B)** 100 mbps
(C) 1000 mbps **(D)** 10000 mbps

[Source: Repo: computer-networks [set 7].pdf (new/ 2026 drop)] · Hard

Q169. What frequency range is used for FM radio transmission?

(A) Very Low Frequency: 3 kHz to 30 kHz **(B)** Low Frequency: 30 kHz to 300 kHz
(C) High Frequency: 3 MHz to 30 MHz **(D)** Very High Frequency: 30 MHz to 300 MHz

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Hard

Q170. _____ are the random access protocols

(A) ALOHA, CSMA, CSMA/CA, CSMA/CD **(B)** Reservation, polling, token passing
(C) FDMA, TDMA, CDMA **(D)** All of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Hard

Q171. The computer network is

(A) Network computer with cable **(B)** Network computer without cable
(C) Both of the above **(D)** None of the above

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Hard

Q172. Match the following IEEE No to their corresponding Name for IEEE 802 standards for LANs. i) 802.3

(A) WiFi ii) 802.11 **(B)** WiMa GOVT.DEGREE COLLEGE RAMBAN(J&K) DEPARTMENT OF COMPUTER APPLICATION Solved Multiple Choice Questions on Computer networking iii) 802.15.1
(C) Ethernet iv) 802.16 **(D)** Bluetooth

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Hard

Q173. is a high performance fiber optic token ring LAN running at 100 Mbps over distances up to 1000 stations connected

(A) FDDI **(B)** FDDT
(C) FDDR **(D)** FOTR

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Hard

Q174. is a collective term for a number of Ethernet Standards that carry traffic at the nominal rate of 1000 Mbits/s against the original Ethernet speed of 10 Mbit/s

(A) Ethernet **(B)** Fast Ethernet
(C) Gigabit Ethernet **(D)** All of the above

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Hard

Answer Key — sirf letters (no solutions)

Q1: A **Q2:** B **Q3:** C **Q4:** C **Q5:** B **Q6:** C **Q7:** C **Q8:** A **Q9:** D **Q10:** B
Q11: A **Q12:** B **Q13:** A **Q14:** A **Q15:** C **Q16:** A **Q17:** D **Q18:** B **Q19:** A **Q20:** A
Q21: A **Q22:** A **Q23:** B **Q24:** B **Q25:** B **Q26:** B **Q27:** D **Q28:** B **Q29:** C **Q30:** A
Q31: A **Q32:** A **Q33:** C **Q34:** B **Q35:** C **Q36:** C **Q37:** A **Q38:** A **Q39:** C **Q40:** A
Q41: B **Q42:** A **Q43:** B **Q44:** C **Q45:** B **Q46:** C **Q47:** B **Q48:** B **Q49:** B **Q50:** B
Q51: A **Q52:** A **Q53:** A **Q54:** A **Q55:** A **Q56:** A **Q57:** B **Q58:** C **Q59:** C **Q60:** A
Q61: A **Q62:** B **Q63:** D **Q64:** B **Q65:** A **Q66:** C **Q67:** A **Q68:** B **Q69:** A **Q70:** A
Q71: B **Q72:** A **Q73:** D **Q74:** A **Q75:** A **Q76:** B **Q77:** B **Q78:** B **Q79:** C **Q80:** B
Q81: C **Q82:** B **Q83:** A **Q84:** A **Q85:** A **Q86:** B **Q87:** A **Q88:** B **Q89:** A **Q90:** D
Q91: B **Q92:** B **Q93:** B **Q94:** C **Q95:** A **Q96:** B **Q97:** A **Q98:** A **Q99:** C **Q100:** A
Q101: D **Q102:** C **Q103:** B **Q104:** A **Q105:** A **Q106:** C **Q107:** B **Q108:** C **Q109:** A **Q110:** C
Q111: D **Q112:** A **Q113:** C **Q114:** C **Q115:** A **Q116:** C **Q117:** D **Q118:** A **Q119:** C **Q120:** A
Q121: A **Q122:** B **Q123:** A **Q124:** B **Q125:** A **Q126:** C **Q127:** A **Q128:** D **Q129:** A **Q130:** A
Q131: B **Q132:** A **Q133:** A **Q134:** C **Q135:** A **Q136:** D **Q137:** D **Q138:** D **Q139:** C **Q140:** C
Q141: D **Q142:** D **Q143:** C **Q144:** C **Q145:** A **Q146:** B **Q147:** D **Q148:** A **Q149:** A **Q150:** D
Q151: A **Q152:** C **Q153:** C **Q154:** D **Q155:** D **Q156:** D **Q157:** B **Q158:** D **Q159:** D **Q160:** C
Q161: C **Q162:** D **Q163:** D **Q164:** A **Q165:** D **Q166:** D **Q167:** B **Q168:** D **Q169:** D **Q170:** A
Q171: C **Q172:** A **Q173:** C **Q174:** A