Data Communication & Computer Networks — Topic 1: Introduction of Data Communication

Practice Test Booklet — 375 MCQs (2-column, without solutions) · Easy + Medium + Hard mix · Har question ke saath **Source** · Print ke liye · Reference: Forouzan + India-level & worldwide exam papers (GATE/NET/KVS/EMRS/DSSSB/SSC/RRB/IBPS) · Prepared for: RPSC Programmer • ACP • RSMSSB IA • SA • DD • BCI • SCI • REET • RAS • DSSSB • KVS • NVS • HTET • SSC CGL/CHSL • RRB • IBPS • UPSC & all Rajasthan + Central Govt. Exams (Computer Awareness)

Section A - DC Components & Protocol Basics (Message, Sender, Receiver, Transmission Medium, Protocol)

Q1. The physical path between the sender and receiver is called:

Sender और receiver के बीच का physical path _____ कहलाता है:

(A) Link / link (link) **(B)** Node / node (node)
(C) Segment / सेगमेंट (segment) **(D)** Socket / सॉकेट (socket)

[Source: Repo: BCI_SCI Subject Test-7 (UNIT TEST-2 BCI/SCI), Q20] · Easy

Q2. Identify the five components of a data communication system.

Data communication system के पाँच components की पहचान कीजिए।

(A) Message, Sender, Receiver, Transmission medium, Protocol **(B)** Message, Router, Switch, Cable, Software
(C) Data, Sender, Receiver, Hub, TCP/IP **(D)** Message, Sender, Receiver, Software, Hardware

[Source: Forouzan Ch1 (Q1-1) — Practice Set] · Medium

Q3. The _____ is the physical path over which a message travels from sender to receiver.

_____ वह physical path है जिस पर message sender से receiver तक जाता है।

(A) Path / पथ **(B)** Medium
(C) Protocol **(D)** Route / रूट (path)

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q35] · Medium

Q4. The information to be communicated in a data communication system is called the _____.

Data communication system में communicate की जाने वाली information _____ कहलाती है।

(A) Medium **(B)** Protocol
(C) Message / message (message) **(D)** Transmission / संचरण (transmission)

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q38] · Medium

Q5. Which of the following shares the data of two computers?

निम्नलिखित में से कौन दो computers का data share (साझा) करता है?

(A) Library / पुस्तकालय **(B)** Network
(C) Grouping / समूह (grouping) **(D)** Integrated system / एकीकृत प्रणाली

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q13] · Medium

Q6. _____ refers to two characteristics: when data should be sent and how fast it can be sent.

_____ दो characteristics को बताता है: data कब भेजा जाए और कितनी तेज़ी से भेजा जा सकता है।

(A) Semantics / अर्थ (semantics) **(B)** Syntax / संरचना (syntax)
(C) Timing / समय-निर्धारण (timing) **(D)** none of the above / इनमें से कोई नहीं

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q44] · Medium

Q7. What are the main elements of a protocol? 1. Syntax 2. Semantics 3. Timing

किसी protocol के मुख्य तत्व (elements) क्या हैं? 1. Syntax 2. Semantics 3. Timing

(A) 1, 2 only / सिर्फ 1 और 2 **(B)** 1, 3 only / सिर्फ 1 और 3
(C) 2, 3 only / सिर्फ 2 और 3 **(D)** 1, 2, 3 only / 1, 2 और 3 सभी

[Source: Repo: CN Topic Test-02 (UNIT TEST-2), Q3] · Medium

Q8. Why are protocols needed in data communication?

Data communication में protocols की आवश्यकता क्यों होती है?

(A) To enable communication between different types of systems by providing common rules / अलग-अलग प्रकार की systems के बीच communication के लिए common rules देना
(B) To increase the processing speed of the CPU / CPU की processing speed बढ़ाने के लिए
(C) To convert every message into a common language / हर message को एक common language में बदलने के लिए **(D)** Protocols are optional — devices can communicate without rules / Protocols optional हैं — बिना rules के भी devices communicate कर सकती हैं

[Source: Forouzan Ch1 (Q1-11) — Practice Set] · Medium

Q9. A set of rules that governs data communication is called a:

Data communication को regulate (नियंत्रित) करने वाले rules का set _____ कहलाता है:

(A) rule / नियम (rule) **(B)** medium / medium (medium)
(C) Link / link (link) **(D)** Protocol / protocol (protocol)

[Source: Repo: CN Topic Test-03 (UNIT TEST-3), Q15] · Medium

Q10. Consider: (1) Twisted pair cables (2) Microwaves and satellite signals (3) Repeaters (4) Analog transmissions (5) Fiber optics. Which of the above is considered as signal transmission medium in data communications?

विचार करें: (1) Twisted pair cables (2) Microwaves और satellite signals (3) Repeaters (4) Analog transmissions (5) Fiber optics। उपरोक्त में से data communications में signal transmission medium के रूप में क्या माना जाता है?

(A) (1) and (5) / (1) और (5) **(B)** (1) and (2) / (1) और (2)
(C) (1), (2) and (5) / (1), (2) और (5) **(D)** (1), (2), (3) and (5) / (1), (2), (3) और (5)

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q10] · Medium

Q11. Data communication is the exchange of _____ between two devices via some form of transmission medium.

Data communication = do devices के बीच _____ का exchange, किसी transmission medium के through।

(A) only text messages / सिर्फ text messages **(B)** data (the message) - text, numbers, images, audio or video / data (message) - text, numbers, images, audio या video
(C) only electrical signals / सिर्फ electrical signals **(D)** only hardware devices / सिर्फ hardware devices

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q12. The device that sends the data message in a data communication system is called the _____.

Data communication system में जो device data message भेजता है, use _____ कहते हैं।

(A) Receiver / Receiver (प्राप्तकर्ता) **(B)** Sender / Sender (प्रेषक)
(C) Protocol / Protocol (protocol) **(D)** Hub / Hub (hub)

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q13. Which of the following best lists the popular forms of information (message) in data communication?

Data communication में information (message) के popular forms को सबसे achhe से कौन बताता है?

(A) Only text and numbers / सिर्फ text और numbers **(B)** Only audio and video / सिर्फ audio और video
(C) Text, numbers, images, audio and video / text, numbers, images, audio और video **(D)** Only binary digits / सिर्फ binary digits

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q14. ARPANET stands for:

ARPANET का पूरा नाम है:

(A) Advanced Research Projects Agency Network **(B)** Advanced Recheck Projects Agency Internet
(C) American Research Projects Agency Network **(D)** Advanced Research Protocol Agency Network

[Source: IBPS/SBI computer-awareness banks (via tpointtech & meritnotes)] · Medium

Q15. In a protocol, the meaning of each section of the message is called:

एक protocol में message के हर भाग के अर्थ को क्या कहते हैं?

(A) Syntax **(B)** Semantics
(C) Timing **(D)** Encoding

[Source: Practice — original (textbook-based)] · Medium

Q16. Coaxial cable and fiber optic cable are examples of:

Coaxial cable और fiber optic cable किसके उदाहरण हैं?

(A) Guided media **(B)** Unguided media
(C) Wireless media **(D)** Simplex media

[Source: Practice — original (textbook-based)] · Medium

Q17. In a computer network, nodes are:

Computer network में nodes होते हैं:

(A) the computer that originates the data / जो computer data को originate (shurua) करता है **(B)** the computer that routes the data / जो computer data को route करता है
(C) the computer that terminates the data / जो computer data को terminate (समाप्त) करता है **(D)** all of the mentioned / उपर्युक्त सभी (all of the above)

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q30] · Hard

Q18. Consider the statements: S1: The physical medium of connection is known as a link. S2: The computers connected to it are known as nodes.

कथनों पर विचार करें: S1: connection का physical medium link कहलाता है। S2: इससे जुड़े computers nodes कहलाते हैं।

(A) Both S1 and S2 are false / दोनों S1 और S2 ग़लत हैं **(B)** S1 true but S2 false / S1 सही है लेकिन S2 ग़लत है
(C) S1 false but S2 true / S1 ग़लत है लेकिन S2 सही है **(D)** Both S1 and S2 true / दोनों S1 और S2 सही हैं

[Source: Repo: CN Topic Test-02 (UNIT TEST-2), Q2] · Hard

Q19. Which one of the following is NOT one of the five basic components of a data communication system?

निम्नलिखित में से कौन data communication system के five basic components में से एक नहीं है?

(A) Message / Message (message) **(B)** Protocol / Protocol (protocol)
(C) Router / Router (router) **(D)** Transmission medium / Transmission medium (medium)

[Source: Extra (Forouzan) - fills syllabus gap] · Hard

Q20. Which of the following is NOT a component of data communication?

निम्न में से कौन data communication का component नहीं है?

(A) Message **(B)** Protocol
(C) Compiler **(D)** Transmission medium

[Source: Practice — original (textbook-based)] · Hard

Q21. The three aspects of TIMING in a protocol are speed matching, sequencing, and:

एक protocol में TIMING के तीन पक्ष हैं — speed matching, sequencing और:

(A) Flow control **(B)** Error control
(C) Syntax **(D)** Addressing

[Source: Practice — original (textbook-based)] · Hard

Section B - Characteristics (Delivery, Accuracy, Timeliness, Jitter) & Criteria (Performance, Reliability, Security)

Q22. Which physical layer impairment mainly causes jitter in VoIP traffic?

VoIP traffic में jitter का मुख्य kaaran कौन सा physical layer impairment है?

(A) Attenuation / attenuation (signal की shakti कम होना)
(B) Delay variation / delay का अंतर (variation)
(C) Distortion / distortion (vikriti) **(D)** Crosstalk

[Source: Repo: BCI Subject Test-8 (UNIT TEST-3 BCI/SCI), Q36] · Easy

Q23. What does jitter refer to in data communication?

Data communication में jitter का मतलब क्या होता है?

(A) Loss of data / data का loss **(B)** Delay variation in packets / packets में delay का अंतर (variation)
(C) Data synchronization / data का synchronization **(D)** Data encoding / data का encoding

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q1] · Medium

Q24. Which of the following is a characteristic of data communication?

निम्नलिखित में से कौन data communication की एक characteristic (विशेषता) है?

(A) Timeliness / समयपालन (timeliness) **(B)** Delay / دیde (delay)
(C) Speed / गति (speed) **(D)** Size / आकार (size)

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q6] · Medium

Q25. What is the maximum data rate of a transmission medium known as?

Transmission medium की अधिकतम data rate को क्या कहा जाता है?

(A) Bandwidth **(B)** Throughput
(C) Latency **(D)** Jitter

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q9] · Medium

Q26. Speed of an internet connection is measured in:

Internet connection की speed किसमें मापी जाती है?

(A) Kilobits per second (kbps) **(B)** Kilobytes per second (KB/s) only / केवल Kilobytes per second (KB/s)
(C) Metres per second **(D)** Hertz

[Source: Repo: Unit Test-4 Solution (OCR), p19] · Medium

Q27. Frequency of failure and network recovery time after a failure are measures of the _____ of a network.

Failure की आवृत्ति (frequency) और failure के बाद network recovery time किस चीज़ के measures हैं?

(A) Performance **(B)** Reliability
(C) Security **(D)** Feasibility

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q39] · Medium

Q28. What is the criteria to check the reliability of a network? 1. Downtime 2. Failure Frequency 3. Fault Tolerance 4. Security

Network की reliability check करने के criteria क्या हैं? 1. Downtime 2. Failure Frequency 3. Fault Tolerance 4. Security

(A) 1, 2, 3 only / सिर्फ 1, 2, 3 **(B)** 2, 3, 4 only / सिर्फ 2, 3, 4
(C) 1, 2, 4 only / सिर्फ 1, 2, 4 **(D)** 1, 2, 3, 4 only / 1, 2, 3, 4 सभी

[Source: Repo: CN Topic Test-02 (UNIT TEST-2), Q1] · Medium

Q29. What are the three criteria necessary for an effective and efficient network?

Effective और efficient network के लिए आवश्यक तीन criteria क्या हैं?

(A) Performance, Reliability, Security **(B)** Delivery, Accuracy, Timeliness
(C) Speed, Cost, Size **(D)** Message, Sender, Receiver

[Source: Forouzan Ch1 (Q1-2) — Practice Set] · Medium

Q30. What network property is achieved through the use of the Automatic Repeat reQuest (ARQ) mechanism?

Automatic Repeat reQuest (ARQ) mechanism से network की कौन सी property हासिल होती है?

(A) Reliability **(B)** Availability
(C) Confidentiality **(D)** Scalability

[Source: Repo: Random Test- Rajasthan PYQ (RPSC/RSSB)] · Medium

Q31. For effective data communication, the system must deliver data to the correct destination. This characteristic is called _____.

Effective data communication के लिए system को data सही destination पर पहुँचाना चाहिए। Is characteristic को _____ कहते हैं।

(A) Accuracy **(B)** Timeliness
(C) Delivery **(D)** Jitter

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q32. Data delivered late is useless (especially in real-time audio/video). Delivering data in a timely manner is called _____.

देर से पहुँचने वाला data बेकार है (ख़ास कर real-time audio/video में)। Time पर data pahunchane को _____ कहते हैं।

(A) Delivery **(B)** Accuracy
(C) Timeliness **(D)** Jitter

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q33. The network criterion measured by transit time, response time, throughput and delay is called _____.

Transit time, response time, throughput और delay से maape jane वाले network criterion को _____ कहते हैं।

(A) Performance **(B)** Reliability
(C) Security **(D)** Delivery

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q34. If packets arrive at the receiver with uneven delay, this problem is called:

यदि packets receiver पर असमान delay से पहुँचें, तो इस समस्या को क्या कहते हैं?

(A) Attenuation **(B)** Jitter
(C) Distortion **(D)** Noise

[Source: Practice — original (textbook-based)] · Medium

Q35. The amount of data that is actually delivered successfully per unit time is called:

प्रति इकाई समय में सफलतापूर्वक पहुँचा data कहलाता है:

(A) Bandwidth **(B)** Latency
(C) Throughput **(D)** Jitter

[Source: Practice — original (textbook-based)] · Medium

Q36. MTBF (Mean Time Between Failures) is related to which criteria of a network?

MTBF network के किस criteria से संबंधित है?

(A) Performance **(B)** Reliability
(C) Security **(D)** Accuracy

[Source: Practice — original (textbook-based)] · Medium

Q37. Accuracy in data communication means:

Data communication में accuracy का अर्थ है:

(A) Data is sent quickly / data तेज़ी से भेजा जाता है **(B)** Data is not corrupted / data corrupted (खराब) नहीं होता
(C) Data is encrypted / data encrypt होता है **(D)** Data reaches the receiver / data receiver तक pahunchta है

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q8] · Hard

Q38. An unauthorized user is a network _____ issue.

An unauthorized user एक network _____ issue है.

(A) Performance **(B)** Reliability
(C) Security **(D)** All of the above / ऊपर दिए गए सभी

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q40] · Hard

Q39. Which of the following is NOT one of the three fundamental criteria (properties) that a network must meet?

निम्नलिखित में से कौन network के तीन fundamental criteria (properties) में से एक नहीं है?

(A) Performance **(B)** Reliability
(C) Security **(D)** Topology

[Source: Extra (Forouzan) - fills syllabus gap] · Hard

Q40. The capacity of a communication channel is measured in:

Communication channel की क्षमता मापी जाती है:

(A) Bandwidth **(B)** Bit capacity
(C) Volume **(D)** Noise

[Source: KVS PGT/TGT/PRT computer banks 2018 (via jagranjosh)] · Hard

Q41. Consider a 100 Mbps link between an earth station (sender) and a satellite (receiver) at an altitude of 2100 km. The signal propagates at 3×10^8 m/s. The time taken (in milliseconds, rounded to two decimal places) for the receiver to completely receive a 1000-byte packet transmitted by the sender is _____.

100 Mbps के link पर earth station से 2100 km ऊँचे satellite को 1000-byte packet भेजा गया; signal की speed 3×10^8 m/s है। Receiver को packet पूरा मिलने में लगा समय (ms में, दो दशमलव) कितना है?

(A) 7.08 **(B)** 2.10
(C) 7.00 **(D)** 21.08

[Source: GATE CS 2022] · Hard

Q42. What is the bit rate for transmitting an uncompressed 800×600 pixel colour frame with 8 bits/pixel at 40 frames per second?

बिना compression के 800×600 pixel वाला colour frame (8 bits/pixel) 40 frames per second पर transmit हो — bit rate कितना होगा?

(A) 2.4 Mbps **(B)** 153.6 Mbps
(C) 15.36 Mbps **(D)** 1536 Mbps

[Source: KVS PGT Computer Science 2017] · Hard

Q43. An analog signal carries 4 bits in each signal unit. If 1000 signal units are sent per second, then the baud rate and bit rate of the signal are _____ and _____.

एक analog signal हर signal unit में 4 bits रखता है। 1000 signal units per second भेजे जाएँ तो signal की baud rate और bit rate क्रमशः कितनी होगी?

(A) 4000 bauds/sec, 4000 bps **(B)** 1000 bauds/sec, 1000 bps
(C) 4000 bauds/sec, 1000 bps **(D)** 1000 bauds/sec, 4000 bps

[Source: KVS PGT Computer Science 2017] · Hard

Q44. Which of the following is a measure of network RELIABILITY (not performance)?

निम्न में से कौन network की RELIABILITY (performance नहीं) का माप है?

(A) Throughput **(B)** Frequency of failure / Failure की आवृत्ति
(C) Jitter **(D)** Delay

[Source: Practice — original (textbook-based)] · Hard

Section C - Transmission Mode (Direction of Data Flow: Simplex, Half-Duplex, Full-Duplex)

Q45. Communication between a computer and a keyboard involves _____ transmission.

Computer और keyboard के बीच communication में _____ transmission होता है।

(A) Automatic **(B)** Half-duplex
(C) Half-duplex (variant) / half-duplex **(D)** Simplex

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q33] · Medium

Q46. A television broadcast is an example of _____ transmission.

Television broadcast _____ transmission का एक example है।

(A) simplex **(B)** half-duplex
(C) full-duplex **(D)** automatic

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q41] · Medium

Q47. What is the mode of transmission where data flows in only one direction?

Wo transmission mode kaunsa है जिसमें data सिर्फ एक direction में flow करता है?

(A) Simplex **(B)** Half-Duplex
(C) Full-Duplex **(D)** Multiplex

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q3] · Medium

Q48. Which transmission mode is used in walkie-talkie communication?

Walkie-talkie communication में कौन सा transmission mode use होता है?

(A) Simplex **(B)** Half-Duplex
(C) Full-Duplex **(D)** Multiplex

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q10] · Medium

Q49. Which of the following statements are TRUE? 1. Hubs operate in Half-Duplex mode. 2. Switches operate in Full-Duplex mode. 3. Routers broadcast by default.

निम्नलिखित में से कौन से statements TRUE हैं? 1. Hubs Half-Duplex mode में काम करते हैं। 2. Switches Full-Duplex mode में काम करते हैं। 3. Routers by default broadcast करते हैं।

(A) 1 and 2 / 1 और 2 **(B)** 2 and 3 / 2 और 3
(C) 1 and 3 / 1 और 3 **(D)** 1, 2 and 3 / 1, 2 और 3

[Source: Repo: BCI Subject Test-9 (BCI/SCI Batch)] · Medium

Q50. Which of the following works in simplex mode?

निम्न में से कौन simplex mode में काम करता है?

(A) Telephone **(B)** Walkie-talkie
(C) Keyboard and monitor / Keyboard और monitor **(D)** Chat application

[Source: Practice — original (textbook-based)] · Medium

Q51. In 100BASE-TX (Fast Ethernet over UTP), full-duplex operation is possible because:

100BASE-TX (UTP पर Fast Ethernet) में full-duplex संभव है क्योंकि:

(A) UTP uses separate wire pairs for transmitting and receiving / UTP में transmit और receive के लिए अलग wire pairs हैं **(B)** UTP uses time-division multiplexing / UTP में time-division multiplexing है
(C) UTP uses two different frequencies / UTP में दो अलग frequencies हैं **(D)** Two UTP cables are used / दो UTP cables प्रयोग होती हैं

[Source: Practice — original (textbook-based)] · Medium

Q52. Which of the following transmission directions listed is not a legitimate channel?

निम्नलिखित में से कौन सा transmission direction एक legitimate (vaidh) channel नहीं है?

(A) Simplex **(B)** Half Duplex
(C) Full Duplex **(D)** Double Duplex

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q3] · Hard

Q53. What is the difference between half-duplex and full-duplex transmission modes?

Half-Duplex और Full-Duplex transmission modes में अंतर क्या है?

(A) Half-duplex allows only one-way flow; full-duplex also allows only one-way flow / Half-Duplex में सिर्फ one-way flow; Full-Duplex में भी सिर्फ one-way flow **(B)** Half-duplex flows both ways one direction at a time; full-duplex flows both ways at the same time / Half-Duplex में data दोनों तरफ़ पर एक समय में एक direction; Full-Duplex में एक साथ दोनों तरफ़
(C) Half-duplex is only for wireless; full-duplex only for wired networks / Half-Duplex सिर्फ wireless के लिए; Full-Duplex सिर्फ wired के लिए **(D)** There is no difference between the two / दोनों में कोई अंतर नहीं है

[Source: Forouzan Ch1 (Q1-6) — Practice Set] · Hard

Q54. Data flow between two devices can occur in a _____ way.

Do devices के बीच data flow _____ tareeke से हो सकता है।

(A) simplex **(B)** half-duplex
(C) full-duplex **(D)** all of the above / ऊपर दिए गए सभी

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q45] · Hard

Q55. In a telephone conversation, both persons can speak and hear each other at the same time. This is an example of _____.

Telephone conversation में दोनों persons एक साथ bol और sun सकते हैं। यह _____ का example है।

(A) Simplex **(B)** Half-duplex
(C) Full-duplex **(D)** Unicast

[Source: Extra (Forouzan) - fills syllabus gap] · Hard

Q56. In which mode can both stations transmit and receive at the same instant?

किस mode में दोनों stations एक ही समय में भेज और पा सकते हैं?

(A) Simplex **(B)** Half-duplex
(C) Full-duplex **(D)** Broadcast

[Source: Practice — original (textbook-based)] · Hard

Section D - Network Structure / Topology (Physical: Mesh, Star, Bus, Ring, Others; Logical: IEEE 802)

Q57. IEEE 802.2 stअंदरd is related to which sub-layer?

IEEE 802.2 stअंदरd किस sub-layer से संबंधित है?

(A) MAC Sublayer **(B)** LLC Sublayer
(C) Physical Layer **(D)** Network Layer

[Source: Repo: BCI Subject Test-8 (BCI/SCI Batch)] · Easy

Q58. What are the advantages of star topology?

Star topology के क्या advantages (लाभ) हैं?

(A) Less number of cables are required / कम number में cables चाहिए **(B)** More number of cables are required / ज़्यादा number में cables चाहिए
(C) It is a distributed topology / यह एक distributed topology है **(D)** Security is high / security ज़्यादा है

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q1] · Medium

Q59. Which type of topology is best suited for large businesses which must carefully control and coordinate the operation of distributed branch outlets?

Large businesses के लिए कौन सी topology सबसे उपयुक्त है, jahan distributed branch outlets के operation को carefully control और coordinate करना हो?

(A) Ring **(B)** Local area
(C) Hierarchical / hierarchical (tree) **(D)** Star

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q2] · Medium

Q60. In a traditional ring network, repeaters are particularly associated with which topology because each station can regenerate and forward the signal?

पारंपरिक ring network में repeaters किस topology से विशेष रूप से जुड़े हैं, क्योंकि हर station signal को regenerate और आगे भेज सकता है?

(A) Ring topology **(B)** Mesh topology
(C) Bus topology **(D)** Star topology

[Source: Practice — original (concept-check correction — not a verified PYQ)] · Medium

Q61. What type of topology connects each node in a closed loop?

कौन सी topology हर node को एक closed loop में जोड़ती है?

(A) Star **(B)** Mesh
(C) Ring **(D)** Bus

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q4] · Medium

Q62. In a _____ topology, every device has a dedicated point-to-point link to every other device. For n devices, the number of links is n(n-1)/2 and each device needs n-1 I/O ports.

_____ topology में हर device का हर दूसरे device से dedicated point-to-point link होता है। n devices के लिए links की संख्या n(n-1)/2 होती है और हर device को n-1 I/O ports चाहिए।

(A) Bus **(B)** Star
(C) Ring **(D)** Mesh

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q63. In a _____ topology, each device has a dedicated point-to-point link only to a central controller, usually called a hub (or switch).

_____ topology में हर device का सिर्फ एक central controller (hub/switch) से dedicated point-to-point link होता है।

(A) Mesh **(B)** Ring
(C) Star **(D)** Bus

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q64. Which network topology requires a multipoint connection?

किस network topology में multipoint connection की आवश्यकता होती है?

(A) Ring **(B)** Bus
(C) Star **(D)** Mesh

[Source: Repo: CN Topic Test-02 (UNIT TEST-2)] · Medium

Q65. In a _____ topology, each device is connected to its two neighbours, data travels in one direction around the loop, and each device regenerates (repeats) the signal - this is called token passing.

_____ topology में हर device अपने दो neighbours से जुड़ा होता है, data loop में एक ही direction में जाता है, और हर device signal को regenerate (repeat) करता है - इसे token passing कहते हैं।

(A) Bus **(B)** Ring
(C) Star **(D)** Mesh

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q66. A network in which two or more different topologies are combined (e.g., a star connected to another star) is called a _____ topology, while a _____ topology is a hierarchy of stars (a variation of the star topology).

जिसमें do या ज़्यादा अलग topologies combine हो (जैसे एक star दूसरे star से जुड़ा हो), use _____ topology कहते हैं, और _____ topology stars की hierarchy है (star topology का variation).

(A) Hybrid ; Tree **(B)** Tree ; Hybrid
(C) Mesh ; Ring **(D)** Bus ; Star

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q67. Hierarchical topology, used to establish a network, is also known as a:

Hierarchical topology, जिससे network स्थापित किया जाता है, किस नाम से भी जानी जाती है?

(A) Bus network **(B)** Star network
(C) Tree network **(D)** Mesh network

[Source: Repo: Unit Test-4 Solution (OCR), p17] · Medium

Q68. The _____ topology of a network defines how the devices are physically laid out/ connected, whereas the _____ topology defines how the data actually flow / how the devices access the network to transmit.

Network की _____ topology बताती है की devices physically कैसे जुड़े हैं, jabki _____ topology बताती है की data asal में कैसे flow करता है / devices transmit करने के लिए network को कैसे access करते हैं।

(A) Logical ; Physical **(B)** Physical ; Logical
(C) Star ; Bus **(D)** Mesh ; Ring

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q69. Which physical topology offers the highest robustness (fault tolerance) because of multiple redundant paths, but is also the most expensive and hardest to install because of the huge amount of cabling?

कौन सी physical topology सबसे ज़्यादा robust (fault tolerant) है क्योंकि ismein कई redundant paths होते हैं, लेकिन सबसे महंगी और install करने में सबसे मुश्किल भी है क्योंकि बहुत ज़्यादा cabling चाहिए?

(A) Bus **(B)** Ring
(C) Star **(D)** Mesh

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q70. If the central device of a star topology fails, the result is:

यदि star topology का central device ख़राब हो जाए तो:

(A) Only one device stops / केवल एक device रुकता है **(B)** Whole network stops / पूरा network रुक जाता है
(C) Network works as mesh / Network mesh जैसा चलता है
(D) Only data transfer slows / केवल data transfer धीमा होता है

[Source: Practice — original (textbook-based)] · Medium

Q71. Which topology gives every device equal access using a token?

कौन-सी topology token द्वारा हर device को बराबर पहुँच देती है?

(A) Bus **(B)** Star
(C) Ring **(D)** Mesh

[Source: Practice — original (textbook-based)] · Medium

Q72. A hybrid topology is:

Hybrid topology है:

(A) Only mesh / केवल mesh **(B)** Combination of two or more topologies / दो या अधिक topologies का मिश्रण
(C) Only bus / केवल bus **(D)** A wireless topology / एक wireless topology

[Source: Practice — original (textbook-based)] · Medium

Q73. Which one of the following is not a network topology?

निम्नलिखित में से कौन एक network topology नहीं है?

(A) Star **(B)** Ring
(C) Bus **(D)** Peer to Peer

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q9] · Hard

Q74. For n devices in a network, how many cable links are required in a mesh topology?

Network में n devices के लिए mesh topology में कितने cable links चाहिए?

(A) n **(B)** n - 1
(C) n(n - 1)/2 **(D)** n(n - 1)

[Source: Forouzan Ch1 (Q1-8) — Practice Set] · Hard

Q75. Six devices are arranged in a mesh topology. How many cables are needed, and how many ports does each device need?

छह devices को mesh topology में जोड़ा गया है। कितनी cables चाहिए और हर device को कितने ports चाहिए?

(A) 15 cables, 5 ports each / 15 cables, हर device पर 5 ports **(B)** 30 cables, 6 ports each / 30 cables, हर device पर 6 ports
(C) 15 cables, 6 ports each / 15 cables, हर device पर 6 ports **(D)** 6 cables, 5 ports each / 6 cables, हर device पर 5 ports

[Source: Forouzan Ch1 (P1-3) — Practice Set (Problem)] · Hard

Q76. If a computer network cable breaks, the whole network goes down in which topology?

यदि computer network cable टूट जाए, तो किस topology में पूरा network बंद हो जाता है?

(A) Star **(B)** Ring
(C) Mesh **(D)** All of these / ये सभी

[Source: Repo: Unit Test-4 Solution (OCR), p16] · Hard

Q77. In which topology does the failure of a single cable or device NOT affect the rest of the network?

किस topology में एक cable या device के fail होने पर बाकी network प्रभावित नहीं होता?

(A) Bus **(B)** Ring
(C) Star **(D)** Mesh

[Source: Forouzan Ch1 (P1-4) — Practice Set (Problem)] · Hard

Q78. In a _____ topology, one long cable acts as a backbone to link all the devices; devices connect via drop lines and taps, and terminators are needed at both ends of the backbone.

_____ topology में एक लंबा cable backbone की तरह सभी devices को जोड़ता है; devices drop lines और taps से connect होते हैं, और backbone के दोनों ends पर terminators चाहिए।

(A) Bus **(B)** Star
(C) Ring **(D)** Mesh

[Source: Extra (Forouzan) - fills syllabus gap] · Hard

Q79. The IEEE 802 stअंदरds (such as 802.3 for Ethernet, 802.5 for Token Ring, 802.11 for Wi-Fi) primarily define the _____ of LANs/MANs.

IEEE 802 stअंदरds (जैसे 802.3 Ethernet, 802.5 Token Ring, 802.11 Wi-Fi) primarily LANs/MANs की _____ define करते हैं।

(A) Physical and Data Link layers (including the logical topology / MAC) / Physical और Data Link layers (logical topology / MAC sahit) **(B)** Only the Application layer / सिर्फ Application layer
(C) Only IP addressing / सिर्फ IP addressing **(D)** Only WAN routing / सिर्फ WAN routing

[Source: Extra (Forouzan) - fills syllabus gap] · Hard

Q80. Four network segments in Bus topology are: A1–A2, B1–B2–B3, C1–C2 and D1–D2–D3. If A1, B1, C1 and D1 are interconnected in a mesh, how many mesh connections are required?

Bus topology में चार network segments हैं: A1–A2, B1–B2–B3, C1–C2 और D1–D2–D3। यदि A1, B1, C1 और D1 को mesh में जोड़ा जाए, तो कितने mesh connections चाहिए?

(A) 12 **(B)** 10
(C) 6 **(D)** 45

[Source: RPSC Programmer 2024 Paper-1 (with official key)] · Hard

Q81. In a mesh topology with 6 devices, how many dedicated links are required?

6 devices की mesh topology में कितने dedicated links चाहिए?

(A) 15 **(B)** 30
(C) 36 **(D)** 12

[Source: Practice — original (textbook-based)] · Hard

Q82. In a bus topology, both ends of the cable are terminated with a resistor to prevent:

Bus topology में cable के दोनों सिरों पर resistor लगाया जाता है ताकि रोका जा सके:

(A) Signal reflection (bounce) **(B)** Crosstalk
(C) Attenuation **(D)** Dispersion

[Source: Practice — original (textbook-based)] · Hard

Section E - Types of Networks (LAN, MAN, WAN, PAN, CAN, SAN; Internet, Intranet, Extranet; Point-to-Point, Multipoint; Client-Server, P2P)

Q83. The term WAN stands for?

WAN का पूरा नाम (full form) क्या है?

(A) Wide Area Net **(B)** Wide Access Network
(C) Wide Area Network **(D)** Wide Access Net

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q11 / BCI_SCI Subject Test-01, Q11] · Medium

Q84. Which network is suitable for a building?

किसी एक building के लिए कौन सा network उपयुक्त (suitable) है?

(A) WAN **(B)** LAN
(C) MAN **(D)** PAN

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q27] · Medium

Q85. Bluetooth is an example of:

Bluetooth इसका example है:

(A) personal area network / personal area network (PAN) **(B)** local area network / local area network (LAN)
(C) virtual private network / virtual private network (VPN) **(D)** none of the mentioned / इनमें से कोई नहीं

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q31] · Medium

Q86. Which one of the following extends a private network across public networks?

निम्नलिखित में से कौन एक private network को public networks के paar (across) extend करता है?

(A) local area network / local area network (LAN) **(B)** virtual private network / virtual private network (VPN)
(C) enterprise private network **(D)** storage area network / storage area network (SAN)

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q32] · Medium

Q87. _____ is a network that covers geographic areas that are larger, such as districts or cities.

_____ एक ऐसा network है जो बड़े geographical areas, जैसे districts या cities, को cover करता है।

(A) LAN **(B)** MAN
(C) WAN **(D)** None of these / इनमें से कोई नहीं

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q49] · Medium

Q88. Which factor primarily decides whether a communication system is a LAN or a WAN?

कौन-सा factor मुख्य रूप से तय करता है कि communication system LAN है या WAN?

(A) The geographical area it spans / वह कितने geographical area में फैला है **(B)** The number of protocols it uses / वह कितने protocols use करता है
(C) The colour of the cables / Cables का रंग **(D)** The type of keyboard attached / जुड़े keyboard का प्रकार

[Source: Forouzan Ch1 (Q1-9) — Practice Set] · Medium

Q89. In terms of the size of the network, the correct order (ascending) is:

Network के size के hisaab से सही kram (badhta हुआ/ ascending order) क्या है?

(A) PAN, MAN, LAN, WAN **(B)** LAN, MAN, WAN, PAN
(C) PAN, LAN, MAN, WAN **(D)** LAN, PAN, MAN, WAN

[Source: Repo: CN Topic Test-02 (UNIT TEST-2), Q42] · Medium

Q90. Which type of network covers an entire city or campus?

कौन सा network पूरे एक city या campus को cover करता है?

(A) LAN **(B)** MAN
(C) WAN **(D)** PAN

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q2] · Medium

Q91. The Internet is an example of:

Internet इसका example है:

(A) LAN **(B)** MAN
(C) WAN **(D)** PAN

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q12] · Medium

Q92. SAN is mainly used for:

SAN का मुख्य उपयोग किसके लिए होता है?

(A) File Sharing **(B)** Storage Management
(C) Internet Access **(D)** Printing Documents / documents print करना

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q13] · Medium

Q93. PAN is used for connecting:

PAN किसके connect करने के लिए use होता है?

(A) Personal devices like mobile, laptop, Bluetooth headset / personal devices जैसे mobile, laptop, Bluetooth headset **(B)** Computers in a company / एक company के computers
(C) Computers in a city / एक city के computers **(D)** Global offices

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q14] · Medium

Q94. A school has four computer labs in the same building. Each lab has 20 computers connected to a central server. Students can share files and print from any lab. Which type of network is implemented in this school?

Ek school में एक ही building में चार computer labs हैं. हर lab में 20 computers एक central server से जुड़े हैं। Students किसी भी lab से files share और print कर सकते हैं। School में कौन सा network implemented है?

(A) WAN **(B)** MAN
(C) LAN **(D)** CAN

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q15] · Medium

Q95. A university has different departments in separate buildings like Engineering, Arts, and Commerce. Each department has its own LAN. All these LANs are connected together for communication. Which type of network connects all these LANs?

Ek university में अलग-अलग departments अलग buildings में हैं जैसे Engineering, Arts, Commerce। हर department का apna LAN है। यह सब LANs communication के लिए आपस में जुड़े हैं। कौन सा network in सब LANs को जोड़ता है?

(A) LAN **(B)** CAN
(C) MAN **(D)** WAN

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q16] · Medium

Q96. An international bank connects its main office in New York with branches in Delhi, London, and Tokyo. Which network type is used here?

Ek international bank अपने main office (New York) को Delhi, London, और Tokyo की branches से जोड़ता है। यहाँ कौन सा network type use होता है?

(A) MAN **(B)** WAN
(C) CAN **(D)** LAN

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q17] · Medium

Q97. A company has several servers that store and manage large volumes of data. All storage devices are interconnected for high-speed data access. Which type of network is this?

Ek company के पास कई servers हैं जो बड़ी matra में data store और manage करते हैं। सब storage devices high-speed data access के लिए interconnected हैं। यह कौन सा network है?

(A) LAN **(B)** SAN
(C) CAN **(D)** WAN

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q18] · Medium

Q98. A supplier accessing a company's order tracking system uses:

Ek supplier जो company के order tracking system को access करता है, कौन सा network use करता है?

(A) Internet **(B)** Intranet
(C) Extranet **(D)** VPN

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q19] · Medium

Q99. Which network type provides maximum security and privacy?

कौन सा network type अधिकतम (maximum) security और privacy provide करता है?

(A) Internet **(B)** Intranet
(C) Extranet **(D)** None

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q20] · Medium

Q100. A software company shares project reports and progress updates with its clients through a secure online portal that requires login credentials. Which network type is this?

Ek software company अपने clients के साथ project reports और progress updates एक secure online portal के through share करती है जिसमें login credentials चाहिए। यह कौन सा network type है?

(A) Internet **(B)** Intranet
(C) Extranet **(D)** MAN

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q21] · Medium

Q101. Three or more devices share a link in _____ connection.

Teen या अधिक devices एक link _____ connection में share करते हैं।

(A) Unipoint **(B)** Multipoint
(C) Point to point **(D)** None of the mentioned / इनमें से कोई नहीं

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q36] · Medium

Q102. What are the two types of line configuration?

Line configuration के दो प्रकार क्या हैं?

(A) Simplex and Half-Duplex / Simplex और Half-Duplex
(B) Serial and Parallel / Serial और Parallel
(C) Point-to-Point and Multipoint / Point-to-Point और Multipoint **(D)** Analog and Digital / Analog और Digital

[Source: Forouzan Ch1 (Q1-4) — Practice Set] · Medium

Q103. What is the advantage of a multipoint connection over a point-to-point connection?

Point-to-point connection की तुलना में multipoint connection का क्या लाभ है?

(A) Fewer cables are needed, so the cost is lower / कम cables लगती हैं, इसलिए cost कम होती है **(B)** It provides a dedicated link for every pair of devices / हर device-युग्म को dedicated link मिलता है
(C) It is more secure than point-to-point / यह point-to-point से ज़्यादा secure है **(D)** It needs more cables and ports / इसमें ज़्यादा cables और ports लगते हैं

[Source: Forouzan Ch1 (Q1-3) — Practice Set] · Medium

Q104. A _____ connection provides a dedicated link between two devices.

Ek _____ connection do devices के बीच एक dedicated link provide करता है।

(A) point-to-point **(B)** multipoint
(C) primary **(D)** secondary

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q42] · Medium

Q105. When a person makes a local telephone call to another person, what type of connection is it?

जब कोई व्यक्ति दूसरे व्यक्ति को local telephone call करता है, तो यह किस प्रकार का connection है?

(A) Multipoint connection **(B)** Point-to-point connection
(C) Broadcast connection **(D)** Multicast connection

[Source: Forouzan Ch1 (P1-7) — Practice Set (Problem)] · Medium

Q106. Which of the following is an example of Client-Server architecture?

निम्नलिखित में से कौन Client-Server architecture का example है?

(A) Chat between two Bluetooth devices / do Bluetooth devices के बीच chat **(B)** Web browser accessing a website / web browser जो एक website access कर रहा है
(C) File transfer via USB cable / USB cable से file transfer
(D) Two laptops connected directly / do laptops directly connected

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q23] · Medium

Q107. In a bank, customers use ATMs to check balance or withdraw cash. ATM machines send the request to a central computer for verification and processing. Which type of architecture is used here?

Ek bank में customers ATMs से balance check या cash withdraw करते हैं। ATM machines request एक central computer को verification और processing के लिए bhejte हैं। यहाँ कौन सी architecture use होती है?

(A) Peer-to-Peer **(B)** Client-Server
(C) Multipoint **(D)** Point-to-Point

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q25] · Medium

Q108. In a LAN, connectivity can be created using Wi-Fi or _____.

Ek LAN में connectivity Wi-Fi या _____ से बनाई जा सकती है।

(A) TV **(B)** Radio
(C) Mobile **(D)** Ethernet

[Source: Repo: Random Test- Rajasthan PYQ (RPSC/RSSB)] · Medium

Q109. Which network type is built on top of another existing network?

कौन-सा network type किसी मौजूदा network के ऊपर बनाया जाता है?

(A) Overlay network **(B)** Prime network
(C) Prior network **(D)** Chief network

[Source: Repo: CN Topic Test-02 (UNIT TEST-2)] · Medium

Q110. _____ converts analog voice signals into digital and then transmits them over the broadband line.

_____ analog voice signals को digital में बदलकर broadband line पर भेजता है.

(A) VoIP (Voice over Internet Protocol) **(B)** Chatting
(C) Website **(D)** Video conferencing

[Source: RSMSSB Informatics Assistant 2023 (via examsmantra solved paper)] · Medium

Q111. A company's internal network that uses Internet technology but is accessible only to its employees is called:

Internet technology पर चलने वाला वह internal network जो केवल कर्मचारियों के लिए हो:

(A) Internet **(B)** Extranet
(C) Intranet **(D)** WAN

[Source: Practice — original (textbook-based)] · Medium

Q112. In a peer-to-peer network:

Peer-to-peer network में:

(A) One computer is always the server / एक computer हमेशा server होता है **(B)** Every computer can act as client and server / हर computer client और server दोनों बन सकता है
(C) Only files can be shared / केवल files साझा होती हैं **(D)** It cannot work without a hub / Hub के बिना नहीं चलता

[Source: Practice — original (textbook-based)] · Medium

Q113. When several senders share one communication line through a common path, the access is called:

जब कई senders एक ही line साझा करते हैं, तो वह access है:

(A) Point-to-point **(B)** Dedicated
(C) Multipoint **(D)** Simplex

[Source: Practice — original (textbook-based)] · Medium

Q114. A high-speed network that connects servers to storage devices (disk arrays, tape libraries) is called:

Servers को storage devices (disk arrays, tape libraries) से जोड़ने वाली high-speed network कहलाती है:

(A) SAN (Storage Area Network) **(B)** CAN (Campus Area Network)
(C) PAN (Personal Area Network) **(D)** MAN (Metropolitan Area Network)

[Source: Practice — original (textbook-based)] · Medium

Q115. In a _____ network, the communication channel is shared by all the machines on the network:

_____ network में communication channel network की सभी machines में साझा होता है:

(A) Broadcast (multipoint) network **(B)** Point-to-point network
(C) Circuit-switched WAN **(D)** Extranet

[Source: Practice — original (textbook-based)] · Medium

Q116. Which of these is NOT a type of network?

इनमें से कौन network का एक prakar (type) नहीं है?

(A) LAN **(B)** MAN
(C) WAN **(D)** TAN

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q7] · Hard

Q117. What is the difference between an 'internet' and the 'Internet'?

'internet' और 'Internet' में अंतर क्या है?

(A) There is no difference; both mean the World Wide Web / कोई अंतर नहीं; दोनों का अर्थ World Wide Web है **(B)** An internet is any network of networks; the Internet is the specific global one we use today / internet कोई भी network of networks है; Internet आज की वह विशिष्ट विश्वव्यापी network of networks है

(C) An internet is smaller than a LAN; the Internet is larger than a WAN / internet LAN से छोटा है; Internet WAN से बड़ा है **(D)** An internet uses cables; the Internet uses only wireless / internet cables use करता है; Internet सिर्फ wireless use करता है

[Source: Forouzan Ch1 (Q1-10) — Practice Set] · Hard

Q118. Bank employees access internal financial databases, while customers access their accounts through online banking websites. Which networks are being used by employees and customers respectively?

Bank employees internal financial databases access करते हैं, jabki customers online banking websites के through अपने accounts access करते हैं। Employees और customers kramashah कौन से networks use कर रहे हैं?

(A) Employees - Intranet; Customers - Extranet **(B)** Employees - Internet; Customers - Intranet

(C) Employees - Extranet; Customers - Internet **(D)** Both - Internet / दोनों - Internet

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q22] · Hard

Q119. How many point-to-point WANs are needed to connect n LANs so that every LAN can directly communicate with every other LAN?

n LANs को इस तरह जोड़ने के लिए कितने point-to-point WANs चाहिए कि हर LAN हर दूसरी LAN से सीधे communicate कर सके?

(A) n **(B)** n - 1

(C) n(n - 1)/2 **(D)** n^2

[Source: Forouzan Ch1 (Q1-13) — Practice Set] · Hard

Q120. Which of the following uses Peer-to-Peer (P2P) architecture, not Client-Server?

निम्नलिखित में से कौन Peer-to-Peer (P2P) architecture use करता है, Client-Server नहीं?

(A) BitTorrent file sharing **(B)** Google search

(C) Gmail **(D)** YouTube

[Source: Repo: BCI_SCI Subject Test-01 (UNIT TEST-1 CN & Security), Q24] · Hard

Section F - Network History (ARPANET to Today's Network)

Q121. In the original ARPANET, _____ were directly connected together.

Original ARPANET में, _____ आपस में directly connected the।

(A) IMPs / IMPs (Interface Message Processors) **(B)** host computers

(C) networks **(D)** routers

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q43] · Medium

Q122. The first operational computer network in the world was the _____ for the United States Department of Defense.

दुनिया का पहला operational computer network, United States Department of Defense के लिए _____ था।

(A) ARPANET **(B)** ERNET

(C) SKYNET **(D)** DARPANET

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q48] · Medium

Q123. ARPANET - the precursor of today's Internet - was created in _____ by ARPA (Advanced Research Projects Agency) of the U.S. Department of Defense, starting with four nodes (UCLA, SRI, UC Santa Barbara, University of Utah).

ARPANET - aaj के Internet का purvaj - _____ में ARPA (Advanced Research Projects Agency), U.S. Department of Defense द्वारा बनाया गया था, चार nodes से shuruaat हुई (UCLA, SRI, UC Santa Barbara, University of Utah).

(A) 1957 **(B)** 1969

(C) 1983 **(D)** 1991

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q124. TCP/IP (developed by Vint Cerf and Bob Kahn) was adopted by ARPANET as its official protocol suite on 1 January _____ - an event known as the fflag day.

TCP/IP (Vint Cerf और Bob Kahn द्वारा develop किया गया) को ARPANET ने apna official protocol suite बनाया था 1 January _____ को - is event को fflag day कहा जाता है।

(A) 1969 **(B)** 1972

(C) 1983 **(D)** 1995

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q125. NSFNET, created by the U.S. National Science Foundation in _____, became a major backbone of the Internet, connecting universities and research centres.

NSFNET, U.S. National Science Foundation द्वारा _____ में बनाया गया, Internet का एक major backbone बन गया, universities और research centres को जोड़ता था।

(A) 1969 **(B)** 1983
(C) 1986 **(D)** 1991

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q126. The World Wide Web (WWW) was invented in 1991 at CERN by _____, and it made the Internet popular among the general public.

World Wide Web (WWW) का invention 1991 में CERN में _____ ने किया था, और isne Internet को आम public के बीच popular बनाया।

(A) Vint Cerf **(B)** Tim Berners-Lee
(C) Bob Kahn **(D)** Marc Andreessen

[Source: Extra (Forouzan) - fills syllabus gap] · Medium

Q127. ARPANET, the ancestor of today's Internet, became operational in:

आज के Internet का पूर्वज ARPANET किस वर्ष चालू हुआ?

(A) 1969 **(B)** 1983
(C) 1991 **(D)** 1975

[Source: Practice — original (textbook-based)] · Medium

Q128. The protocol suite used by today's Internet was developed as part of:

आज के Internet का protocol suite किस परियोजना का हिस्सा था?

(A) NSFNET **(B)** ARPANET/TCP-IP project / ARPANET/TCP-IP परियोजना
(C) Ethernet project / Ethernet परियोजना **(D)** ISO project / ISO परियोजना

[Source: Practice — original (textbook-based)] · Medium

Q129. The NSF backbone network that replaced ARPANET as the Internet's main backbone in the 1980s was:

1980s में ARPANET की जगह Internet का मुख्य backbone बना NSF का network था:

(A) NSFNET **(B)** MILNET
(C) BITNET **(D)** USENET

[Source: Practice — original (textbook-based)] · Medium

Section G - General Network Basics (WWW, E-mail, Protocols, Servers, Switching - from repo intro tests)

Q130. A collection of hyperlinked documents on the internet forms the?

Internet पर hyperlinked documents का sangrah (collection) क्या banata है?

(A) World Wide Web (WWW) **(B)** E-mail system
(C) Mailing list **(D)** Hypertext markup language / hypertext markup language (HTML)

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q5] · Medium

Q131. Which one of the following is a valid email address?

निम्नलिखित में से कौन सा एक valid email address है?

(A) computech@academy.com **(B)** gmail.com
(C) compu@.com **(D)** computech@books

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q6] · Medium

Q132. Which of the following best describes uploading information?

निम्नलिखित में से कौन uploading information को सबसे achhe से describe करता है?

(A) Sorting data on a disk drive / disk drive पर data को sort करना **(B)** Sending information to a host computer / information को एक host computer को भेजना
(C) Receiving information from a host computer / एक host computer से information receive करना **(D)** Sorting data on a hard drive / hard drive पर data को sort करना

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q7] · Medium

Q133. Which one of the following is the most common internet protocol?

Nimnlikhis में से कौन सा सबसे common internet protocol है?

(A) HTML **(B)** NetBEUI
(C) TCP/IP **(D)** IPX/SPX

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q8] · Medium

Q134. The dial-up connections to access the internet use ___ protocol.

Internet access के लिए dial-up connections ___ protocol use करते हैं।

(A) PPP (Point to Point protocol) **(B)** X.25 protocol
(C) PLIP protocol **(D)** None of the above / इनमें से कोई नहीं

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q18] · Medium

Q135. When a resident uses a dial-up or DSL service to connect to the Internet, what is the role of the telephone company?

जब कोई व्यक्ति Internet से जुड़ने के लिए dial-up या DSL service use करता है, तो telephone company की भूमिका क्या होती है?

(A) It provides the switching/connection path from the user to the ISP / वह user से ISP तक switching/connection path देती है **(B)** It hosts every website the user visits / वह user की हर website host करती है
(C) It assigns IP addresses to every website / वह हर website को IP address देती है **(D)** It encrypts all the user's data / वह user का सारा data encrypt करती है

[Source: Forouzan Ch1 (Q1-14) — Practice Set] · Medium

Q136. Which of the following servers allows LAN users to share data?

निम्नलिखित में से कौन सा server LAN users को data share करने की अनुमति देता है?

(A) Data server **(B)** Point server
(C) File server **(D)** Communication server

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q22] · Medium

Q137. EDI stands for ____.

EDI का पूरा नाम है ____.

(A) Electronic Data Interchange **(B)** Electronic Digital Internet
(C) Electronic Digital Interchange **(D)** Electronic Data Internet

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q25] · Medium

Q138. The term UPnP is a short form of:

UPnP term का पूरा नाम (full form) क्या है?

(A) Uniform Plug and Play **(B)** Unit Plug and Play
(C) Useful Plug and Play **(D)** Universal Plug and Play

[Source: Repo: Unit Test-4 Solution (OCR), p11] · Medium

Q139. Consider the switching statements: 1. Circuit Switching establishes a dedicated path. 2. Packet Switching routes data in packets on different paths. 3. Message Switching uses store-and-forward. Which statements are correct?

Switching statements देखिए: 1. Circuit Switching dedicated path बनाता है। 2. Packet Switching data को packets में अलग paths पर भेजता है। 3. Message Switching store-and-forward use करता है। कौन से statements सही हैं?

(A) 1 and 2 only / सिर्फ 1 और 2 **(B)** 2 and 3 only / सिर्फ 2 और 3
(C) 1 and 3 only / सिर्फ 1 और 3 **(D)** 1, 2 and 3 / 1, 2 और 3

[Source: Repo: BCI Subject Test-9 (BCI/SCI Batch)] · Medium

Q140. All the information on the internet is passed using _____ switching method.

Internet पर saari information _____ switching method से pass होती है।

(A) Portable **(B)** Packets
(C) Pouch **(D)** Primary

[Source: Repo: Random Test- Rajasthan PYQ (RPSC/RSSB)] · Medium

Q141. Which technique breaks data into packets for transmission?

Transmission के लिए data को packets में तोड़ने की technique कौन-सी है?

(A) Circuit switching **(B)** Packet switching
(C) Frequency division multiplexing **(D)** Time division multiplexing

[Source: Repo: CN Topic Test 6 (UNIT TEST-6)] · Medium

Q142. In telephone networks, a dedicated end-to-end path is established before communication. This is:

Telephone network में संचार से पहले समर्पित मार्ग बनता है। यह है:

(A) Packet switching **(B)** Circuit switching
(C) Message switching **(D)** Datagram switching

[Source: Practice — original (textbook-based)] · Medium

Q143. In ATM (Asynchronous Transfer Mode) switching, data is carried in fixed-size cells of _____ bytes:

ATM (Asynchronous Transfer Mode) switching में data _____ bytes की fixed-size cells में जाता है:

(A) 53 **(B)** 64
(C) 128 **(D)** 1500

[Source: Practice — original (textbook-based)] · Medium

Q144. In _____ switching, the resources needed for communication are reserved for the duration of the session:

_____ switching में, संचार के लिए आवश्यक संसाधन पूरे session की अवधि के लिए आरक्षित रहते हैं:

(A) Circuit **(B)** Packet
(C) Message **(D)** Cell

[Source: Practice — original (textbook-based)] · Medium

Q145. The conditional GET mechanism

(A) Imposes conditions on the objects to be requested
(B) Limits the number of response from a server
(C) Helps to keep a cache upto date **(D)** None of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf] · Medium

Q146. Expansion of FTP is

(A) Fine Transfer Protocol **(B)** File Transfer Protocol
(C) First Transfer Protocol **(D)** None of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf] · Medium

Q147. WiMAX is mostly used for

(A) local area network **(B)** metropolitan area network
(C) personal area network **(D)** none of the mentioned

[Source: Repo: DCN_MCQ-Ashwini-.pdf] · Medium

Q148. The decimal code of Interpret as Command (IAC) character is _____

(A) 252 **(B)** 253
(C) 254 **(D)** 255

[Source: Repo: computer-networks [set 10].pdf] · Medium

Q149. Port number used by Network Time Protocol (NTP) with UDP is _____

(A) 161 **(B)** 123
(C) 162 **(D)** 124

[Source: Repo: computer-networks [set 10].pdf] · Medium

Q150. Delay of the resource allocated during setup phase during data transfer is _____

(A) constant **(B)** increases for each packet
(C) same for each packet **(D)** different for each packet

[Source: Repo: computer-networks [set 10].pdf] · Medium

Q151. Delay of the resource allocated on demand during data transfer is _____

(A) constant **(B)** increases for each packet
(C) same for each packet **(D)** different for each packet

[Source: Repo: computer-networks [set 10].pdf] · Medium

Q152. ATM standard defines _____ layers

(A) 2 **(B)** 3
(C) 4 **(D)** 5

[Source: Repo: computer-networks [set 10].pdf] · Medium

Q153. ATM can be used for _____

(A) local area network **(B)** wide area network
(C) campus area network **(D)** networks covering any range

[Source: Repo: computer-networks [set 10].pdf] · Medium

Q154. Virtual circuit identifier in frame relay is called _____

(A) data link connection identifier **(B)** frame relay identifier
(C) cell relay identifier **(D)** circuit connection identifier

[Source: Repo: computer-networks [set 10].pdf] · Medium

Q155. What is FRAD in frame relay network?

(A) frad assembles and disassembles the frames coming from other protocols **(B)** frad is used for modulation and demodulation
(C) frad is used for error detection **(D)** frad is used for error recovery

[Source: Repo: computer-networks [set 10].pdf] · Medium

Q156. Frame Relay is cheaper than other ____

(A) lans **(B)** wans
(C) mans **(D)** multipoint networks

[Source: Repo: computer-networks [set 10].pdf] · Medium

Q157. Frame Relay networks offer an option called _____

(A) voice over for relay **(B)** voice over fine relay
(C) voice on frame relay **(D)** voice over frame relay

[Source: Repo: computer-networks [set 11].pdf] · Medium

Q158. There are _____ total features of Frame Relay

(A) five **(B)** seven
(C) nine **(D)** ten

[Source: Repo: computer-networks [set 11].pdf] · Medium

Q159. URL stands for _____

(A) unique reference label **(B)** uniform reference label
(C) uniform resource locator **(D)** unique resource locator

[Source: Repo: computer-networks [set 11].pdf] · Medium

Q160. What is document object model (DOM)?

(A) convention for representing and interacting with objects in html documents **(B)** application programming interface
(C) hierarchy of objects in asp.net **(D)** scripting language

[Source: Repo: computer-networks [set 11].pdf] · Medium

Q161. AJAX stands for _____

(A) asynchronous javascript and xml **(B)** advanced jsp and xml
(C) asynchronous jsp and xml **(D)** advanced javascript and xml

[Source: Repo: computer-networks [set 11].pdf] · Medium

Q162. Range of port numbers in Internet model is _____

(A) 0 and 32,765(8-bit) **(B)** 0 and 32,765(16-bit)
(C) 0 and 65,535(32-bit) **(D)** 0 and 65,535(16-bit)

[Source: Repo: computer-networks [set 11].pdf] · Medium

Q163. Which of the following is true regarding RIPv2?

(A) it has a lower administrative distance than ripv1
(B) it converges faster than ripv1
(C) it has the same timers as ripv1 **(D)** it is harder to configure than ripv1

[Source: Repo: computer-networks [set 12].pdf] · Medium

Q164. Which protocol maintains neighbor adjacencies?

(A) ripv2 and eigrp **(B)** igrp and eigrp
(C) ripv2 **(D)** eigrp

[Source: Repo: computer-networks [set 12].pdf] · Medium

Q165. The File Transfer Protocol is built on _____

(A) data centric architecture **(B)** service oriented architecture
(C) client server architecture **(D)** connection oriented architecture

[Source: Repo: computer-networks [set 12].pdf] · Medium

Q166. In File Transfer Protocol, data transfer cannot be done in _____

(A) stream mode **(B)** block mode
(C) compressed mode **(D)** message mode

[Source: Repo: computer-networks [set 12].pdf] · Medium

Q167. What does REST stand for?

(A) represent state transfer **(B)** representational state transfer
(C) representing state transfer **(D)** representation state transfer

[Source: Repo: computer-networks [set 12].pdf] · Medium

Q168. RPF stands for _____

(A) reverse path forwarding **(B)** reverse path failure
(C) reverse packet forwarding **(D)** reverse protocol failure

[Source: Repo: computer-networks [set 13].pdf] · Medium

Q169. LSP stands for _____

(A) link stable packet **(B)** link state packet
(C) link state protocol **(D)** link state path

[Source: Repo: computer-networks [set 13].pdf] · Medium

Q170. The outcome of Dijkstra's calculation is used to populate the _____

(A) topology table **(B)** routing table
(C) neighbor table **(D)** adjacency table

[Source: Repo: computer-networks [set 13].pdf] · Medium

Q171. Which multicast address does the OSPF Hello protocol use?

(A) 224.0.0.5 **(B)** 224.0.0.6
(C) 224.0.0.7 **(D)** 224.0.0.8

[Source: Repo: computer-networks [set 13].pdf] · Medium

Q172. DBD packets are involved during which two states?

(A) exstart and exchange **(B)** loading and two-way
(C) init and full **(D)** down and loading

[Source: Repo: computer-networks [set 13].pdf] · Medium

Q173. Performance management is closely related to _____

(A) proactive fault management **(B)** fault management
(C) reactive fault management **(D)** preventive fault management

[Source: Repo: computer-networks [set 13].pdf] · Medium

Q174. A network management system can be divided into _____

(A) three categories **(B)** five broad categories
(C) seven broad categories **(D)** ten broad categories

[Source: Repo: computer-networks [set 13].pdf] · Medium

Q175. Ping sweep is a part of _____

(A) traceroute **(B)** nmap
(C) route **(D)** ipconfig

[Source: Repo: computer-networks [set 13].pdf] · Medium

Q176. What is interframe gap?

(A) idle time between frames **(B)** idle time between frame bits
(C) idle time between packets **(D)** idle time between networks

[Source: Repo: computer-networks [set 14].pdf] · Medium

Q177. What is internet?

(A) a single network **(B)** a vast collection of different networks
(C) interconnection of local area networks **(D)** interconnection of wide area networks

[Source: Repo: computer-networks [set 14].pdf] · Medium

Q178. To join the internet, the computer has to be connected to a _____

(A) internet architecture board **(B)** internet society
(C) internet service provider **(D)** different computer

[Source: Repo: computer-networks [set 14].pdf] · Medium

Q179. ISP exchanges internet traffic between their networks by _____

(A) internet exchange point **(B)** subscriber end point
(C) isp end point **(D)** internet end point

[Source: Repo: computer-networks [set 14].pdf] · Medium

Q180. Which protocol assigns IP address to the client connected in the internet?

(A) dhcp **(B)** ip
(C) rpc **(D)** rsvp

[Source: Repo: computer-networks [set 14].pdf] · Medium

Q181. An interconnected collection of piconet is called _____

(A) scatternet **(B)** micronet
(C) mininet **(D)** multinet

[Source: Repo: computer-networks [set 14].pdf] · Medium

Q182. Bluetooth transceiver devices operate in _____ band

(A) 2.4 ghz ism **(B)** 2.5 ghz ism
(C) 2.6 ghz ism **(D)** 2.7 ghz ism

[Source: Repo: computer-networks [set 14].pdf] · Medium

Q183. A scatternet can have maximum _____

(A) 10 piconets **(B)** 20 piconets
(C) 30 piconets **(D)** 40 piconets

[Source: Repo: computer-networks [set 14].pdf] · Medium

Q184. RTP is used to _____

(A) carry the media stream **(B)** monitor transmission statistics of streams
(C) monitor quality of service of streams **(D)** secure the stream

[Source: Repo: computer-networks [set 14].pdf] · Medium

Q185. Which protocol provides the synchronization between media streams?

(A) rtp **(B)** rtcp
(C) rpc **(D)** rtct

[Source: Repo: computer-networks [set 14].pdf] · Medium

Q186. An RTP session is established for _____

(A) each media stream **(B)** all media streams
(C) some predefined number of media streams **(D)** no media stream

[Source: Repo: computer-networks [set 14].pdf] · Medium

Q187. An RPC (remote procedure call) is initiated by the _____

(A) server **(B)** client
(C) client after the sever **(D)** a third party

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q188. In RPC, while a server is processing the call, the client is blocked _____

(A) unless the client sends an asynchronous request to the server **(B)** unless the call processing is complete
(C) for the complete duration of the connection **(D)** unless the server is disconnected

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q189. RPC works between two processes. These processes must be _____

(A) on the same computer **(B)** on different computers connected with a network
(C) on the same computer and also on different computers connected with a network **(D)** on none of the computers

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q190. RPC is a _____

(A) synchronous operation **(B)** asynchronous operation
(C) time independent operation **(D)** channel specific operation

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q191. Which of the following is an advantage of anomaly detection?

(A) rules are easy to define **(B)** custom protocols can be easily analyzed
(C) the engine can scale as the rule set grows **(D)** malicious activity that falls within normal usage patterns is detected

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q192. PPP consists of _____components

(A) three (encapsulating, the domain name system)
(B) three (encapsulating, a link control protocol, ncp)
(C) two (a link control protocol, simple network control protocol) **(D)** one (simple network control protocol)

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q193. A Link Control Protocol (LCP) is used for _____

(A) establishing, configuring and testing the data-link connection **(B)** establishing and configuring different network-layer protocols
(C) testing the different network-layer protocols **(D)** provides for multiplexing of different network-layer protocols

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q194. A family of network control protocols (NCPs) _____

(A) are a series of independently defined protocols that provide a dynamic **(B)** are a series of independently-defined protocols that encapsulate
(C) are a series of independently defined protocols that provide transparent **(D)** the same as nfs

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q195. EIGRP metric is _____

(A) k-values **(B)** bandwidth only
(C) hop count **(D)** delay only

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q196. Administrative distance for external EIGRP route is _____

(A) 90 **(B)** 170
(C) 110 **(D)** 100

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q197. EIGRP uses the _____ algorithm for finding shortest path

(A) spf **(B)** dual
(C) linkstat **(D)** djikstra's

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q198. Message Oriented Middleware allows general purpose messages to be exchanged in a Client/Server system using message queues

(A) True **(B)** False
(C) none **(D)** other

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q199. Which of the following below is a loopback IPaddress?

(A) 127.0.0.0 **(B)** 127.0.1.1
(C) 127.0.1.0 **(D)** 127.0.0.1

[Source: Repo: computer-networks [set 15].pdf] · Medium

Q200. Piconets in the blue tooth a minimum of two and amaximum of Bluetooth peer devices

(A) five **(B)** eight
(C) nine **(D)** four

[Source: Repo: computer-networks [set 16].pdf] · Medium

Q201. Dynamic addressing doesn't allow many devices To share limited address space on a network

(A) True **(B)** False
(C) none **(D)** other

[Source: Repo: computer-networks [set 16].pdf] · Medium

Q202. When computers in a network listen and receive the signal, it is termed as active toplogy

(A) True **(B)** False
(C) none **(D)** other

[Source: Repo: computer-networks [set 16].pdf] · Medium

Q203. The physical layer is concerned with the movement of over the physical medium

(A) programs **(B)** dialogs
(C) protocols **(D)** Bits

[Source: Repo: computer-networks [set 16].pdf] · Medium

Q204. Which port is reserved for use of the SMTP protocol?

(A) 21 **(B)** 23
(C) 25 **(D)** 53

[Source: Repo: computer-networks [set 16].pdf] · Medium

Q205. Communication channel is shared by all the machines on the networkin

(A) Broadcast network **(B)** Unicast network
(C) Multicast network **(D)** Anycast network

[Source: Repo: computer-networks [set 16].pdf] · Medium

Q206. Which Project 802 standard provides for a collision-free protocol?

(A) 802.2 **(B)** 802.3
(C) 802.5 **(D)** 802.6

[Source: Repo: computer-networks [set 17].pdf] · Medium

Q207. What is the use of Ping command?

(A) To test a device on the network is reachable **(B)** To test a hard disk fault
(C) To test a bug in an Application **(D)** To test a Pinter Quality

[Source: Repo: computer-networks [set 17].pdf] · Medium

Q208. can detect burst error of length less than or equal to degree of the polynomial and detects burst errors that affect odd number of bits

(A) Hamming Code **(B)** CRC
(C) VRC **(D)** None of the above

[Source: Repo: computer-networks [set 17].pdf] · Medium

Q209. The translates internet domain and host names to IP address

(A) domain name system **(B)** routing information protocol
(C) network time protocol **(D)** internet relay chat

[Source: Repo: computer-networks [set 17].pdf] · Medium

Q210. This is a time-sensitive service:
(A) File transfer **(B)** File download
(C) E-mail **(D)** Internet telephony
[Source: Repo: computer-networks [set 17].pdf] · Medium

Q211. The first Network:
(A) CNNET **(B)** NSFNET
(C) ASAPNET **(D)** ARPANET
[Source: Repo: computer-networks [set 17].pdf] · Medium

Q212. Which organization has authority over interstate and international commerce in the communications field?
(A) ITU-T **(B)** IEEE
(C) FCC **(D)** ISOC
[Source: Repo: computer-networks [set 17].pdf] · Medium

Q213. A small network making up the Internet and also having a small numbers of computers within it is called
(A) Host **(B)** Address
(C) Subdomain **(D)** None of the above
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q214. In CRC there is no error if the remainder at the receiver is
(A) equal to the remainder at the sender **(B)** zero
(C) nonzero **(D)** the quotient at the sender
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q215. Internet-like networks within an enterprise
(A) Intranets **(B)** Switching alternating
(C) Inter organizational networks **(D)** Extranets
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q216. Sending a file from your personal computer's primary memory or disk to another computer is called
(A) uploading **(B)** downloading
(C) logging on **(D)** hangs on
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q217. Which address is the loopback address?
(A) 0.0.0.1 **(B)** 127.0.0.0
(C) 127.0.0.1 **(D)** 255.255.255.255
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q218. A modulator converts a signal to a(n) signal
(A) FSK; PSK **(B)** PSK; FSK
(C) analog; digital **(D)** digital; analog
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q219. The birthplace of the World Wide Web is considered to be
(A) the Department of Defence **(B)** CERN
(C) ARPA **(D)** Netscape
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q220. What does the acronym ISDN stand for?
(A) Indian Standard Digital Network **(B)** Integrated Services Digital Network
(C) Intelligent Services Digital Network **(D)** Integrated Services Data Network
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q221. ASK, PSK, FSK, and QAM are examples of encoding
(A) digital-to-digital **(B)** digital-to-analog
(C) analog-to-analog **(D)** analog-to-digital
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q222. Pure ALOHA has a maximum throughput of
(A) 16.4 % **(B)** 18.4 %
(C) 7.4 % **(D)** 1 %
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q223. The 802.5 standard implements a way for preventing collisions on the network. How are collisions prevented when using this standard?
(A) CSMA/CD **(B)** Token passing
(C) Collision detection **(D)** Time sharing
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q224. In serial data transmission, every byte of data is padded with a '0' in the beginning and one or two '1' s at the end of byte because
(A) Receiver is to be synchronized for byte reception
(B) Receiver recovers lost '0' and '1's from these padded bits
(C) Padded bits are useful in parity computation **(D)** None of these
[Source: Repo: computer-networks [set 18].pdf] · Medium

Q225. What will be the efficiency of a Stop and Wait protocol, if the transmission time for a frame is 20ns and the propagation time is 30ns?
(A) 20% **(B)** 25%
(C) 40% **(D)** 66%
[Source: Repo: computer-networks [set 19].pdf] · Medium

Q226. The state when dedicated signals are idle are called

(A) Death period **(B)** Poison period
(C) Silent period **(D)** Stop period

[Source: Repo: computer-networks [set 19].pdf] · Medium

Q227. When 2 or more bits in a data unit has been changed during the transmission, the error is called

(A) random error **(B)** burst error
(C) inverted error **(D)** none of the mentioned

[Source: Repo: computer-networks [set 1].pdf] · Medium

Q228. Transport layer protocols deals with

(A) application to application communication **(B)** process to process communication
(C) node to node communication **(D)** none of the mentioned

[Source: Repo: computer-networks [set 2].pdf] · Medium

Q229. Which one of the following protocol delivers/stores mail to reciever server?

(A) simple mail transfer protocol **(B)** post office protocol
(C) internet mail access protocol **(D)** hypertext transfer protocol

[Source: Repo: computer-networks [set 2].pdf] · Medium

Q230. Which one of the following is an internet standard protocol for managing devices on IP network?

(A) dynamic host configuration protocol **(B)** simple newtwork management protocol
(C) internet message access protocol **(D)** media gateway protocol

[Source: Repo: computer-networks [set 2].pdf] · Medium

Q231. Which protocol is a signalling communication protocol used for controlling multimedia communication sessions?

(A) session initiation protocol **(B)** session modelling protocol
(C) session maintenance protocol **(D)** none of the mentioned

[Source: Repo: computer-networks [set 2].pdf] · Medium

Q232. The entire hostname has a maximum of

(A) 255 characters **(B)** 127 characters
(C) 63 characters **(D)** 31 characters

[Source: Repo: computer-networks [set 2].pdf] · Medium

Q233. Wildcard domain names start with label

(A) @ **(B)** *
(C) & **(D)**

[Source: Repo: computer-networks [set 2].pdf] · Medium

Q234. The right to use a domain name is delegated by domain name registers which are accredited by

(A) internet architecture board **(B)** internet society
(C) internet research task force **(D)** internet corporation for assigned names and numbers

[Source: Repo: computer-networks [set 2].pdf] · Medium

Q235. The domain name system is maintained by

(A) distributed database system **(B)** a single server
(C) a single computer **(D)** none of the mentioned

[Source: Repo: computer-networks [set 2].pdf] · Medium

Q236. Which operating mode of telnet is full duplex?

(A) default mode **(B)** server mode
(C) line mode **(D)** none of the mentioned

[Source: Repo: computer-networks [set 2].pdf] · Medium

Q237. HTTP client requests by establishing a _____ connection to a particular port on the server

(A) user datagram protocol **(B)** transmission control protocol
(C) broader gateway protocol **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf] · Medium

Q238. Among the optical-distribution architectures that is essentially switched ehternet is

(A) aon **(B)** pon
(C) non **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf] · Medium

Q239. Physical or logical arrangement of network is

(A) topology **(B)** routing
(C) networking **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf] · Medium

Q240. In this topology there is a central controller or hub

(A) star **(B)** mesh
(C) ring **(D)** bus

[Source: Repo: computer-networks [set 3].pdf] · Medium

Q241. Data communication system spanning states, countries, or the whole world is

(A) lan **(B)** wan
(C) man **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf] · Medium

Q242. Data communication system within a building or campus is

(A) lan **(B)** wan
(C) man **(D)** none of the mentioned

[Source: Repo: computer-networks [set 3].pdf] · Medium

Q243. Internet access by transmitting digital data over the wires of a local telephone network is provided by

(A) leased line **(B)** digital subscriber line
(C) digital signal line **(D)** none of the mentioned

[Source: Repo: computer-networks [set 4].pdf] · Medium

Q244. After obtaining the IP address, to prevent the IP conflict the client may use

(A) internet relay chat **(B)** broader gateway protocol
(C) address resolution protocol **(D)** none of the mentioned

[Source: Repo: computer-networks [set 4].pdf] · Medium

Q245. Which protocol defines a profile of RTP that provides cryptographic services for the transfer of payload data?

(A) srtp **(B)** rtcp
(C) rcp **(D)** none of the mentioned

[Source: Repo: computer-networks [set 4].pdf] · Medium

Q246. The commands, from client to server, and replies, from server to client, are sent across the control connection in ____ bit ASCII format

(A) 8 **(B)** 7
(C) 3 **(D)** 5

[Source: Repo: computer-networks [set 5].pdf] · Medium

Q247. The time taken by a packet to travel from client to server and then back to the client is called ____

(A) stt **(B)** rtt
(C) ptt **(D)** none of the mentioned

[Source: Repo: computer-networks [set 5].pdf] · Medium

Q248. A field in header is used to specify the number of characters in the frame

(A) start bit **(B)** character count
(C) end bit **(D)** character stuffing

[Source: Repo: computer-networks [set 5].pdf] · Medium

Q249. Which network topology requires a central controller or hub?

(A) star **(B)** mesh
(C) ring **(D)** bus

[Source: Repo: computer-networks [set 6].pdf] · Medium

Q250. Datagram networks mainly refers to _____

(A) connection oriented networks **(B)** connection less networks
(C) telephone networks **(D)** internetwork

[Source: Repo: computer-networks [set 6].pdf] · Medium

Q251. Which of the following computer networks is built on the top of another network?

(A) prior network **(B)** chief network
(C) prime network **(D)** overlay network

[Source: Repo: computer-networks [set 6].pdf] · Medium

Q252. CRC stands for _____

(A) cyclic redundancy check **(B)** code repeat check
(C) code redundancy check **(D)** cyclic repeat check

[Source: Repo: computer-networks [set 7].pdf] · Medium

Q253. The total nodal delay is given by _____

(A) dnodal = dproc – dqueue + dtrans + dprop **(B)** dnodal = dproc + dtrans – dqueue
(C) dnodal = dproc + dqueue + dtrans + dprop **(D)** dnodal = dproc + dqueue – dtrans – dprop

[Source: Repo: computer-networks [set 7].pdf] · Medium

Q254. Which of the following architecture uses the CSMA/CD access method?

(A) arc net **(B)** ethernet
(C) router **(D)** stp server

[Source: Repo: computer-networks [set 7].pdf] · Medium

Q255. E-mail is _____

(A) loss-tolerant application **(B)** bandwidth-sensitive application
(C) elastic application **(D)** none of the mentioned

[Source: Repo: computer-networks [set 8].pdf] · Medium

Q256. Pick the odd one out

(A) file transfer **(B)** file download
(C) e-mail **(D)** interactive games

[Source: Repo: computer-networks [set 8].pdf] · Medium

Q257. When the mail server sends mail to other mail servers it becomes _____

(A) smtp server **(B)** smtp client
(C) peer **(D)** master

[Source: Repo: computer-networks [set 8].pdf] · Medium

Q258. Internet mail places each object in _____

(A) separate messages for each object **(B)** one message
(C) varies with number of objects **(D)** multiple messages for each object

[Source: Repo: computer-networks [set 8].pdf] · Medium

Q259. Which of the following is an example of user agents for e-mail?

(A) microsoft outlook **(B)** facebook
(C) google **(D)** tumblr

[Source: Repo: computer-networks [set 8].pdf] · Medium

Q260. Which one of the following protocol is used to receive mail messages?

(A) smtp **(B)** post office protocol (pop)
(C) internet message access protocol (imap) **(D)** ftp

[Source: Repo: computer-networks [set 9].pdf] · Medium

Q261. SCP protocol is evolved from _____ over SSH

(A) rcp protocol **(B)** dhcp protocol
(C) mgcp protocol **(D)** gcp protocol

[Source: Repo: computer-networks [set 9].pdf] · Medium

Q262. Which protocols are used for Storage management?

(A) snmp **(B)** ldap
(C) pop3 **(D)** mib

[Source: Repo: computer-networks [set 9].pdf] · Medium

Q263. Configuration management can be divided into which two subsystems?

(A) reconfiguration and documentation **(B)** management and configuration
(C) documentation and dialing up **(D)** configuration and dialing up

[Source: Repo: computer-networks [set 9].pdf] · Medium

Q264. To use a Simple Network Management System, we need _____

(A) servers **(B)** ip
(C) protocols **(D)** rules

[Source: Repo: computer-networks [set 9].pdf] · Medium

Q265. The vast network of computers that connects millions of people all over the world is called

(A) Internet **(B)** Hypertext
(C) LAN **(D)** Web

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q266. Which has continuous transmission?

(A) Asynchronous **(B)** Synchronous
(C) Asynchronous & Synchronous **(D)** None of the mentioned

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q267. How error detection and correction is done?

(A) By passing it through equalizer **(B)** By passing it through filter
(C) By amplifying it **(D)** By adding redundancy bits

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q268. Which is more efficient?

(A) Parity check **(B)** Cyclic redundancy check
(C) Parity & Cyclic redundancy check **(D)** None of the mentioned

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q269. Which can detect two bit errors?

(A) Parity check **(B)** Cyclic redundancy check
(C) Parity & Cyclic redundancy check **(D)** None of the mentioned

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q270. Frequency and period are _____

(A) proportional to each other **(B)** inverse of each other
(C) the same **(D)** none of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q271. _____ is a type of transmission impairment in which an outside source such as crosstalk corrupts a signal

(A) Noise **(B)** Distortion
(C) Attenuation **(D)** Decibel

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q272. The wavelength of a signal depends on the _____

(A) Frequencies of the signal **(B)** Medium
(C) Phase of the signal **(D)** (a) and

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q273. _____ is a multiple-access method in which the available bandwidth of a link is shared in time, frequency, or through code, between different stations

(A) Random access **(B)** Controlled access
(C) Channelization **(D)** none of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q274. Machine that places the request to access the data is generally called as _____

(A) Server Machine **(B)** Client Machine
(C) Request Machine **(D)** None of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q275. Sending a packet to all destinations simultaneously is called

(A) Multicasting **(B)** Unicasting
(C) Telecasting **(D)** Broadcasting

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q276. Sending a message to a well defined group that are numerically large in size but small compared to the network as a whole is called

(A) Unicasting **(B)** Multicasting
(C) Broadcasting **(D)** None of these

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q277. In cyclic redundancy checking, the divisor is _____ the CRC

(A) one bit less than **(B)** one bit more than
(C) The same size as **(D)** none of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q278. The _____ between two words is the number of differences between corresponding bits

(A) Hamming rule **(B)** Hamming code
(C) Hamming distance **(D)** none of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q279. In modulo-2 arithmetic, _____ give the same results

(A) addition and subtraction **(B)** addition and multiplication
(C) addition and division **(D)** none of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q280. In _____ coding, we divide our message into blocks, each of k bits, called ___

(A) block; blockwords **(B)** block; datawords
(C) linear; datawords **(D)** none of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q281. Adding 1 and 1 in modulo-2 arithmetic results in _____

(A) 0 **(B)** 1
(C) 2 **(D)** none of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q282. A generator that contains a factor of ___ can detect all odd-numbered errors

(A) x **(B)** 1
(C) x + 1 **(D)** none of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q283. What is the total vulnerable time value of pure Aloha?

(A) Tfr **(B)** 1/2 Tfr
(C) 2 * Tfr **(D)** 4 * Tfr

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Medium

Q284. FDDI used which type of physical topology?

(A) Bus **(B)** Ring
(C) Star **(D)** Tree

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q285. FTP stands for

(A) File transfer protocol **(B)** File transmission protocol
(C) Form transfer protocol **(D)** Form transmission protocol

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q286. If all devices are connected to a central hub, then topology is called

(A) Bus Topology **(B)** Ring Topology
(C) Star Topology **(D)** Tree Topology

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q287. The ..... layer change bits onto electromagnetic signals

(A) Physical **(B)** Transport
(C) Data Link **(D)** Presentation

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q288. In mesh topology, relationship between one device and another is

(A) Primary to peer **(B)** Peer to primary
(C) Primary to secondary **(D)** Peer to Peer

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q289. What is the name of the network topology in which there are bi-directional links between each possible node?

(A) Ring **(B)** Star
(C) Tree **(D)** Mesh

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q290. In which OSI layers does the FDDI protocol operate?

(A) Physical **(B)** Data link
(C) Network **(D)** A and B

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q291. The standard suit of protocols used by the Internet, Intranets, extranets and some other networks

(A) TCP/IP **(B)** Protocol
(C) Open system **(D)** Internet work processor

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q292. State whether the following is True or False. i) In bus topology, heavy Network traffic slows down the bus speed. ii) It is multipoint configuration

(A) True, True **(B)** True, False
(C) False, True **(D)** False, False

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q293. The ..... layer is responsible for resolving access to the shared media or resources

(A) Physical **(B)** Mac sub layer
(C) Network **(D)** Transport

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q294. A WAN typically spans a set of countries that have data rates less than ..... Mbps

(A) 2 **(B)** 1
(C) 4 **(D)** 100 Answers:

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q295. A ..... is an extension of an enterprise's private intranet across a public Network such as the Internet across a public Network such as the Internet, creating a secure private connection

(A) VNP **(B)** VPN
(C) VSN **(D)** VSPN Answers:

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Medium

Q296. Home broadband connections that work on DSL (Digital Subscriber Line) use ___ protocol.

DSL (Digital Subscriber Line) पर काम करने वाले home broadband connections ___ protocol use करते हैं।

(A) PPPoE (PPP over Ethernet) **(B)** PPPoA (PPP over ATM)
(C) Bridge protocol **(D)** All of the above / ऊपर दिए गए सभी

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q19] · Hard

Q297. A computer network permits sharing of:

एक computer network किस चीज़ की sharing की अनुमति देता है?

(A) Resources / resources (printer, disk, etc.) **(B)** Information / information (data)
(C) Both a & b / दोनों a और b **(D)** None of these / इनमें से कोई नहीं

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q47 / CN Topic Test-02 (UNIT TEST-2), Q47] · Hard

Q298. Which of the following is a benefit of networking?

Networking का कौन-सा लाभ (benefit) है?

(A) File sharing **(B)** Easier access to resources / resources तक आसान पहुँच
(C) Easier backups / आसान backups **(D)** All of the above / ऊपर दिए गए सभी

[Source: InstrumentationTools 150 CN MCQs] · Hard

Q299. How many digits of the Data Network Identification Code (DNIC) identify the country?

Data Network Identification Code (DNIC) के kitne digits देश (country) की पहचान करते हैं?

(A) first three / पहले तीन **(B)** first four / पहले चार
(C) first five / पहले पाँच **(D)** first six / पहले छह

[Source: Repo: CN Topic Test-01 (UNIT TEST-1), Q15] · Hard

Q300. Which of the following is true for Circuit Switching handling multiple simultaneous connections?

एक साथ अनेक connections संभालते समय Circuit Switching के बारे में क्या सही है?

(A) A single path is used and shared for all data / एक ही path सभी data के लिए share होता है **(B)** All connections are multiplexed into a single channel / सभी connections एक channel में multiplex होते हैं
(C) It encodes all data into a single channel / यह सारे data को एक channel में encode करता है **(D)** Separate physical paths are allocated for each channel / हर channel के लिए अलग physical paths दिए जाते हैं

[Source: RPSC Programmer 2024 Paper-1 (with official key)] · Hard

Q301. Which of the following statements is TRUE?

निम्न में से कौन-सा कथन सही है?

(A) The Internet and the WWW are the same thing / Internet और WWW एक ही हैं **(B)** The WWW is a service that runs over the Internet / WWW, Internet पर चलने वाली service है
(C) The Internet is a part of the WWW / Internet, WWW का हिस्सा है **(D)** The WWW does not need the Internet / WWW को Internet की ज़रूरत नहीं

[Source: Practice — original (textbook-based)] · Hard

Q302. Which one of the following frequency is not used in WiMAX for communication?

(A) 2.3 GHz **(B)** 2.4 GHz
(C) 2.5 GHz **(D)** 3.5 GHz

[Source: Repo: DCN_MCQ-Ashwini-.pdf] · Hard

Q303. Which one of the following is not true?

(A) telnet defines a network virtual terminal (nvt) standard **(B)** client programs interact with nvt
(C) server translates nvt operations **(D)** client can transfer files using to remote server using nvt

[Source: Repo: computer-networks [set 10].pdf] · Hard

Q304. All telnet operations are sent as _____

(A) 4 bits **(B)** 8 bits
(C) 16 bits **(D)** 32 bits

[Source: Repo: computer-networks [set 10].pdf] · Hard

Q305. Retransmission of packets must not be done when _____

(A) packet is lost **(B)** packet is corrupted
(C) packet is needed **(D)** packet is error-free

[Source: Repo: computer-networks [set 10].pdf] · Hard

Q306. Which of the following is not a phase of virtual circuit network?

(A) setup phase **(B)** data transfer phase
(C) termination phase **(D)** teardown phase

[Source: Repo: computer-networks [set 10].pdf] · Hard

Q307. In data transfer phase, how many columns does the table contain?

(A) 1 **(B)** 2
(C) 3 **(D)** 4

[Source: Repo: computer-networks [set 10].pdf] · Hard

Q308. An ATM cell has the payload field of _____

(A) 32 bytes **(B)** 48 bytes
(C) 64 bytes **(D)** 128 bytes

[Source: Repo: computer-networks [set 10].pdf] · Hard

Q309. Which of the following is not a transition strategy?

(A) dual stack **(B)** tunneling
(C) conversion **(D)** header translation

[Source: Repo: computer-networks [set 11].pdf] · Hard

Q310. Which protocol should you select if the network diameter is more than 17 hops?

(A) ripv1 **(B)** ripv2
(C) eigrp **(D)** both ripv1 and ripv2

[Source: Repo: computer-networks [set 12].pdf] · Hard

Q311. Which protocol gives a full route table update every 30 seconds?

(A) iegrp **(B)** rip
(C) icmp **(D)** ip

[Source: Repo: computer-networks [set 12].pdf] · Hard

Q312. Which statement is true regarding classless routing protocol?

(A) the use of discontinuous networks is not allowed
(B) use of variable length subnet masks is permitted
(C) ripv1 is a classless routing protocol **(D)** igrp supports classes routing within the same autonomous system

[Source: Repo: computer-networks [set 12].pdf] · Hard

Q313. Ping can _____

(A) measure round-trip time **(B)** report packet loss
(C) report latency **(D)** all of the mentioned

[Source: Repo: computer-networks [set 13].pdf] · Hard

Q314. In a piconet, one master device _____

(A) can not be slave **(B)** can be slave in another piconet
(C) can be slave in the same piconet **(D)** can be master in another piconet

[Source: Repo: computer-networks [set 14].pdf] · Hard

Q315. Bluetooth supports _____

(A) point-to-point connections **(B)** point-to-multipoint connection
(C) both point-to-point connections and point-to-multipoint connection **(D)** multipoint to point connection

[Source: Repo: computer-networks [set 14].pdf] · Hard

Q316. Real-time transport protocol (RTP) is mostly used in _____

(A) streaming media **(B)** video teleconference
(C) television services **(D)** all of the mentioned

[Source: Repo: computer-networks [set 14].pdf] · Hard

Q317. Which one of the following multimedia formats can not be supported by RTP?

(A) mpeg-4 **(B)** mjpeg
(C) mpeg **(D)** txt

[Source: Repo: computer-networks [set 15].pdf] · Hard

Q318. An RTP header has a minimum size of _____

(A) 12 bytes **(B)** 16 bytes
(C) 24 bytes **(D)** 32 bytes

[Source: Repo: computer-networks [set 15].pdf] · Hard

Q319. RPC allows a computer program to cause a subroutine to execute in _____

(A) its own address space **(B)** another address space
(C) both its own address space and another address space **(D)** applications address space

[Source: Repo: computer-networks [set 15].pdf] · Hard

Q320. A remote procedure is uniquely identified by _____

(A) program number **(B)** version number
(C) procedure number **(D)** all of the mentioned

[Source: Repo: computer-networks [set 15].pdf] · Hard

Q321. An RPC application requires _____

(A) specific protocol for client server communication
(B) a client program
(C) a server program **(D)** all of the mentioned

[Source: Repo: computer-networks [set 15].pdf] · Hard

Q322. EIGRP sends a hello message after every _____ seconds

(A) 5 seconds (lan), 60 seconds (wan) **(B)** 5 seconds (lan), 5 seconds (wan)
(C) 15s **(D)** 180s

[Source: Repo: computer-networks [set 15].pdf] · Hard

Q323. The EIGRP metric values include:

(A) delay **(B)** bandwidth
(C) mtu **(D)** all of the mentioned

[Source: Repo: computer-networks [set 15].pdf] · Hard

Q324. What are the other types of OLAP apart from ROLAP?

(A) HOLAP **(B)** MOLAP
(C) DOLAP **(D)** Both a and b above

[Source: Repo: computer-networks [set 15].pdf] · Hard

Q325. Which of the following protocols below work in the application layer?

(A) POP **(B)** PPP
(C) FTP **(D)** Both a and d above

[Source: Repo: computer-networks [set 15].pdf] · Hard

Q326. Token Ring is a data link technology for?

(A) WAN **(B)** MAN
(C) LAN **(D)** both a and b above

[Source: Repo: computer-networks [set 15].pdf] · Hard

Q327. Which of the following protocol below are suited for email retrieval?

(A) POP3 **(B)** IMAP
(C) FTP **(D)** Both and b above

[Source: Repo: computer-networks [set 15].pdf] · Hard

Q328. What is the full form of CAN?

(A) Campus Area Network **(B)** Cluster Area Network
(C) Control Area network **(D)** both A and B

[Source: Repo: computer-networks [set 16].pdf] · Hard

Q329. Which of the following below is/are the capability of ICMP protocol?

(A) Report package count **(B)** Report network congestion
(C) Both band d **(D)** Report availability of remote hosts

[Source: Repo: computer-networks [set 16].pdf] · Hard

Q330. Both ping and tracert are used to find If the computer is in the network

(A) True **(B)** False
(C) none **(D)** other

[Source: Repo: computer-networks [set 16].pdf] · Hard

Q331. Which one of the followings is a connectionless protocol?

(A) UDP **(B)** Ethernet
(C) IPX **(D)** All of the above

[Source: Repo: computer-networks [set 16].pdf] · Hard

Q332. Why IP Protocol is considered as unreliable?

(A) A packet may be lost **(B)** Packets may arrive out of order

(C) Duplicate packets may be generated **(D)** All of the above

[Source: Repo: computer-networks [set 17].pdf] · Hard

Q333. What does protocol defines?

(A) Protocol defines what data is communicated **(B)** Protocol defines how data is communicated

(C) Protocol defines when data is communicated **(D)** All of above

[Source: Repo: computer-networks [set 17].pdf] · Hard

Q334. The Internet Control Message Protocol (ICMP)

(A) allows gateways to send error a control messages to other gateways or hosts **(B)** provides communication between the Internet Protocol Software on one machine and the Internet Protocol Software on another

(C) reports error conditions to the original source, the source must relate errorsto individual application programs and take action to correct the problem **(D)** All of the above

[Source: Repo: computer-networks [set 17].pdf] · Hard

Q335. User datagram protocol is called connectionless because:

(A) all UDP packets are treated independently by transport layer **(B)** it sends data as a stream of related packets

(C) both (a) and (b) **(D)** none of the mentioned

[Source: Repo: computer-networks [set 17].pdf] · Hard

Q336. Packet sniffers involve:

(A) Active receiver **(B)** Passive receiver

(C) Both of the mentioned **(D)** None of the mentioned

[Source: Repo: computer-networks [set 17].pdf] · Hard

Q337. The performance of a data communication network depends on

(A) The number of users **(B)** The transmission media

(C) The hardware and software **(D)** All of the above

[Source: Repo: computer-networks [set 17].pdf] · Hard

Q338. If a file consisting of 50,000 characters takes 40 seconds to send, then the data rate is

(A) 1 kbps **(B)** 1.25 kbps

(C) 2 kbps **(D)** 10 kbps

[Source: Repo: computer-networks [set 18].pdf] · Hard

Q339. The main difference between TCP and UDP is

(A) UDP is connection oriented whereas TCP is datagram service **(B)** TCP is an Internet protocol whereas UDP is an ATM protocol

(C) UDP is a datagram whereas TCP is a connection oriented service **(D)** All of the above

[Source: Repo: computer-networks [set 18].pdf] · Hard

Q340. To avoid transmission errors, a check figure is calculated by the

(A) transmitting computer **(B)** receiving computer

(C) both (a) and (b) **(D)** Start and stop bit

[Source: Repo: computer-networks [set 18].pdf] · Hard

Q341. A computer on a 10Mbps network is regulated by a token bucket. The token bucket is filled at a rate of 2Mbps. It is initially filled to capacity with 16Megabits. What is the maximum duration for which the computer can transmit at the full 10Mbps?

(A) 1.6 seconds **(B)** 2 seconds

(C) 5 seconds **(D)** 8 seconds

[Source: Repo: computer-networks [set 18].pdf] · Hard

Q342. Transmission delay does not depend on

(A) Packet length **(B)** Distance between the routers

(C) Transmission rate **(D)** Bandwidth of medium

[Source: Repo: computer-networks [set 19].pdf] · Hard

Q343. When collection of various computers seems a single coherent system to its client, then it is called

(A) computer network **(B)** distributed system

(C) both (a) and (b) **(D)** none of the mentioned

[Source: Repo: computer-networks [set 1].pdf] · Hard

Q344. Header of a frame generally contains

(A) synchronization bytes **(B)** addresses

(C) frame identifier **(D)** all of the mentioned

[Source: Repo: computer-networks [set 1].pdf] · Hard

Q345. Which one of the following is the multiple access protocol for channel access control?

(A) csma/cd **(B)** csma/ca

(C) both (a) and (b) **(D)** none of the mentioned

[Source: Repo: computer-networks [set 1].pdf] · Hard

Q346. In virtual circuit network each packet contains

(A) full source and destination address **(B)** a short vc number
(C) both (a) and (b) **(D)** none of the mentioned

[Source: Repo: computer-networks [set 1].pdf] · Hard

Q347. Which one of the following is a transport layer protocol used in internet?

(A) tcp **(B)** udp
(C) both (a) and (b) **(D)** none of the mentioned

[Source: Repo: computer-networks [set 2].pdf] · Hard

Q348. Transmission control protocol is

(A) connection oriented protocol **(B)** uses a three way handshake to establish a connection
(C) recievs data from application as a single stream
(D) all of the mentioned

[Source: Repo: computer-networks [set 2].pdf] · Hard

Q349. If a server has no clue about where to find the address for a hostname then

(A) server asks to the root server **(B)** server asks to its adjcent server
(C) request is not processed **(D)** none of the mentioned

[Source: Repo: computer-networks [set 2].pdf] · Hard

Q350. In character mode operation of telnet implementation

(A) each character typed is sent by the client to the server **(B)** each character typed is discarded by the server
(C) both (a) an (b) **(D)** none of the mentioned

[Source: Repo: computer-networks [set 2].pdf] · Hard

Q351. If we want that a character be interpreted by the client instead of server

(A) escape character has to be used **(B)** control functions has to be disabled
(C) it is not possible **(D)** none of the mentioned

[Source: Repo: computer-networks [set 2].pdf] · Hard

Q352. In file transfer protocol, data transfer can be done in

(A) stream mode **(B)** block mode
(C) compressed mode **(D)** all of the mentioned

[Source: Repo: computer-networks [set 3].pdf] · Hard

Q353. FTP is built on _____ architecture

(A) client-server **(B)** p2p
(C) both of the mentioned **(D)** none of the mentioned

[Source: Repo: computer-networks [set 5].pdf] · Hard

Q354. The _____ method when used in the method field, leaves entity body empty

(A) post **(B)** get
(C) both of the mentioned **(D)** none of the mentioned

[Source: Repo: computer-networks [set 5].pdf] · Hard

Q355. Which one of the below is not an component of Internet mail system

(A) user agent **(B)** smtp sender
(C) smtp receiver **(D)** transfer agent

[Source: Repo: computer-networks [set 6].pdf] · Hard

Q356. How many layers are present in the Internet protocol stack (TCP/IP model)?

(A) 5 **(B)** 7
(C) 6 **(D)** 10

[Source: Repo: computer-networks [set 6].pdf] · Hard

Q357. Which of the following statements can be associated with OSI model?

(A) a structured way to discuss and easier update system components **(B)** one layer may duplicate lower layer functionality
(C) functionality at one layer no way requires information from another layer **(D)** it is an application specific network model

[Source: Repo: computer-networks [set 7].pdf] · Hard

Q358. Which one of the following is an architecture paradigms?

(A) peer to peer **(B)** client-server
(C) http **(D)** both peer-to-peer & client-server

[Source: Repo: computer-networks [set 8].pdf] · Hard

Q359. Secure shell (SSH) network protocol is used for _____

(A) secure data communication **(B)** remote command-line login
(C) remote command execution **(D)** all of the mentioned

[Source: Repo: computer-networks [set 9].pdf] · Hard

Q360. Which one of the following is a file transfer protocol using SSH?

(A) scp **(B)** sftp
(C) rsync **(D)** all of the mentioned

[Source: Repo: computer-networks [set 9].pdf] · Hard

Q361. Storage management comprises of _____

(A) san management **(B)** data protection
(C) disk operation **(D)** all of the mentioned

[Source: Repo: computer-networks [set 9].pdf] · Hard

Q362. How do Storage administrators ensure secure access to storage devices?

(A) by using zoning **(B)** by putting a physical lock on the storage device
(C) by keeping devices shutdown when not in use **(D)** by keeping devices when used

[Source: Repo: computer-networks [set 9].pdf] · Hard

Q363. Full duplex mode increases the capacity of each domain by _____

(A) 10 to 20 mbps **(B)** 20 to 30 mbps
(C) 30 to 40 mbps **(D)** 40 to 50 mbps

[Source: Repo: computer-networks [set 9].pdf] · Hard

Q364. How many versions available of IP?

(A) 6 version **(B)** 4 version
(C) 2 version **(D)** 1 version

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Hard

Q365. A _____ sine wave is not useful in data communications; we need to send a _____ signal

(A) composite; single-frequency **(B)** single-frequency; composite
(C) single-frequency; double-frequency **(D)** none of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Hard

Q366. A periodic signal completes one cycle in 0.001 s. What is the frequency?

(A) 1 Hz **(B)** 100 Hz
(C) 1 KHz **(D)** 1 MHz

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Hard

Q367. In _____ each station sends a frame whenever it has a frame to send

(A) pure ALOHA **(B)** slotted ALOHA
(C) both **(D)** neither

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Hard

Q368. The router algorithm takes the decision to changes the route when

(A) router changes **(B)** topology changes
(C) user changes **(D)** transmission time does not change

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Hard

Q369. In modulo-2 arithmetic, we use the _____ operation for both addition and subtraction

(A) OR **(B)** XOR
(C) AND **(D)** none of the above

[Source: Repo: Computer-Network-MCQ.pdf (new/ 2026 drop)] · Hard

Q370. Which of the following are the network services?

(A) File service **(B)** Print service
(C) Database service **(D)** All of the above

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Hard

Q371. What is the commonly used unit for measuring the speed of data transmission?

(A) Bytes per second **(B)** Baud GOVT.DEGREE COLLEGE RAMBAN(J&K) DEPARTMENT OF COMPUTER APPLICATION Solved Multiple Choice Questions on Computer networking
(C) Bits per second **(D)** Both B and C

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Hard

Q372. In FDDI, data normally travel on ..... GOVT.DEGREE COLLEGE RAMBAN(J&K) DEPARTMENT OF COMPUTER APPLICATION Solved Multiple Choice Questions on Computer networking

(A) The primary ring **(B)** The Secondary ring
(C) Both rings **(D)** Neither ring

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Hard

Q373. Which of the following is the logical topology?

(A) Bus **(B)** Tree
(C) Star **(D)** Both A and B

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Hard

Q374. Which of the following is/ are the drawbacks of Ring Topology?

(A) Failure of one computer, can affect the whole network **(B)** Adding or removing the computers disturbs the network activity
(C) If the central hub fails, the whole network fails to operate **(D)** Both of A and B Answers:

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Hard

Q375. Which is not the Regional Internet Registers (RIR) of the following?

(A) American Registry for Internet Numbers (ARIN) **(B)** Europeans Registry for Internet Numbers (ERIN)
(C) Reseaux IP Europeans (RIPE) **(D)** Asia Pacific Network Information Centre (APNIC)

[Source: Repo: networkmcq — GDC Ramban solved MCQ (new/ 2026 drop)] · Hard

Answer Key — sirf letters (no solutions)

Q1: A **Q2:** A **Q3:** B **Q4:** C **Q5:** B **Q6:** C **Q7:** D **Q8:** A **Q9:** D **Q10:** C
Q11: B **Q12:** B **Q13:** C **Q14:** A **Q15:** B **Q16:** A **Q17:** D **Q18:** D **Q19:** C **Q20:** C
Q21: A **Q22:** B **Q23:** B **Q24:** A **Q25:** A **Q26:** A **Q27:** B **Q28:** A **Q29:** A **Q30:** A
Q31: C **Q32:** C **Q33:** A **Q34:** B **Q35:** C **Q36:** B **Q37:** B **Q38:** C **Q39:** D **Q40:** A
Q41: A **Q42:** B **Q43:** D **Q44:** B **Q45:** D **Q46:** A **Q47:** A **Q48:** B **Q49:** A **Q50:** C
Q51: A **Q52:** D **Q53:** B **Q54:** D **Q55:** C **Q56:** C **Q57:** B **Q58:** A **Q59:** C **Q60:** A
Q61: C **Q62:** D **Q63:** C **Q64:** B **Q65:** B **Q66:** A **Q67:** C **Q68:** B **Q69:** D **Q70:** B
Q71: C **Q72:** B **Q73:** D **Q74:** C **Q75:** A **Q76:** B **Q77:** D **Q78:** A **Q79:** A **Q80:** C
Q81: A **Q82:** A **Q83:** C **Q84:** B **Q85:** A **Q86:** B **Q87:** B **Q88:** A **Q89:** C **Q90:** B
Q91: C **Q92:** B **Q93:** A **Q94:** C **Q95:** B **Q96:** B **Q97:** B **Q98:** C **Q99:** B **Q100:** C
Q101: B **Q102:** C **Q103:** A **Q104:** A **Q105:** B **Q106:** B **Q107:** B **Q108:** D **Q109:** A **Q110:** A
Q111: C **Q112:** B **Q113:** C **Q114:** A **Q115:** A **Q116:** D **Q117:** B **Q118:** A **Q119:** C **Q120:** A
Q121: A **Q122:** A **Q123:** B **Q124:** C **Q125:** C **Q126:** B **Q127:** A **Q128:** B **Q129:** A **Q130:** A
Q131: A **Q132:** B **Q133:** C **Q134:** A **Q135:** A **Q136:** C **Q137:** A **Q138:** D **Q139:** D **Q140:** B
Q141: B **Q142:** B **Q143:** A **Q144:** A **Q145:** C **Q146:** B **Q147:** B **Q148:** D **Q149:** B **Q150:** C
Q151: D **Q152:** B **Q153:** D **Q154:** A **Q155:** A **Q156:** B **Q157:** D **Q158:** C **Q159:** C **Q160:** A
Q161: A **Q162:** D **Q163:** C **Q164:** C **Q165:** C **Q166:** D **Q167:** B **Q168:** A **Q169:** B **Q170:** B
Q171: A **Q172:** A **Q173:** B **Q174:** B **Q175:** B **Q176:** A **Q177:** B **Q178:** C **Q179:** A **Q180:** A
Q181: A **Q182:** A **Q183:** A **Q184:** A **Q185:** B **Q186:** A **Q187:** B **Q188:** A **Q189:** C **Q190:** A
Q191: C **Q192:** B **Q193:** A **Q194:** B **Q195:** A **Q196:** B **Q197:** B **Q198:** A **Q199:** D **Q200:** B
Q201: B **Q202:** A **Q203:** D **Q204:** C **Q205:** A **Q206:** C **Q207:** A **Q208:** B **Q209:** A **Q210:** D
Q211: D **Q212:** C **Q213:** C **Q214:** B **Q215:** A **Q216:** A **Q217:** C **Q218:** C **Q219:** B **Q220:** B
Q221: B **Q222:** B **Q223:** B **Q224:** A **Q225:** B **Q226:** C **Q227:** B **Q228:** B **Q229:** A **Q230:** B
Q231: A **Q232:** A **Q233:** B **Q234:** D **Q235:** A **Q236:** C **Q237:** B **Q238:** A **Q239:** A **Q240:** A
Q241: B **Q242:** A **Q243:** B **Q244:** C **Q245:** A **Q246:** B **Q247:** B **Q248:** B **Q249:** A **Q250:** B
Q251: D **Q252:** A **Q253:** C **Q254:** B **Q255:** C **Q256:** D **Q257:** B **Q258:** B **Q259:** A **Q260:** D
Q261: A **Q262:** A **Q263:** A **Q264:** D **Q265:** A **Q266:** B **Q267:** D **Q268:** B **Q269:** B **Q270:** B
Q271: A **Q272:** D **Q273:** C **Q274:** B **Q275:** D **Q276:** B **Q277:** B **Q278:** C **Q279:** A **Q280:** B
Q281: A **Q282:** C **Q283:** C **Q284:** B **Q285:** A **Q286:** C **Q287:** A **Q288:** D **Q289:** D **Q290:** D
Q291: B **Q292:** B **Q293:** B **Q294:** A **Q295:** A **Q296:** A **Q297:** C **Q298:** D **Q299:** A **Q300:** D
Q301: B **Q302:** B **Q303:** D **Q304:** B **Q305:** D **Q306:** C **Q307:** D **Q308:** B **Q309:** C **Q310:** A
Q311: B **Q312:** B **Q313:** D **Q314:** B **Q315:** C **Q316:** D **Q317:** D **Q318:** A **Q319:** B **Q320:** D
Q321: D **Q322:** A **Q323:** D **Q324:** B **Q325:** D **Q326:** C **Q327:** D **Q328:** D **Q329:** C **Q330:** B
Q331: D **Q332:** D **Q333:** D **Q334:** A **Q335:** A **Q336:** B **Q337:** D **Q338:** D **Q339:** C **Q340:** C
Q341: B **Q342:** B **Q343:** B **Q344:** D **Q345:** C **Q346:** B **Q347:** C **Q348:** D **Q349:** A **Q350:** A
Q351: A **Q352:** D **Q353:** A **Q354:** B **Q355:** D **Q356:** A **Q357:** C **Q358:** D **Q359:** D **Q360:** D
Q361: D **Q362:** A **Q363:** A **Q364:** C **Q365:** B **Q366:** C **Q367:** A **Q368:** B **Q369:** B **Q370:** D
Q371: B **Q372:** C **Q373:** A **Q374:** A **Q375:** C