Topic - Computer Network - Introduction, Data link

- Java introduction, class

RPSC PROGRAMMAR

UNIT TEST - 2

2 Min wait

S. No.	Name	Email	Phone	Marks	Photo	Analysis	Reset Attempt	Date & Time
1	Ashutosh Singh	[redacted]		43.38		View Analysis	Reset Attempt Count	2024-08-29 17:00:51
2	komal samariya	[redacted]		38.01		View Analysis	Reset Attempt Count	2024-08-29 16:46:06
3	Deependra Singh Chauhan	[redacted]		36.05		View Analysis	Reset Attempt Count	2024-08-29 17:13:56
4	r	[redacted]		36.04		View Analysis	Reset Attempt Count	2024-08-29 17:11:27
5	K	[redacted]		35.42		View Analysis	Reset Attempt Count	2024-08-29 17:02:10
6	NAMAN PACHEYAN	[redacted]		35.35		View Analysis	Reset Attempt Count	2024-08-29 17:15:25
7	prajwal roat	[redacted]		34.36		View Analysis	Reset Attempt Count	2024-08-29 17:17:50
8	Preetika Dadhich	[redacted]		33.71		View Analysis	Reset Attempt Count	2024-08-29 17:15:13
9	pooja	[redacted]		33.70		View Analysis	Reset Attempt Count	2024-08-29 17:04:37
10	Amit Bohra	[redacted]		31.39		View Analysis	Reset Attempt Count	2024-08-29 16:51:02
11	Rajkumar Meghwanshi	[redacted]		31.07		View Analysis	Reset Attempt Count	2024-08-29 17:10:16
12	chirag	[redacted]		31.05		View Analysis	Reset Attempt Count	2024-08-29 16:45:14
13	vaibhav	[redacted]		31.05		View Analysis	Reset Attempt Count	2024-08-29 16:53:22
14	PChhonkar	[redacted]		30.76		View Analysis	Reset Attempt Count	2024-08-29 16:54:13
15	mahaveer saini	[redacted]		30.75		View Analysis	Reset Attempt Count	2024-08-29 17:13:35
16	Usha Aswani	[redacted]		30.71		View Analysis	Reset Attempt Count	2024-08-29 17:11:03
17	Rohit Kumar	[redacted]		30.71		View Analysis	Reset Attempt Count	2024-08-29 17:18:44
18	NARAYAN LAL PATEL	[redacted]		30.41		View Analysis	Reset Attempt Count	2024-08-29 16:53:01
19	Sunil	[redacted]		30.35		View Analysis	Reset Attempt Count	2024-08-29 16:40:29

1. **What are the advantages of star topology ?**

(a) less number of cables are required

(b)more number of cables are required

(c) it is a distributed topology

(d) security is high

2. which of the following is a valid IP address assigned to Host

(a) 127.0.0.1 → Reserved - loop Back


(b) 192.248.16.255 - DBA

(c) 25.25.25.25

(d) 150.7.0.0 → Net-id

3. given an IP address 156.233.42.56 with subnet mask of 7 bits. How many hosts and subnets are possible ?

(a) 126 hosts, 510 subnets
(b) 128 hosts , 512 subnets
(c) 510 hosts 126 subnets
(d) 512 hosts, 128 subnets



4. the IEEE 802 projects the data link layer into two sublayes. Which sublayer of the Data link layer provide flow control, error correct,detect facilities ?

(a) logical link control sublayes (LLC layer)

(b) logical access control sublayer

(c) medium access control sublayer

(d) data access control sublayer

5. which error detection method consists of a parity bit for each data unit as well as an entire data unit of parity bits

(a) Simple parity check

(b) CRC

(c) Two-dimensional parity check

(d) checksum


6. In the _____Protocol, if no acknowledgment for a frame has arrived, we resend all outstanding frames.

(a) Stop-and-Wait ARQ

(b) Go-Back-N ARQ

(c) Selective-Repeat ARQ

(d) Both b and c



7. In Go-Back-N ARQ, if 6 is the number of bits for the sequence number, then the maximum size of the send window must be _____.

(a) 63 (b) 61

(c) 31 (d) 64

$2^N - 1 = 2^6 - 1 = 63$

8. In Go-Back-N ARQ, if 5 is the number of bits for the sequence number, then the maximum size of the receive window must be _____

(a)15 (c) 1

(b)31 (d) 32

9. which of the following are network connecting devices

1. repeater 2. Bridge

3. hub 4. bluetooth

(a) 1,2 and 3 (b) 1,2 and 4

(c) 2,3 and 4 (d) 1,3 and 4

10. Which of the following are network layer protocol

1. NMP 2. ICMP 3. SNMP

4. SMTP 5. IGMP

Select the correct answer using the code given below

(a)1,2,3 only

(b)2,3,5 only

(c)1,2,3,5 only

(d)2,3,4,5 only

11. Which of the following are Data link layer protocol

1. NMP 2. PPP 3. SNMP

4. HDLC

Select the correct answer using the code given below

(a)1,2,3 only

(b)2,3,4 only

(c)2,4 only

(d)3,4 only

12. In Selective Repeate ARQ, if 5 is the number of bits for the sequence number, then the maximum size of the send window must be _____.

(a) 15 (b) 16

(c) 31 (d) 32

$$2^{N-1} = 2^{5-1} = 2^4 = 16$$

13. High-level Data Link Control (HDLC) is a _____ protocol for communication over point-to-point and multipoint links.

(a) bit-oriented

(b) byte-oriented

(c) character-oriented

(d) none of the above

14. The most common protocol for point-to-point access is the Point-to-Point Protocol (PPP), which is a _____protocol.

(a) bit-oriented

(b) byte-oriented

(c) character-oriented

(d) none of the above

15. flow control refers to a set of procedures used to restrict the amount of data that the sender can send before waiting for acknowledgment.

(a) flow (b) error

(c) transmission(d) access control

16. Choose the Protocols working in the Data Link Control Layer of OSI model below.

(a) ATM (Asynchronous Transfer Mode), Frame Relay

(b) HDLC (High-Level Data Link Control), SDLC (Synchronous Data Link Control)

(a) ARP (Address Resolution Protocol), IEEE-802.3

(d) All of the above

17. Which is the protocol that maps varying IP addresses to the Physical MAC Address of a machine in a LAN network?

(a) ARQ (Automatic Repeat Request)

(b) ARP (Address Resolution Protocol)

(c)SLIP (Serial Line Internet Protocol)

(d) PLIP (Parallel Line Internet Protocol)

ARP < layer-2 / layer-3

18. The Dial-up connections to access the internet uses ___ protocol.

(a) PPP (Point to Point protocol)

(b) X.25 protocol

(c) PLIP protocol

(d) None of the above

19. Home broadband connections that work on DSL (Digital Subscriber Line) use ___ protocol.

(a) PPPoE (PPP over Ethernet)

(b) PPPoA (PPP over ATM)

(c) Bridge protocol

(d) All of the above

20. S1: Every Computer or an Internet device has a unique MAC address.

S2: Every Computer or an Internet device has a unique IP address.

Consider the following statement given above ?

(a)Statement s1 true and s2 false

(b)Both statement s1,s2 false

(c)Staement s1 false and s2 true

(d)Both statement s1,s2 true

21. **Which of the following technique working at media access control**

1.TDMA 2. CDMS3. FDMA

4. CDMA 5. CSMA

Select the correct answer using the code given below

(a)1,2,3 only

(b)1,3,4 only

(c)1,3,4,5 only

(d)All of 1,2,3,4,5

22. **The types of Medium Access Control are ___.**

(a) Centrally Access Control

(b) Distributed Access Control

(c) both a and b

(d) None of the above

23. **In Reservation mode of MAC, each station in the network___ a time slot for a finite or infinite amount of time to access the shared medium.**

(a) should reserve

(b) need not reserve

(c) Can't say

(d) None of the above


24. **A Token Ring implementation works on the __ mode.**

(a)Contention

(b) Reservation

(c) Round Robin

(d) None of the above



25. **The physical address to each machine is provided by which layer in an OSI reference model?**

(a)Physical layer

(b)Data Link Layer

(c)Network Layer

(d)Transport Layer

MAC Address

26. **What is the hamming distance between these 2 codes: 10010010 and 11011001?**

(a)3

(b)4

(c)6

(d)2

2t+1

t+1

10010010

11011001

1 1 11

27. What is the hamming code for the data: 1001101?


(a) 10011100101

(b) 11010000101

(c) 10001100101

(d) 11111001011

1 0 0 1 1 0 1



0 1 1 1 0 0 1 0 1 0 1

28. **The two sub-layers of a Data Link layer are___.**

(a)LLC - Logical Link Control Layer

(b)MAC - Medium Access Control Layer

(c)both a and b

(d)Data Layer


29. **Which is the sub-layer that accepts frames from the upper layer that is Network Layer?**

(a)LLC (Logical Link Control Layer)

(b)MAC (Medium Access Control) layer

(c)both a and b

(d) None of the above



30. **The types of data services offered by an LLC (Logical Link Control) layer are ___.**

(a)Connectionless which is fast and unreliable

(b)Connection-Oriented which is slow and reliable

(c) both a and b

(d) None of the above

31. **The checksum is used in the Internet by several protocols although not at the**

(a) data link layer

(b) transport layer

(c) network layer

(d) none of the above

32. **A simple parity-check code can detect**

(a) odd number of errors

(b) even number of errors

(c) positive number of errors

(d) negative number of errors

33. **The hamming distance can easily be found if we apply the**

(a) XOR operation

(b) XNOR operation

(c) OR operation

(d) AND operation

34. **To detect or correct errors, we send extra bits with data. It is called**

(a) redundancy

(b) correction

(c) detection

(d) Both b and c

35. **Any coding scheme needs to have at least the parameters of**

(a) codeword size

(b) dataword size

(c) minimum hamming distance

(d) All of them

50-55

36. **which variable have a scope limited to a method**

(a) interface variable

(b) class variable

(c) instance variable

(d) local variable

37 **which statement about a valid .java file is true ?**

(a) it can only contain one class Declaration .

(b) it may define at least one public class

(c) It may define at most one public classs

(d) It can contain one public class declarationa and one public interface definition

38. which statement about java are true ?

1. the java command can execute .java and .class file

3. Java is not purely object oriented

2. The javac command compiles .java file that must having public class

(a) 1 only

(b) 2 only

(c) 3 only

(d) 2 and 3

39. which of the following lines of code is not allowed as the first line of a java class file

1.import java.io.*; 2. void main()

3.package p1; 4. int a;

5. //my first pro

(a) 1,3,5 only

(b) 2,4 only

(c) 3,5 only

(d) all are allowed

40 which of the following features allows a Java class to be run on a wide variety of computer and devices ?

(a)encapsulation

(b)object oriented

(c)inheritance

(d)platform independence

41. which of the following is a true statement

(a) the java command compiles a .java file into .class file

(b) the javac command compile a .class File into .class file

(c)the java command compile .java file and convert into executable file

(d)javac command compile a .java file into A .class file

42. which of the following declaration does Not compile ?

(a)int num1,num2;

(b)int num1, double num2=0;

(c)int num1, num2=0;

(d)both b and c

43. Which of the following does not compile ?

(a) int num=888;

(b) int num= 9_9_9;

(c) int num=_9_99;

(d) both b and c

44. which of the following statement about primitive data type is true in java ?

(a)primitive data type can be create by programmer.

(b)primitive data type begin with a lowercase letter

(c)string is a primitive type

(d)primitive type can be set as null

45. which of the following utility is used to Create java documentation ?

(a)javahelp

(b)javadoc

(c)javadocs

(d)javafile

.jar


46. which operator is used to perform bitwise inversion in java. Select the one correct answer

(a)~

(b)!

(c)&

(d)|



47. what is output of the given java code

```
Public class A
{ public static void main(String aa[])
  { boolean b=false ;
int a;
if(b) a=b?1:2;
else a=b?3:4;
System..out.println(a); } }
```

(a) 1

(b) 2

(c) 3

(d) 4

48. which of the following are correct.

Select correct answer

(a)Java provide two operator to do left shift << and <<<.

(b)>> is th zero fill right shift operator.

(c)>>> is the signed right shift operator.

(d)For positive number results of operator >> and >>> are same

49. what is the output the following java code

```
public class A
{ public static void main(String aa[])
{
int a=0,b=1,c;
if(a) c=0;
else  c=1;
if(b)  c=2;
else  c=3;
System.out.println(c);
}}
```

(a)1

(b)2

(c)3

(d)Compilation error

50. what is the value of the expression

(1/4+3/2+0.1+2)

1+0.1+2


(a)2

(b)2.85

(c)3.1

(d)3.85

Bop(—)


SUNIL YADAV SIR

S. No.	Name	Email	Phone	Marks	Photo	Analysis	Reset Attempt	Date & Time
1	Ashutosh Singh	8299857ashu@gmail.com	8299857661	43.38		View Analysis	Reset Attempt Count	2024-08-29 17:00:51
2	komal samariya	samariyakomal@gmail.com	9529396455	38.01		View Analysis	Reset Attempt Count	2024-08-29 16:46:06
3	Deependra Singh Chauhan	deependranitsxr@gmail.com	8949078200	36.05		View Analysis	Reset Attempt Count	2024-08-29 17:13:56
4	r	946226205lrk@gmail.com	9660297156	36.04		View Analysis	Reset Attempt Count	2024-08-29 17:11:27
5	K	kapilsaini.work@gmail.com	9783684158	35.42		View Analysis	Reset Attempt Count	2024-08-29 17:02:10
6	NAMAN PACHEYAN	pacheyannaman@gmail.com	9982412466	35.35		View Analysis	Reset Attempt Count	2024-08-29 17:15:25
7	prajwal roat	prajwalroat@gmail.com	9079618226	34.36		View Analysis	Reset Attempt Count	2024-08-29 17:17:50
8	Preetika Dadhich	preetikadadhich20@gmail.com	9983719745	33.71		View Analysis	Reset Attempt Count	2024-08-29 17:15:13
9	pooja	poojalakhlan1994@gmail.com	9350148779	33.70		View Analysis	Reset Attempt Count	2024-08-29 17:04:37
10	Amit Bohra	bohraamit.ab1234@gmail.com	9672828036	31.39		View Analysis	Reset Attempt Count	2024-08-29 16:51:02
11	Rajkumar Meghwanshi	Rajkkumat180195@gmail.com	9799940736	31.07		View Analysis	Reset Attempt Count	2024-08-29 17:10:16
12	chirag	playboychirag400@gmail.com	9953590331	31.05		View Analysis	Reset Attempt Count	2024-08-29 16:45:14
13	vaibhav	dixit1.engg@gmail.com	7983185247	31.05		View Analysis	Reset Attempt Count	2024-08-29 16:53:22
14	PChhonkar	priyachhonkar2@gmail.com	8952963579	30.76		View Analysis	Reset Attempt Count	2024-08-29 16:54:13
15	mahaveer saini	saini.mahaveer007@gmail.com	8963843300	30.75		View Analysis	Reset Attempt Count	2024-08-29 17:13:35
16	Usha Aswani	aswaniusha13@gmail.com	8619771809	30.71		View Analysis	Reset Attempt Count	2024-08-29 17:11:03
17	Rohit Kumar	rohit510gupta@gmail.com	8709452607	30.71		View Analysis	Reset Attempt Count	2024-08-29 17:18:44
18	NARAYAN LAL PATEL	narayanlalpatel123@gmail.com	8209929320	30.41		View Analysis	Reset Attempt Count	2024-08-29 16:53:01
19	Sunil	cantshare@gmail.com	7232013204	30.35		View Analysis	Reset Attempt Count	2024-08-29 16:40:29