Data Communication & Computer Networks (CN)

Topic 3 of 7 : Addressing (MAC, IPv4, IPv6, Port, DNS)

0 MCQs — Repo Exam Questions + Forouzan — bilingual (English + Hindi), exam-ready

Reference Book: **Data Communications and Networking — Behrouz A. Forouzan**

Prepared for: **RPSC Programmer • ACP (Analyst Cum Programmer) • RSMSSB IA • SA • Data Entry/DD • BCI • SCI • REET • RAS • SSC CGL/CHSL • RRB • IBPS & other Rajasthan & Central Govt. Exams (Computer Awareness)**

Total Questions: **0** MCQs

Question Type: MCQ — 4 options (A, B, C, D) per question, in English + Hindi

Layout: Left = **question** | Right = **explanation** (green): ✔ **why the correct answer is right** + ★ **Nukta** (key exam point)

Language rule: Hindi is the second language; **technical terms stay in English** (topology, protocol, jitter…)

Verification: Every answer cross-verified **4×** (Forouzan + official answer keys of Subject Test / Unit Test Solutions). Wrong options verified internally.

Syllabus Coverage — sub-topic wise order

How to read: Left side: question + 4 options (try it yourself first). Right side (green): ✔ correct answer with why it is right, and ★ **Nukta** — the one-line exam tip to remember. Practice in 2 passes: first read question + options only, then check the green column.

System: generated by **tools/cn_build_topic.py** from **tools/data/topic3_data.py**. To add more questions later: drop PDFs into **Computer Network/Incoming/** and run **tools/cn_pipeline.py** — new questions auto-classify topic-wise. See **Computer Network/README.md**.

Pending Review — auto-ingested, needs verification

Auto-extracted & classified; answers to be verified before counting.

P1. Which of the following port numbers belong to the “well-known” ports category? "well-known"

(A) 80, 443, 8080
(B) 49152, 110, 53
(C) 22, 25, 80
(D) 1024, 3306, 8080

[Source: BCI Subject Test-8.pdf | auto-classified: Topic 3 / Port Numbers & DNS/URL]

⚠ auto-ingested — answer needs verification

P2. IP address 127.0.0.1 refers to which function? IP 127.0.0.1 function

(A) Broadcast
(B) Class D network
(C) Loopback testing
(D) APIPA

[Source: BCI Subject Test-8.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P3. A host has IP 192.168.10.45 /27. Which statement is TRUE? Host IP 192.168.10.45

(A) Broadcast address = 192.168.10.63
(B) Network ID = 192.168.10.32
(C) First usable host = 192.168.10.33
(D) All of the above

[Source: BCI Subject Test-8.pdf | auto-classified: Topic 3 / MAC Address]

⚠ auto-ingested — answer needs verification

P4. A subnet /30 is MOST commonly used for: Subnet

(A) Two host networks
(B) Four host networks
(C) Loopback only
(D) VPN networks

[Source: BCI Subject Test-8.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P5. Which of the following is a class D address? - Class D address

(A) 224.1.1.1
(B) 233.0.0.10
(C) 239.5.5.5
(D) All of the above

[Source: BCI Subject Test-8.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P6. Which range is typically used for ephemeral (dynamic) ports? ephemeral (dynamic) ports

(A) 0–1023
(B) 1024–49151
(C) 49152–65535
(D) 100–200

[Source: BCI Subject Test-8.pdf | auto-classified: Topic 3 / Port Numbers & DNS/URL]

⚠ auto-ingested — answer needs verification

P7. Which of the following port and IP address scanner is famous among users? # % B - 9 IP S „ 9 - †

(A) Cain and Abel
(B) Angry IP Scanner
(C) Snort
(D) Ettercap

[Source: BCI Subject Test-9.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P8. Which of the following uniquely identifies a process on a host? # B “ ”

(A) IP Address only
(B) Port Number only
(C) IP Address + Port Number
(D) MAC Address

[Source: BCI Subject Test-9.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P9. Transport layer uses which addressing? E A - E

(A) IP address
(B) MAC address
(C) Port number
(D) Domain name

[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 3 / Port Numbers & DNS/URL]

⚠ auto-ingested — answer needs verification

P10. DNS works on which layer? DNS

(A) Transport
(B) Application
(C) Network
(D) Data link

[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 3 / Port Numbers & DNS/URL]

⚠ auto-ingested — answer needs verification

P11. What is the usual length of a MAC address? MAC E k R

(A) 16 bits
(B) 32 bits
(C) 48 bits
(D) 64 bits

[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 3 / MAC Address]

⚠ auto-ingested — answer needs verification

P12. The first octet of a Class A IP address ranges from: Class A IP E W m 7 R

(A) 0-127
(B) 128-191
(C) 192-223
(D) 224-239

[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P13. How many bits are used for the network portion in a Class C IP address? Class C IP E 7 A O

(A) 8
(B) 16
(C) 24
(D) 32

[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P14. Which class of IP address is used for multicasting? f :n o IP E

(A) Class A
(B) Class B
(C) Class C
(D) Class D

[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P15. Which class of address is reserved for experimental purposes? IP E o h T 7 p q r

(A) Class C
(B) Class B
(C) Class D
(D) Class E

[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P16. Which address identifies a unique device on a local network segment? s A 7 7 E

(A) IP address
(B) MAC address
(C) Gateway
(D) Subnet Mask

[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P17. Which is a static hardware address? :s A E ?**

(A) IP address
(B) MAC address
(C) Port number
(D) Domain name

[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 3 / MAC Address]

⚠ auto-ingested — answer needs verification

P18. MAC address is also known as: MAC E ?**

(A) Logical address
(B) Hardware address
(C) IPv4 address
(D) Routing address

[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 3 / MAC Address]

⚠ auto-ingested — answer needs verification

P19. IP address is divided into how many parts? IP E 7 ?**

(A) 2
(B) 3
(C) 4
(D) 5

[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P20. What is the default subnet mask for Class B network?Class B

(A) 255.0.0.0
(B) 255.255.0.0
(C) 255.255.255.0
(D) 255.255.255.255

[Source: CN Topic Test 6.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P21. Which IP class is reserved for multicasting? IP

(A) Class A
(B) Class B
(C) Class D
(D) Class E

[Source: CN Topic Test 6.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P22. In IPv6, how many bits are in the address?IPv6

(A) 32
(B) 64
(C) 128
(D) 256

[Source: CN Topic Test 6.pdf | auto-classified: Topic 3 / IPv6 Addressing]

⚠ auto-ingested — answer needs verification

P23. Which of these DNS record types maps a domain name to an IP address? - DNS IP

(A) CNAME
(B) A
(C) MX
(D) PTR

[Source: CN Topic Test 6.pdf | auto-classified: Topic 3 / Port Numbers & DNS/URL]

⚠ auto-ingested — answer needs verification

P24. Which part of IP address defines the network in Class C?Class C IP

(A) First octet
(B) First two octets
(C) First three octets
(D) All four octets

[Source: CN Topic Test 6.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P25. What is the default port number for DNS?DNS

(A) 80
(B) 21
(C) 53
(D) 110

[Source: CN Topic Test 6.pdf | auto-classified: Topic 3 / Port Numbers & DNS/URL]

⚠ auto-ingested — answer needs verification

P26. In IPv6, which of the following is true?IPv6

(A) Uses 32-bit address
(B) Includes checksum in header
(C) Supports anycast addressing
(D) Single amplification

[Source: CN Topic Test 5.pdf | auto-classified: Topic 3 / IPv6 Addressing]

⚠ auto-ingested — answer needs verification

P27. Which address type is unique in the network and globally routable in IPv6?IPv6

(A) Link-Local
(B) Multicast
(C) Unique local
(D) Global unicast

[Source: CN Topic Test 5.pdf | auto-classified: Topic 3 / IPv6 Addressing]

⚠ auto-ingested — answer needs verification

P28. What is the maximum number of hosts in a /24 subnet? 24

(A) 128
(B) 256
(C) 254
(D) 512

[Source: CN Topic Test 5.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P29. What is the typical range of ephemeral ports? Ephemeral

(A) 0-1023
(B) 1024-49151
(C) 49152-65535
(D) None of the these

[Source: CN Topic Test 5.pdf | auto-classified: Topic 3 / Port Numbers & DNS/URL]

⚠ auto-ingested — answer needs verification

P30. subnet mask of 255.255.255.248 allows how many usable hosts?255.255.255.248 usable

(A) 2
(B) 6
(C) 14
(D) 30

[Source: CN Topic Test 5.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P31. What is the function of IGMP in networking? IGMP

(A) Manages IP address allocation
(B) Routes datagrams
(C) Manages multicast group membership
(D) Handles device discovery

[Source: CN Topic Test 5.pdf | auto-classified: Topic 3 / MAC Address]

⚠ auto-ingested — answer needs verification

P32. What is the maximum number of IP addresses in Class C?Class C IP

(A) 254
(B) 256
(C) 1024
(D) 65536

[Source: CN Topic Test 5.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P33. Which type of DNS record maps IP to hostname? - DNS IP

(A) MX
(B) A
(C) PTR
(D) CNAME

[Source: CN Topic Test 5.pdf | auto-classified: Topic 3 / Port Numbers & DNS/URL]

⚠ auto-ingested — answer needs verification

P34. In subnetting, reducing the number of host bits does what

(A) Increase broadcast domain
(B) Decrease number of subnets
(C) Increase number of subnets
(D) all Increase number of hosts

[Source: CN Topic Test 5.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P35. What type of address is FF:FF:FF:FF:FF:FF? FF:FF:FF:FF:F F:FF

(A) Unicast
(B) Multicast
(C) Boardcast
(D) Loopback

[Source: CN Topic Test 5.pdf | auto-classified: Topic 3 / MAC Address]

⚠ auto-ingested — answer needs verification

P36. MAC address is also called _____. _____

(A) Physical address
(B) Logical address
(C) Source address
(D) Destination address

[Source: CN Topic Test-01.pdf | auto-classified: Topic 3 / MAC Address]

⚠ auto-ingested — answer needs verification

P37. What is the main purpose of a Domain Name System (DNS) server? (DNS)

(A) To allocate IP addresses dynamically
(B) To convert domain names into IP addresses
(C) To route traffic within a LAN
(D) To manage firewall settings

[Source: CN Topic Test-02.pdf | auto-classified: Topic 3 / Port Numbers & DNS/URL]

⚠ auto-ingested — answer needs verification

P38. There is a need to create a network that has 5 subnets, each with at least 16 hosts. which one is used as classful subnet mask? 16

(A) 255.255.255.192
(B) 255.255.255.248
(C) 255.255.255.240
(D) 255.255.255.224

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P39. Which of the following is a class B host address

(A) 230.0.0.0
(B) 130.4.5.6
(C) 230.7.6.5
(D) 30.4.5.6

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P40. A subnet mask in class C can have _____ 1's with the remaining bits O'sb C _____ 1

(A) 10
(B) 24
(C) 12
(D) 7

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P41. IPv6 is developed by IPv6

(A) IETF
(B) ANSI
(C) ISO
(D) IEEE

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv6 Addressing]

⚠ auto-ingested — answer needs verification

P42. In the IPv4 addressing format, the number of networks allowed under Class C addresses is IPv4 , C

(A) 220
(B) 224
(C) 214
(D) 221

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P43. Which of the following statement/s is/are true? (i) Windows XP supports both peer- peer and client-server networks. (ii) Windows XP implements Transport protocols as drivers that can be loaded and uploaded from the system dynamically. (i) (ii) Choose the correct answer from the code given below:

(A) Both (i) and (ii)
(B) Neither (i) nor (ii) (ii) only (i) only (ii) 11. The four byte IP Address consists of (a) Neither network nor Host Address (b) Network Address
(C) Both Network and Host Address
(D) Host Address

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P44. The dotted-decimal notation of the following IPV4 address in binary notation is IPV4

(A) 111.56.45.239
(B) 129.11.10.238
(C) 129.11.11.239
(D) 111.56.11.239

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P45. What is the maximum number of hosts that can be assigned IP addresses on a /24 network? 24 IP

(A) 254
(B) 256
(C) 512
(D) 1024

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P46. In a class B subnet, we know the IP address of one host and the mask as given below: IP address: 125.134.112.66 Mask: 255.255.224.0 What is the first address (Network address)

(A) 125.134.96.0
(B) 125.134.112.0
(C) 125.134.112.66
(D) 125.134.0.0

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P47. In CIDR notation, what does the /16 represent? CIDR

(A) 16 host bits
(B) 16 network bits
(C) 16 bytes
(D) 16 subnets

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P48. Which IP address class provides the largest number of hosts per network

(A) Class A
(B) Class B
(C) Class C
(D) Class D

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P49. If the number of networks and number of hosts in class B are 2m, (2n −2) respectively. Then the relation between m,n is: 2m (2n −2) m,n :

(A) 3m=2n
(B) 7m=8n
(C) 8m=7n
(D) 2m=3n

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P50. The address 255.255.255.255 is used for:

(A) A public IP
(B) A default gateway
(C) A network ID
(D) Broadcast to all nodes

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P51. What is the range of addresses for APIPA (Automatic Private IP Addressing)? APIPA ( )
(A) 169.254.0.1 to 169.254.255.254
(B) 10.0.0.0 to 10.255.255.255
(C) 192.168.0.0 to 192.168.255.255
(D) 172.16.0.0 to 172.31.255.255
[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P52. Which part of the IP address 172.16.5.4/24 identifies the network? 172.16.5.4/24
(A) 172
(B) 172.16
(C) 172.16.5
(D) 172.16.5.4
[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P53. The first octet of a Class B IP address falls between:
(A) 0-127
(B) 128-191
(C) 192-223
(D) 224-239
[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P54. What is the purpose of subnetting
(A) To increase the number of hosts per network
(B) To divide a network into smaller networks
(C) To reduce the number of IP addresses needed
(D) To merge multiple networks
[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P55. What is the valid host range for the subnet 192.168.1.0/25? 192.168.1.0/25
(A) 192.168.1.0 - 192.168.1.255
(B) 192.168.1.1 - 192.168.1.126
(C) 192.168.1.1 - 192.168.1.254
(D) 192.168.1.0 - 192.168.1.127
[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P56. In a subnet mask, the number of 1's represents:
(A) Host bits
(B) Network bits
(C) Broadcast bits
(D) Subnet bits The IP address 224.0.0.1 belongs to: IP address 224.0.0.1 : (a) Private IP address (b) Public IP address (c) Multicast address (d) Broadcast address
[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P57. How many usable hosts are there in a /30 subnet? 30

(A) 2
(B) 4
(C) 6
(D) 14 40 What does NAT (Network Address Translation) primarily help with? NAT ( ) (a) Speeding up IP packets (b) Connecting two networks (c) IP address conservation (d) Encrypting IP traffic

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P58. What is the purpose of the "reserved" IP address 0.0.0.0? reserved IP address 0.0.0.0

(A) Default gateway
(B) Used for DHCP servers
(C) Default route or "any network"
(D) Multicast address

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P59. Which header field is removed when an IP packet moves across a router? IP

(A) Source IP address
(B) Destination IP address
(C) MAC (Media Access Control) address
(D) Subnet mask

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P60. The subnet mask 255.255.255.128 provides how many subnets for a Class C network? 255.255.255.128

(A) 1
(B) 2
(C) 4
(D) 8

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P61. Which IP address type is used to communicate with all devices on a subnet

(A) Unicast
(B) Broadcast
(C) Multicast
(D) Anycast

[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / MAC Address]

⚠ auto-ingested — answer needs verification

P62. The address of a class B host o be split into subnets with a 3 bit subnet number. What is the maximum number of subnets and maximum number of hosts in each subnet
(A) 8 subnets and 262141 hosts
(B) 6 subnets and 262141 hosts
(C) 6 subnets and 1022 hosts
(D) None of the Above
[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P63. The special IP address used to test network interface (NIC) hardware is: ( )
(A) 127.0.0.1
(B) 0.0.0.0
(C) 255.255.255.255
(D) 169.254.0.1 The process of hiding internal IP addresses from external networks is called: IP (a) Port forwarding (b) NAT (c) Tunneling (d) VPN
[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P64. Which class of IP addresses supports 65,534 hosts per network? 65,534
(A) Class A
(B) Class B
(C) Class C
(D) Class D
[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P65. Which IP address is reserved for future use and experimental purposes
(A) 127.0.0.1
(B) 224.0.0.1
(C) 240.0.0.0
(D) 192.168.0.1
[Source: CN Topic Test-03.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P66. An ethernet destination address 0A-01-12-03-04-05 is: 0A-01-12-03-04 05 :
(A) Unicast address
(B) Multicast address
(C) Broadcast address
(D) All of the options
[Source: CN Topic Test-04.pdf | auto-classified: Topic 3 / MAC Address]

⚠ auto-ingested — answer needs verification

P67. The IP address is used by hosts when they are being booted
(A) 0.0.0.0
(B) 1.0.0.0
(C) 1.1.1.1
(D) 255.255.255.255
[Source: CN Topic Test-04.pdf | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P68. The address used in the Data Link Layer is called:
(A) Logical address
(B) Port address
(C) MAC address
(D) IP address
[Source: CN Topic Test-04.pdf | auto-classified: Topic 3 / MAC Address]

⚠ auto-ingested — answer needs verification

P69. What does /24 denote in CIDR?
(A) 24 bits are used for host portion
(B) 24 bits are used for network portion
(C) 24 subnets are created
(D) 24 addresses are available in the subnet
[Source: RPSC Programmer 2024 Paper-1 (with official key) | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P70. IP address 172.16.123.213 is found to be residing on a sub-network with the following subnet mask: 255.255.255.240. What is the network address of this subnet?
(A) 172.16.123.240
(B) 172.16.123.208
(C) 172.16.123.213
(D) 172.16.123.245
[Source: RPSC Programmer 2024 Paper-1 (with official key) | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P71. The size of the 'total length field' of IPv4 datagram is -
(A) 16 bits
(B) 32 bits
(C) 8 bits
(D) 4 bits
[Source: RPSC Programmer 2024 Paper-1 (with official key) | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P72. What is the role of DNS? It is best described as -
(A) maps a domain name to an IP address
(B) translate a host's private IP address to a public IP address
(C) translate a host's IPv6 address to an IPv4 address
(D) maps a MAC address to an IP address
[Source: RPSC Programmer 2024 Paper-1 (with official key) | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P73. A Reverse Lookup in DNS means a lookup to ..... using ..... records.
(A) identify mail servers, SOA
(B) map IP address to domain name, PTR
(C) map domain names to IP address, A
(D) determine the authoritative name servers, CNAME
[Source: RPSC Programmer 2024 Paper-1 (with official key) | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P74. An organization has a Class B network and wishes to form subnets for 64 departments. The subnet mask would be -
(A) 255.255.128.0
(B) 255.255.0.0
(C) 255.255.64.0
(D) 255.255.252.0
[Source: RPSC Programmer 2024 Paper-1 (with official key) | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P75. If a Class B network on the internet has a subnet mask of 255.255.248.0, what is the maximum number of hosts per subnet?
(A) 2046
(B) 1022
(C) 1023
(D) 1024
[Source: RPSC Programmer 2024 Paper-1 (with official key) | auto-classified: Topic 3 / Subnetting & CIDR]

⚠ auto-ingested — answer needs verification

P76. The Address Resolution Protocol (ARP) is used for -
(A) finding the IP address that corresponds to a MAC address
(B) finding the MAC address that corresponds to an IP address
(C) finding the IP address from the DNS
(D) finding the IP address of the default gateway
[Source: RPSC Programmer 2024 Paper-1 (with official key) | auto-classified: Topic 3 / IPv4 Addressing]

⚠ auto-ingested — answer needs verification

P77. The size of MAC address (in bits) is -
(A) 42
(B) 48
(C) 24
(D) 36
[Source: RPSC Programmer 2024 Paper-1 (with official key) | auto-classified: Topic 3 / MAC Address]

⚠ auto-ingested — answer needs verification

P78. URL belongs to which layer? URL ?**
(A) Presentation
(B) Application
(C) Transport
(D) Network
[Source: BCI_SCI Subject Test-7.pdf | auto-classified: Topic 1 / General Network Basics]

⚠ auto-ingested — answer needs verification

P79. S1: Every Computer or an Internet device has a unique MAC address. S2: Every Computer or an Internet device has a unique IP address. Consider the following statement given above ? S1: MAC S2: IP
(A) Statement s1 true and s2 false
(B) Both statement s1,s2 false
(C) Staement s1 false and s2 true
(D) Both statement s1,s2 true
[Source: CN Topic Test-01.pdf | auto-classified: Topic 1 / Types of Networks]

⚠ auto-ingested — answer needs verification

P80. A host is connected to a Department network which is part of a University network. The university network, in turn is part of the Internet. The largest network in which the Ethernet address of the host in unique is

(A) The subnet to which the host belongs
(B) The department network
(C) The university network
(D) the Internet

[Source: CN Topic Test-02.pdf | auto-classified: Topic 1 / Types of Networks]

⚠ auto-ingested — answer needs verification

P81. IP address can be used in WAN IP WAN

(A) 256.0.0.1
(B) 172.16.0.10
(C) 15.1.5.6
(D) 127.256.0.118.

[Source: CN Topic Test-03.pdf | auto-classified: Topic 1 / Types of Networks]

⚠ auto-ingested — answer needs verification

P82. Which organization is responsible for managing IP address allocation globally

(A) IEEE
(B) ICANN
(C) IETF
(D) ISO

[Source: CN Topic Test-03.pdf | auto-classified: Topic 2 / OSI Model Basics]

⚠ auto-ingested — answer needs verification