In the Lecture Series Introduction to Database Systems

CS2102



Presented by Stéphane Bressan

First Lecture

We discuss the **rationale** and motivate and outline the **syllabus** of the course

Why are we here?

Database is **not taught at MIT**

Database Application

Can we devise a **definition** for a ``**Database Application**''?

``A database application is a collection of **data** and the **programs** that allow the manipulation of these data''

But this definition fits any computer application ☹

Database Application (Examples)

Can you find examples of database applciations?

- Banking
- University
- Airline reservations
- My address book
- The e-shop around the corner

Database Management Systems

- We **do not program** database applications from scratch.
- We use **Database Management Systems** (**DBMS**)
- DBMS are generic platforms for the **implementation** and **management** of database applications

Database management Systems

- Example Database management Systems are:
  - Oracle
  - SQL Server
  - Sybase
  - DB2
  - PostgreSQL
  - MySQL
  - SQLite
  - MS Access



DBMS (simplified) Architecture



DBMS Client/Server Architecture



What is Specific about Database Applications?



Data must Persist

How can data **survive** the process that created it, and be **reused** by other processes?

Data must Persist

Primary memory is **volatile**



Secondary and **tertiary memories** are **persistent**

Data Comes in Large Amounts

- There were **190 million** registered **voters** in the 2014 Indonesian elections
- Where could one **store** the **names**, **identification numbers**, and **electoral districts** of voters?

Data Comes in Large Amounts

- There were **190 million** registered **voters** in the 2014 Indonesian elections
- How could one **sort them by alphabetical order** of electoral districts and names?

Data Comes in Large Amounts

When data is to be stored on secondary or tertiary storage, then we need to devise **efficient algorithms** taking into account the dominant cost of **Input/Output operations** (I/Os)

Such algorithms are called **external** algorithms (e.g., *external sort*)

Data Comes in Large Amounts

- There were **190 million registered voters** in the 2014 Indonesian elections
- Imagine the original tapes contain duplicate entries
- Think about an algorithm to remove the duplicate entries

Data Comes in Homogeneous Collections



The Good News!

The DBMS implements

- **access methods** (the loop)
- and **indexing** and **access methods** for efficient storage, update, and retrieval

Data is Structured



The Good News!

- The DBMS supports **data models**

We can **design** applications around the data by defining the application **schema**

- The DBMS supports **languages** for data **definition** and **manipulation**

We can **program** applications using dedicated languages such as **SQL**

Data is Structured: the Good News!

- DDL: **Data Definition Language**. It includes statements to define the schema

- DML: **Data Manipulation Language**. It includes statements for creating, updating, and querying data

Data is Structured

```
CREATE TABLE voters
        (first_name char(32),
        last_name CHAR(32),
        district CHAR(64),
        national_id NUMBER)

SELECT last_name
  FROM voters
  WHERE first_name = 'Bambang'
```

Transactions

A **transaction** is a **logical unit of work** carried out by a user or an application



In practice, there are different ways to specify the scope of transactions.
One of them is to use BEGIN END blocks in procedural SQL

ACID Properties

- **Recovery**
  - **Atomicity:** all actions in a transaction happen or none happen
  - **Durability:** effects of successful transactions last
- **Concurrency Control**
  - **Isolation:** Transactions can be understood independently from each other
  - **Consistency:** If individual transactions would leave the application in a consistent state, a concurrent execution should do the same

Integrity of Data should be Maintained

How to maintain the integrity of data in spite of possible **application**, **system**, or **media failures**?

Consistent States

A **consistent state** of the database is a state which complies with the business rules as usually defined by **integrity constraints**

"students who have not passed cs2102 cannot take cs3223"

If the integrity constraints are violated by a transaction, the transaction is **aborted** and **rolled back**, otherwise, it is **committed**.

Distributed and Concurrent Access

How can data be **shared** by users and processes that are possibly **distributed** over a network?

Security and Access Control of Data is Critical

How to protect the data and define and **control** **access** to data?

Definitions

- DCL: **Database Control Language**. It include statements to administer access privileges and transactions properties

In Summary

A database application manages **homogeneous collections** containing **large amounts** of **persistent** **structured data** that are **shared** among **distributed** users and processes and whose **integrity** must be maintained and **security** controlled

Conclusion

- We have **identified the typical requirements** of database applications
- We have **identified Database Management Systems** as the platforms for database applications
- We have **identified the topics to study** in this course: design and programming

Syllabus

- **Design**
  - Entity Relationship Model
  - Relational Model
  - Normalisation with Functional Dependencies
- **Programming**
  - Theory of Query Languages: algebra and calculi
  - SQL
  - SQL and Programming Languages

Credits

The content of this lecture is based on chapter 1 of the book "Introduction to database Systems"

By

S. Bressan and B. Catania, McGraw Hill publisher

Clipart and media are licensed from Microsoft Office Online Clipart and Media