#### In the Lecture Series Introduction to Database Systems



# SQL



## Using SQLite for the Lecture

.open cs2102.db

.mode column

.header on

PRAGMA foreign\_keys = ON;

.read small\_data.sql

- Open or create the database
- Set the column output
- Print the headers of the columns (attribute names) in output
- Enable foreign keys

 Run the SQL DDL and DML code

## **Querying One Table**

Find all the information about students.

We can use either \* or list the columns that we want to retrieve in the SELECT clause.

```
SELECT *
FROM student;

SELECT name, email, year, faculty, department, graduate
FROM student;
```

name	email	year	faculty	departme nt	graduate
"GOH HUI YING"	gohhuiying 1989@gm ail.com	2008-01- 01	"Faculty of Science"	Biology	
"TAY WEI GUO"	tayweiguo 1989@ms n.com	2010-08- 01	"Faculty of Engineerin g"	CE	
"PENG JIAYUAN"	pengjiayua n2011@ho tmail.com	2008-01- 01	"Faculty of Science"	Biology	
"HUANG ZHANPEN G"	huangzhan peng1992 @msn.co m	2010-08- 01	"Faculty of Arts and Social Science"	Geography	
•••					

# **Selecting Columns**

Find the names and emails of students.

We can selectively choose the columns we want to retrieve in the SELECT clause.

```
SELECT name, email FROM student;
```

name	email
"GOH HUI YING"	gohhuiying1989@gmail.com
"TAY WEI GUO"	tayweiguo1989@msn.com
"PENG JIAYUAN"	pengjiayuan2011@hotmail.co
"HUANG ZHANPENG"	huangzhanpeng1992@msn.co
"ZHENG ZHEMIN"	zhengzhemin1991@yahoo.com
"LIU ZHANPENG"	liuzhanpeng2011@msn.com

# Selecting Rows

Find the names and emails of computer science students.

The WHERE clause is used for conditions.

```
SELECT name, email
FROM student
WHERE department='CS';
```

name	email
"LIU SHAOJUN"	liushaojun2010@msn.com
"QIN YIYANG"	qinyiyang2010@hotmail.com
"SIOW CAO KHOA"	siowcaokhoa1991@msn.com
"DAVID CHAPMAN"	davidchapman1989@msn.com

### **Selecting Rows**

Find the names and emails of students who joined after '2014-01-01'.

There are several comparison operators for each domain.

```
SELECT name, email

FROM student

WHERE year >= '2010-01-01';
```

name	email
"TAY WEI GUO"	tayweiguo1989@msn.com
"HUANG ZHANPENG"	huangzhanpeng1992@msn.com
"WANG NA"	wangna1990@yahoo.com
"SIOW CAO KHOA"	siowcaokhoa1991@msn.com
"DENNIS BECKHAM"	dennisbeckham1989@msn.com

#### Selecting Rows

Find the names and emails of students who graduated after '2014-01-01'.

Null values need a special careful treatment.

```
SELECT name, email

FROM student

WHERE graduate >= '2014-01-01';

No results! (nobody has graduated yet!)
```

Find the names and emails of students who have not graduated before 2014-01-01'.

```
SELECT name, email
FROM student
WHERE graduate >= '2014-01-01' OR graduate iS NULL;
```

The condition must be TRUE (not FALSE, not UNKNOWN)

name	email
"GOH HUI YING"	gohhuiying1989@gmail.com
"TAY WEI GUO"	tayweiguo1989@msn.com
"PENG JIAYUAN"	pengjiayuan2011@hotmail.com
"HUANG ZHANPENG"	huangzhanpeng1992@msn.com

#### **Querying Multiple Tables**

Find the names of students and the titles of the books that they own.

We can list all the tables we want to use in the FROM clause. We are querying the Cartesian product of these tables.

```
SELECT student.name, book.title
FROM student, copy, book
WHERE student.email=copy.owner
AND copy.book=book.ISBN13;
```

#### This is the Cartesian product:

```
SELECT student.name, book.title FROM student, copy, book;
```

It is very big! (how big?)

name	title
"DAVID HALL"	"The Digital Photography Book"
"GOH HUI YING"	"Photoshop Elements 9: The Missing
	Manual"
"HUANG ZHANPENG"	"Where Good Ideas Come From:
	The Natural History of Innovation"
"JENNY HUNT"	"Photoshop Elements 9: The Missing
	Manual"
"LIU SHAOJUN"	"The Great Gatsby"
"LIU ZHENCAI"	"The Digital Photography Book"
"NG YONG MING"	"The Digital Photography Book"
"QIN YUWEI"	"Where Good Ideas Come From:
	The Natural History of Innovation"
"TAY WEI GUO"	"The Great Gatsby"
"TSO HUI LIN"	"Photoshop Elements 9: The Missing
	Manual"
"WANG NA"	"The Digital Photography Book"
"WANG NA"	"Photoshop Elements 9: The Missing
	Manual"
"ZHANG HAN"	"Where Good Ideas Come From:
	The Natural History of Innovation"
"ZHU CHANG"	"Where Good Ideas Come From:
	The Natural History of Innovation"

#### **Tuple Variables**

Find the names of students and the titles of the books they own.

It is best to use t-uple variables (see t-uple calculus).

```
SELECT s.name, b.title

FROM student s, copy c, book b

WHERE s.email=c.owner

AND c.book=b.ISBN13;
```

s, c and b are t-uple variables.

#### Renaming

Find the names of students who lent a book returned after 2010-03-04 to anniechapman1991@yahoo.com.

Renaming of the columns in the result is done with ``AS".

```
SELECT s.name AS owner
FROM loan 1, student s
WHERE s.email=1.owner
AND l.returned > '2010-03-04'
AND l.borrower = 'anniechapman1991@yahoo.com';
```

owner
JENNY HUNT"
JENNY HUNT"
JENNY HUNT"
JENNY HUNT"
'QIN YUWEI"
'QIN YUWEI"

#### **Duplicates**

Find the different names of students who lent a book returned after 2010-03-04 to anniechapman1991@yahoo.com.

One can eliminate duplicates rows in the result table using ``DISTINCT".

```
SELECT DISTINCT s.name AS owner
FROM loan 1, student s
WHERE s.email=1.owner
AND l.returned > '2010-03-04'
AND l.borrower = 'anniechapman1991@yahoo.com';
```

owner

"JENNY HUNT"

"QIN YUWEI"

#### **Ordering Rows**

Find the names of students who lent a book returned after 2010-03-04 to anniechapman1991@yahoo.com in descending alpha-numerical order.

The result can be ordered using the ORDER BY clause. (default is ASC)

```
SELECT s.name AS owner
FROM loan 1, student s
WHERE s.email=1.owner
AND l.returned > '2010-03-04'
AND l.borrower = 'anniechapman1991@yahoo.com'
ORDER BY name DESC;
```

owner	
QIN YUWEI"	
QIN YUWEI"	
JENNY HUNT"	

#### **Ordering Rows**

Find the ISBN14 of the books that have been borrowed by anniechapman1991@yahoo.com, their borrowing and return dates in ascending order of the borrowing and return dates.

We can order according to several columns.

We can order according to columns not in the result.

```
SELECT 1.book, 1.returned
FROM loan 1
WHERE 1.borrower='anniechapman1991@yahoo.com'
ORDER BY 1.borrowed, 1.returned;
```

book	returned
978-1449389673	2010-03-19
978-1594487712	2010-03-18
978-1449389673	2010-06-13
978-1594487712	2010-06-13
978-1449389673	2010-06-22
978-1449389673	2010-08-13

#### Arithmetic and Renaming

Find the price of books after tax (18%).

Arithmetic and other operations are available for most domains.

```
CREATE TABLE catalog (
book CHAR(14) PRIMARY KEY,
price number);

SELECT * FROM catalog;

SELECT book, price * 1.18 AS priceGST FROM catalog;
```

book	price
978-0321474049	24
978-0684801520	35
978-1449389673	12
978-1594487712	55

book	priceGST
978-0321474049	28.32
978-0684801520	41.3
978-1449389673	14.16
978-1594487712	64.9

#### Summary

# Syntax

- 1. SELECT
- 2. FROM
- 3. WHERE
- 4. ORDER BY

#### **Semantics**

- 1. FROM
- 2. WHERE
- 3. ORDER BY
- 4. SELECT

# Aggregates

# Aggregate Queries: Counting Rows

Find the total number of (different) books.

Aggregate queries use aggregate functions like ``COUNT()" to combine results over entire tables or columns.

```
SELECT COUNT(*) FROM book b;
```

```
COUNT(), MAX(), MIN(), AVG(), STD(), SUM() etc.
```

COUNT(\*)

4

# Aggregate Queries: Counting Rows

Find the total number of titles.

```
SELECT COUNT(1.book)
FROM loan 1;

SELECT COUNT(ALL 1.book)
FROM loan 1;
```

COUNT(I.book)

55

# Aggregate Queries: Counting Rows

Find the total number of different titles.

```
SELECT COUNT(DISTINCT l.book)
FROM loan l;
```

"COUNT(DISTINCT I.book)"

4

# Aggregate Queries: Average, Minimum, etc.

Find the average price of books in the catalog.

```
SELECT AVG(c.price)
FROM catalog c;
```

book	price
978-0321474049	24
978-0684801520	35
978-1449389673	12
978-1594487712	55

AVG(c.price)

31.5

## Aggregate Queries: Grouping

Find, for each day, the number of books borrowed by anniechapman1991@yahoo.com.

```
SELECT COUNT(1.book)
FROM loan 1
WHERE 1.borrower='anniechapman1991@yahoo.com'
GROUP BY 1.borrowed;
```

COUNT(I.book)
2

Let us try and understand what is happening.

We order by instead of grouping.

```
SELECT *
FROM loan l
WHERE l.borrower='anniechapman1991@yahoo.com'
ORDER BY l.borrowed;
```

We see some groups appearing.

The GROUP BY clause creates groups before the aggregation but after the WHERE clause.

We count for each group. Can we get 0?

borrower	owner	book	сору	borrowed	returned	
anniechapm	jennyhunt19	978-	1	2010-02-17	2010-03-19	, F
an1991@ya	91@gmail.co	1449389673				- 1
hoo.com	m					•
anniechapm	qinyuwei201	978-	1	2010-03-17	2010-03-18	
an1991@ya	1@hotmail.c	1594487712				
hoo.com	om					
anniechapm	jennyhunt19	978-	1	2010-05-17	2010-06-13	
an1991@ya	91@gmail.co	1449389673				
hoo.com	m					<b>2</b>
anniechapm	qinyuwei201	978-	1	2010-05-17	2010-06-13	
an1991@ya	1@hotmail.c	1594487712				
hoo.com	om					
anniechapm	jennyhunt19	978-	1	2010-06-17	2010-06-22	1
an1991@ya	91@gmail.co	1449389673				
hoo.com	m					
anniechapm	jennyhunt19	978-	1	2010-07-17	2010-08-13	
an1991@ya	91@gmail.co	1449389673				
hoo.com	m					

Which one eliminates duplicates?

```
SELECT DISTINCT 1.book
FROM loan 1;

SELECT 1.book
FROM loan 1
GROUP BY 1.book;
```

Interestingly, the GROUP BY clause can be used to eliminate duplicates. Sometimes it is the only way to do so.

For readability of the queries, unless impossible, prefer ``DISTINCT".

book
978-1449389673
978-1594487712
978-0321474049
978-0684801520

book
978-0321474049
978-0684801520
978-1449389673
978-1594487712

Find, for each day, the number of books borrowed by anniechapman1991@yahoo.com, print the day and the quantity.

```
SELECT l.borrowed, COUNT(l.book)
FROM loan l
WHERE l.borrower='anniechapman1991@yahoo.com'
GROUP BY l.borrowed;
```

Only attributes in the GROUP BY clause and aggregate functions can be used in the SELECT (and HAVING) clauses.

borrowed	COUNT(I.book)
2010-02-17	1
2010-03-17	1
2010-05-17	2
2010-06-17	1
2010-07-17	1

Find, for each day, the number of books borrowed by anniechapman1991@yahoo.com print the borrower, the day and the quantity.

```
SELECT l.borrower, l.borrowed, COUNT(l.book)
FROM loan l
WHERE l.borrower='anniechapman1991@yahoo.com'
GROUP BY l.borrowed, l.borrower;
```

It is required to have I.borrower in the GROUP BY clause (even though some system like SQLite accept it, they may give random answers)

borrower	borrowed	COUNT(I.book)
anniechapman1991@	2010-02-17	1
yahoo.com		
anniechapman1991@	2010-03-17	1
yahoo.com		
anniechapman1991@	2010-05-17	2
yahoo.com		
anniechapman1991@	2010-06-17	1
yahoo.com		
anniechapman1991@	2010-07-17	1
yahoo.com		

# Aggregate Queries: You Try!

```
SELECT 1.owner, 1.borrowed, COUNT(1.book)
FROM loan 1
WHERE 1.borrower='anniechapman1991@yahoo.com'
GROUP BY 1.borrowed;

SELECT 1.owner, 1.borrowed
FROM loan 1
WHERE 1.borrower='anniechapman1991@yahoo.com';
```

```
What does this query find?
  SELECT l.borrower, l.borrowed, COUNT(l.book)
  FROM loan 1
  GROUP BY 1.borrowed, 1.borrower, 1.book;
What does this query find?
  SELECT l.borrower, l.borrowed, COUNT(l.book)
  FROM loan 1;
What does this query find?
  SELECT COUNT(1.book)
  FROM loan 1;
What does this query find?
  SELECT COUNT(DISTINCT 1.book)
  FROM loan 1;
```

## **Aggregate Queries: Condition**

Find the students who borrowed more that one book on any given day.

```
SELECT 1.borrower

FROM loan 1

GROUP BY 1.borrowed 1 borrower

WHERE COUNT(1.book) >1;
```


"Incorrect syntax near the keyword 'WHERE'."

Aggregate functions cannot be used in the WHERE clause.

### **Aggregate Queries: Condition**

Find the students who borrowed more that one book on any given day. We need the HAVING clause.

```
SELECT 1.borrower
FROM loan 1
GROUP BY 1.borrowed, 1.borrower
HAVING COUNT(1.book) >1;
```



# Summary

# Syntax

- 1. SELECT
- 2. FROM
- 3. WHERE
- 4. GROUP BY
- 5. HAVING
- 6. ORDER BY

#### **Semantics**

- 1. FROM
- 2. WHERE
- 3. GROUP BY
- 4. HAVING
- 5. ORDER BY
- 6. SELECT

#### **Credits**

The content of this lecture is based on chapter 5 of the book "Introduction to database Systems"

By
S. Bressan and B. Catania,
McGraw Hill publisher

Clipart and media are licensed from Microsoft Office Online Clipart and Media

Copyright © 2016 by Stéphane Bressan

