



Nama : Ekayanti Puspita Cahyani
NIM : 2001047
Kelas : SIK A

LATIHAN W3SCHOOL jQuery

1. jQuery Selector



The screenshot shows a web browser with three tabs: 'SPOT UPI | Mahasiswa | Dashboard', 'jQuery Exercises', and 'Exercise v3.0'. The address bar shows the URL 'w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors1'. The page has a sidebar on the left with a list of exercises, where 'Exercise 1' is selected. The main content area is titled 'Exercise:' and contains the instruction 'Use the correct selector to hide all <p> elements.' Below this, a large green box displays 'Correct!' with a 'Next >' link. At the bottom of the main area is a 'Next Exercise >' button. A banner for '10.10 BRANDS FESTIVAL' is visible at the top of the page.



The screenshot shows the same browser with the URL 'w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors2'. The sidebar shows 'Exercise 2' is selected. The main content area is titled 'Exercise:' and contains the instruction 'Use the correct selector to hide an element with id="test".' Below this, a code editor shows the jQuery code `$("#test").hide();`. There are two buttons: 'Submit Answer >' and 'Show Answer'. A banner for 'Coba Spotify Premium, gratis 1 bulan.' is visible at the top of the page.

SPOT UPI | Mahasiswa | Dashbo...jQuery ExercisesExercise v3.0

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors6

Completed 5 of 60 Exercises:

jQuery Selectors

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

Exercise 6

Go to jQuery Selectors Tutorial

jQuery Events

jQuery Hide and Show

jQuery Fade

jQuery Slide

Exercise:

Use the correct selector to hide all odd table rows in a table.

```
$("tr:odd").hide();
```

Show Answer

Submit Answer >

Activate Windows
Go to Settings to activate Windows.

SPOT UPI | Mahasiswa | Dashbo...jQuery ExercisesExercise v3.0

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors6

Completed 6 of 60 Exercises:

jQuery Selectors ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

✓ Exercise 6

Go to jQuery Selectors Tutorial

jQuery Events

jQuery Hide and Show

jQuery Fade

jQuery Slide

Exercise:

Use the correct selector to hide all odd table rows in a table.

Correct!

Next >

Next Exercise >

Activate Windows
Go to Settings to activate Windows.

2. jQuery Events

The screenshot shows a web browser with three tabs: "SPOT UPI | Mahasiswa | Dashboard", "jQuery Exercises", and "Exercise v3.0". The address bar shows the URL "w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_events2". On the left, a sidebar lists navigation options: "jQuery Selectors" (checked), "jQuery Events", "Exercise 1" (checked), "Exercise 2" (highlighted in green), "Exercise 3", "Exercise 4", "Exercise 5", "Go to jQuery Events Tutorial", "jQuery Hide and Show", "jQuery Fade", "jQuery Slide", and "jQuery Animate". The main content area is titled "Exercise:" and contains the instruction: "Use the correct event to hide all <p> elements with a "double-click".". Below this, a code editor contains the following JavaScript code:

```
$("p").dblclick(function(){
    $(this).hide();
});
```

 To the right of the code editor is a "Show Answer" button. Below the code editor is a "Submit Answer >" button. At the bottom right, there is a Windows activation watermark that says "Activate Windows Go to Settings to activate Windows."

The screenshot shows the same web browser with the same tabs and address bar. The sidebar navigation is updated: "jQuery Selectors" (checked), "jQuery Events", "Exercise 1" (checked), "Exercise 2" (checked), "Exercise 3" (checked), "Exercise 4" (highlighted in green), "Exercise 5", "Go to jQuery Events Tutorial", "jQuery Hide and Show", "jQuery Fade", "jQuery Slide", and "jQuery Animate". The main content area is titled "Exercise:" and contains the instruction: "If you press a keyboard key inside an <input> element, it should be hidden. Use the correct event to do so.". Below this, a code editor contains the following JavaScript code:

```
$("input").keypress(function(){
    $(this).hide();
});
```

 To the right of the code editor is a "Show Answer" button. Below the code editor is a "Submit Answer >" button. At the bottom right, there is a Windows activation watermark that says "Activate Windows Go to Settings to activate Windows."

SPOT UPI | Mahasiswa | Dashboard

jQuery Exercises

Exercise v3.0

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_events5

Completed 11 of 60 Exercises:

jQuery Selectors

jQuery Events

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Go to jQuery Events Tutorial

jQuery Hide and Show

jQuery Fade

jQuery Slide

jQuery Animate

Exercise:

Use the `on()` method to attach a click event handler to all `<p>` elements.

```
$("p").on("click", function(){
    $(this).hide();
});
```

Show Answer

Submit Answer >

Activate Windows
Go to Settings to activate Windows.

3. jQuery Hide and Show

SPOT UPI | Mahasiswa | Dashboard

jQuery Exercises

Exercise v3.0

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_hide_show1

Completed 11 of 60 Exercises:

jQuery Selectors

jQuery Events

jQuery Hide and Show

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Go to jQuery Hide and Show Tutorial

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

Exercise:

Use a jQuery method to hide a `<p>` element when it is clicked on.

```
$("p").click(function(){
    $(this).hide();
});
```

Show Answer

Submit Answer >

Activate Windows
Go to Settings to activate Windows.

SPOT UPI | Mahasiswa | Dashboard

jQuery Exercises

Exercise v3.0

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_hide_show2

Completed 12 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to jQuery Hide and Show Tutorial](#)

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

Exercise:

Use a jQuery method to hide a <p> element when it is clicked on.

Note: The speed should be "slow".

```
$("#p").click(function(){
  $(this).hide("slow");
});
```

Show Answer

Submit Answer >

Activate Windows
Go to Settings to activate Windows.

SPOT UPI | Mahasiswa | Dashboard

jQuery Exercises

Exercise v3.0

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_hide_show4

Completed 15 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery Hide and Show Tutorial](#)

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

Exercise:

Use a jQuery method to toggle between hiding and showing a <p> element.

```
$("#button").click(function(){
  $("#p").toggle();
});
```

Show Answer

Submit Answer >

Activate Windows
Go to Settings to activate Windows.

4. jQuery Fade

The screenshot shows a web browser with three tabs: 'SPOT UPI | Mahasiswa | Dashboard', 'jQuery Exercises', and 'Exercise v3.0'. The address bar shows the URL 'w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_fade1'. The left sidebar has a list of exercises: 'jQuery Selectors', 'jQuery Events', 'jQuery Hide and Show', 'jQuery Fade', 'Exercise 1' (highlighted in green), 'Exercise 2', 'Exercise 3', 'Exercise 4', 'jQuery Slide', 'jQuery Animate', and 'jQuery Stop'. The main content area has the heading 'Exercise:' followed by the instruction 'Use a jQuery method to fade out a <div> element.' Below this is a large green box with the text 'Correct!' and a 'Next >' link. At the bottom of the main area is a 'Next Exercise >' button. A Windows watermark is visible in the bottom right corner.

Completed 16 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade
- ✓ Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- [Go to jQuery Fade Tutorial](#)
- jQuery Slide
- jQuery Animate
- jQuery Stop

Exercise:

Use a jQuery method to fade out a <div> element.

Correct!

[Next >](#)

[Next Exercise >](#)

Activate Windows
Go to Settings to activate Windows.

The screenshot shows the same web browser with the same tabs and address bar. The left sidebar now shows 'Exercise 1' and 'Exercise 2' as completed (with green checkmarks), and 'Exercise 3' is highlighted in green. The main content area has the heading 'Exercise:' followed by the instruction 'Use a jQuery method to fade a <div> element to an opacity of "0.2".' Below this is a large light gray box containing the jQuery code: `$("#div").fadeTo("slow", 0.2);`. At the bottom right of this box is a 'Show Answer' button. Below the code box is a 'Submit Answer >' button. A Windows watermark is visible in the bottom right corner.

Completed 17 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade
- ✓ Exercise 1
- ✓ Exercise 2
- Exercise 3
- Exercise 4
- [Go to jQuery Fade Tutorial](#)
- jQuery Slide
- jQuery Animate
- jQuery Stop

Exercise:

Use a jQuery method to fade a <div> element to an opacity of "0.2".

```
$("#div").fadeTo("slow", 0.2);
```

[Show Answer](#)

[Submit Answer >](#)

Activate Windows
Go to Settings to activate Windows.

SPOT UPI | Mahasiswa | Dashboard

jQuery Exercises

Exercise v3.0

← → ↻

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_fade4

☆ ⚙️ 👤 ⋮

🏠 🗑️ ✕

Completed 19 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery Fade Tutorial](#)

jQuery Slide

jQuery Animate

jQuery Stop

Exercise:

Use a jQuery method to toggle between fading in and out a <div> element, when clicking on a button.

Note: The duration of the effect should be 1000 milliseconds.

```
$("#button").click(function(){
    $("#div").fadeToggle(1000);
});
```

Show Answer

Submit Answer >

Activate Windows
Go to Settings to activate Windows.