

# Gaprio Frontend Implementation Audit

**Scope note:** The repository does **not** contain a `/frontend` directory. This document is based on the actual Next.js app located at the repository root ( `/app` , `/components` , `/api` , `/store` , `/public` ).

## 1. Current Frontend Overview

### What the frontend currently does

- Provides a marketing landing page with animated hero, problem sections, and integration showcase.
- Offers waitlist signup with backend submission.
- Implements a multi-step authentication flow (get started → create/join workspace → verify email → login).
- Provides a protected dashboard shell with an overview tab and a Google Workspace module.
- Supports action notifications via a service worker + monitoring endpoints.

### Main implemented features

- Landing page and marketing sections (Hero, Problem/Platforms, Integration diagram).
- Waitlist form submission.
- Auth flows with OTP verification and token storage.
- Protected dashboard with overview cards and Google Workspace operations (email, calendar, drive) via API.

### Existing pages/modules

- `/` Home landing
- `/waitlist`
- `/login`
- `/get-started`
- `/create-workspace`
- `/join-workspace`
- `/verify-email`
- `/dashboard` (protected)

### Tech stack actually used

- **Next.js 16 (App Router) + React 19**
- **Tailwind CSS v4** (via `@tailwindcss/postcss` )
- **Zustand** for auth/session state
- **Axios** for API calls (custom `apiClient` with refresh queue)
- **GSAP** for auth/waitlist animations
- **Framer Motion** for landing and UI transitions
- **react-hot-toast + sonner** for notifications
- **Lucide** icons

### UI architecture summary

- App Router pages compose **global**, **landing**, and **dashboard2** component sets.
  - **AuthGuard** wraps the entire app and gates navigation based on Zustand auth state.
  - Dashboard uses a sidebar + main content region with tab switching controlled in state.
-

## 2. Implemented Features Documentation

### Status legend

- **Fully implemented:** end-to-end UI + API integration wired.
- **Partially implemented:** UI exists, but backend integration or routing is incomplete.
- **UI-only / incomplete:** UI exists but unused, un-routed, or depends on missing utilities.

| Feature                              | Status                | What it does                                                                      | Key pages/com                                                  |
|--------------------------------------|-----------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------|
| Marketing landing                    | Fully implemented     | Hero + problem statements + integration visualizations                            | app/page.js, components/landir<br>components/global/Navbar     |
| Waitlist signup                      | Fully implemented     | Collects name/email/role/use case and submits to backend                          | app/waitlist/page.jsx                                          |
| Get Started (domain check)           | Fully implemented     | Checks if workspace exists for email domain and routes to join/create             | app/(auth)/get-started/page.j                                  |
| Create workspace (admin)             | Fully implemented     | Registers admin + org and redirects to email verification                         | app/(auth)/create-workspace/p                                  |
| Join workspace (member)              | Fully implemented     | Registers member and redirects to email verification                              | app/(auth)/join-workspace/pag                                  |
| Verify email (OTP)                   | Fully implemented     | Verifies code, sets auth tokens, redirects to dashboard                           | app/(auth)/verify-email/page.                                  |
| Login                                | Fully implemented     | Authenticates user, stores tokens, redirects to dashboard                         | app/(auth)/login/page.jsx                                      |
| Auth guard + session persistence     | Fully implemented     | Protects routes, redirects based on auth, rehydrates from localStorage            | components/global/AuthGuard.j<br>store/useAuthStore.js         |
| Dashboard overview                   | Partially implemented | Shows greeting + identity/workspace cards; org data not fetched in dashboard page | app/(protected)/dashboard/pag<br>components/dashboard2/Greetin |
| Google Workspace module (dashboard2) | Partially implemented | Connect/disconnect, inbox, calendar, drive, compose/reply, upload                 | components/dashboard2/Googlew                                  |

|                                       |                       |                                                                                                              |                                                                     |
|---------------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| Action notifications (dashboard2)     | Partially implemented | Polls <code>/monitoring/actions</code> and shows popup; uses SW for background polling                       | <code>components/dashboard2/ActionPublic/sw-notifications.js</code> |
| Sidebar integrations list             | UI-only/incomplete    | Shows integrations and “Coming soon” toasts for most                                                         | <code>components/dashboard2/Sidebar</code>                          |
| Legacy dashboard modules (dashboard/) | UI-only/incomplete    | Old dashboard UI for Slack/Asana/Jira/Miro/Zoho/etc. Not routed; references missing <code>@/lib/axios</code> | <code>components/dashboard/*</code>                                 |

#### Notes on partial/legacy modules

- The `/components/dashboard` folder appears to be an older dashboard implementation and is **not referenced** by current routes.
- Several legacy modules import `@/lib/axios`, but no `lib/axios` exists in the repo (broken import).

### 3. Existing Pages & Routes

| Route                          | Purpose              | Key components                                 | API calls                                                                                                         | Auth required |
|--------------------------------|----------------------|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------|
| <code>/</code>                 | Marketing landing    | Navbar, Hero, Platforms, IntegrationGrid       | None                                                                                                              | No            |
| <code>/waitlist</code>         | Early access request | Waitlist page component                        | <code>waitlistApi.joinWaitlist</code>                                                                             | No            |
| <code>/login</code>            | Login                | Auth form                                      | <code>authApi.login</code>                                                                                        | No            |
| <code>/get-started</code>      | Entry flow           | Email check                                    | <code>authApi.checkDomain</code>                                                                                  | No            |
| <code>/create-workspace</code> | Admin registration   | Admin setup form                               | <code>authApi.registerAdmin</code>                                                                                | No            |
| <code>/join-workspace</code>   | Member registration  | Member setup form                              | <code>authApi.registerMember</code>                                                                               | No            |
| <code>/verify-email</code>     | OTP verification     | OTP inputs + resend                            | <code>authApi.verifyEmail</code> ,<br><code>authApi.resendVerification</code>                                     | No            |
| <code>/dashboard</code>        | Main app (protected) | Sidebar, DashboardHeader, Greeting, InfoCards, | <code>integrationsApi.getProviderData</code> ,<br><code>googleServiceApi.*</code> ,<br><code>/monitoring/*</code> | Yes           |

|  |  |                                             |  |  |
|--|--|---------------------------------------------|--|--|
|  |  | GoogleWorkspace,<br>ActionPopupNotification |  |  |
|--|--|---------------------------------------------|--|--|

Routes referenced but NOT implemented

- Navbar links: /features , /integrations , /pricing , /enterprise , /register
- Landing CTA: /demo

4. Components Documentation (Reusable & Key Modules)

Global

| Component | Purpose                       | Key props | Notes                                                 |
|-----------|-------------------------------|-----------|-------------------------------------------------------|
| Navbar    | Fixed marketing navigation    | None      | Includes mobile menu; links to unimplemented routes   |
| AuthGuard | Protects routes based on auth | children  | Redirects to /login or /dashboard based on auth state |
| Footer    | Footer UI                     | None      | Present but not used in routing                       |

Landing

| Component       | Purpose             | Key props | Notes                                                |
|-----------------|---------------------|-----------|------------------------------------------------------|
| Hero            | Hero section + CTAs | None      | Framer Motion animations; CTA to /waitlist and /demo |
| Platforms       | Problem/stack cards | None      | Responsive interactive card system                   |
| IntegrationGrid | Integration diagram | None      | Animated connection map of tools                     |

Dashboard (current: dashboard2 )

| Component       | Purpose                   | Key props                                         | State/UI behavior                                    |
|-----------------|---------------------------|---------------------------------------------------|------------------------------------------------------|
| Sidebar         | Navigation + integrations | activeTab, setActiveTab, user, pendingCount, etc. | Shows “Coming soon” toasts; uses next/font for Saira |
| DashboardHeader | Top bar + logout          | None                                              | Calls authApi.logout, clears store                   |
| Greeting        | Welcome headline          | user                                              | Simple display only                                  |

|                         |                                 |                                    |                                                  |
|-------------------------|---------------------------------|------------------------------------|--------------------------------------------------|
| InfoCards               | Identity/workspace/action cards | user, org                          | Workspace card shows "Fetching..." when org null |
| GoogleWorkspace         | Google inbox/calendar/drive     | isConnected, data, user, onRefresh | Modals, compose, reply, upload, delete           |
| ActionPopupNotification | Action suggestions              | onCountChange                      | Uses service worker + polling                    |

### Legacy dashboard (not routed)

- AiAssistant , SlackWorkspace , AsanaWorkspace , JiraWorkspace , MiroWorkspace , ZohoWorkspace , MonitorSettings , etc.
- These appear feature-rich but **are not wired to any route** and rely on a missing `@/lib/axios` import.

## 5. Current State Management

### Zustand store ( `store/useAuthStore.js` )

- Persisted via `localStorage` under `gaprio-auth-storage` .
- Stores `user` , `org` , `accessToken` , `refreshToken` , `isAuthenticated` , `isHydrated` .
- `setAuth` , `refreshTokens` , `logout` , `updateUser` , `updateOrg` actions.

### API state handling

- `apiClient` adds access token to headers and handles refresh with a queue to prevent parallel refreshes.
- No React Query usage (dependency exists but unused).

## 6. Current Authentication Flow

### Implemented flow

1. User enters email on `/get-started` .
2. Backend check determines if org exists → redirects to `/join-workspace` or `/create-workspace` .
3. User completes registration → `/verify-email` .
4. OTP verification sets tokens in Zustand → redirect to `/dashboard` .
5. AuthGuard redirects public vs protected routes based on `isAuthenticated` .

### Token/session handling

- `accessToken` and `refreshToken` stored in Zustand + `localStorage`.
- `apiClient` refresh interceptor requests `/auth/refresh` and updates store.
- Logout clears tokens and redirects to `/login` .

flowchart LR

```
A[/Get Started/] -->|checkDomain| B{Org exists?}
B -- Yes --> C[/Join Workspace/]
```

```
B -- No --> D[/Create Workspace/]
C --> E[/Verify Email/]
D --> E
E -->|verifyEmail| F[Zustand setAuth]
F --> G[/Dashboard/]
G -->|AuthGuard| H[Protected Routes]
```

---

## 7. Styling & UI System

### Styling

- Tailwind CSS v4 with `@theme` token definitions in `app/globals.css`.
- CSS variables define background/surface, typography, primary accent, border colors.
- Custom utilities: `.glass-morphism`, `.bg-mesh`, `.hero-grid`, `.glow-line`.
- Custom scrollbars and selection styles in global CSS.

### Fonts

- `next/font` Google fonts: Geist, Geist Mono (in root layout) and Saira (dashboard sidebar).

### Animations

- GSAP + `@gsap/react` for auth and waitlist pages.
- Framer Motion for landing, nav, and dashboard transitions.

### Responsive design

- Tailwind responsive utilities throughout; multiple layouts adapt at `sm/md/lg/xl` breakpoints.

---

## 8. Frontend Architecture Analysis

### Folder structure

|                          |                                                        |
|--------------------------|--------------------------------------------------------|
| <code>/app</code>        | Next.js App Router pages                               |
| <code>/components</code> | UI components (global, landing, dashboard, dashboard2) |
| <code>/api</code>        | API client wrappers                                    |
| <code>/store</code>      | Zustand store                                          |
| <code>/public</code>     | Static assets + service worker                         |

### Routing architecture

- App Router with route groups: `(auth)` and `(protected)`.
- `AuthGuard` wraps the entire app, not only protected routes.

### Component architecture

- UI components grouped by domain (`landing`, `dashboard2`, `global`).
- `dashboard` directory is legacy/unrouted.

### Data flow

- UI → API modules (`authApi`, `integrationsApi`, `googleServiceApi`, `waitlistApi`) → backend.
- Auth state persisted in Zustand with localStorage hydration.
- Service worker polls for monitoring actions in the background.

Rendering strategy

- Mostly client components ( `'use client'` is used across pages and UI modules).

Performance approach

- Basic Next.js optimizations; limited explicit performance features.
- Several components use raw `<img>` elements instead of `next/image` (lint warnings).

---

## 9. Codebase Health Analysis

Maintainability & structure

- Clear separation of `landing` , `dashboard2` , and `global` components.
- **Duplicate dashboard implementations** ( `dashboard` vs `dashboard2` ) increase maintenance cost.

Scalability

- Auth and API layers are modular, but most UI is client-only.
- Lack of shared UI primitives (buttons/forms) causes repeated patterns.

Code smells / issues

- **Broken imports**: legacy dashboard components reference `@/lib/axios` , which does not exist.
- **Dead routes**: Navbar links point to pages not present.
- **Unused dependencies**: React Query, Three.js stack, Lenis, etc. are not used in code.
- **Inconsistent notification libs**: both `react-hot-toast` and `sonner` are used.

Accessibility concerns

- Heavy use of `<img>` without `next/image` and inconsistent alt text.
- OTP input grid on `/verify-email` uses six unlabeled inputs (no explicit `<label>` or `aria-label` ).
- Several icon-only buttons in dashboard2 components (e.g., `GoogleWorkspace` modal controls, `Sidebar` actions) lack `aria-label` s.

Production readiness

- Auth flow and dashboard UI exist but still depend on backend readiness.
- Build can fail in CI due to external font fetch (observed during build).
- No explicit error boundaries, loading skeletons, or SSR fallbacks beyond Suspense in auth flows.

---

## Appendix: Key Configs

| File                            | Purpose                               |
|---------------------------------|---------------------------------------|
| <code>next.config.mjs</code>    | Default Next.js config (empty)        |
| <code>postcss.config.mjs</code> | Tailwind v4 PostCSS integration       |
| <code>eslint.config.mjs</code>  | Next.js core web vitals config        |
| <code>app/globals.css</code>    | Tailwind theme tokens + global styles |