PCF Operations Workshop – Platform Installation & Setup

<Presenter>
<Title>

Operations Workshop Agenda

- PCF Introduction
- Services Overview
- **Platform Installation & Setup**
- Role Based Access Control
- Platform & Application Scaling
- Platform & Application Health
- Patching & Updates
- Security
- Advanced BOSH

Pivotal

The Sys Admin's Dream Haiku

Here are my servers,

go make them a Cloud Foundry,

I do not care how

Pivotal.

PCF Core Installation Components


Ops Manager Director

v1.7.0.0

BOSH

The outer shell for cloud software

Pivotal

4

Ops Manager and BOSH

- Ops Manager is a user interface on top of BOSH

- When you install or make changes in Ops Manager, BOSH-level changes are being made

 – Each tile is tied to a bosh deployment

BOSH Functionality

BOSH

Software Deployment	Monitoring	Software Updates	Process Management	Resource Provisioning	Failure Recovery

BOSH Cloud Provider Interface (CPI)

IaaS Application Provider Interface (API)

IaaS
(AWS, vSphere, OpenStack, etc.)

Resource	Resource	Resource	. . .	Resource

Pivotal.

BOSH Deployment Components

- **Stemcell:** A template VM used for the cluster

- **Release:** Software and information on how to build the VMs in a cluster

- **Manifest:** Describes the cluster using configuration (YAML file)

Stemcell

Agent

Release

Manifest

Pivotal.

1. Upload stemcell (VM template) to blobstore
2. Register in director's DB

Pivotal

BOSH Deployment (2 of 4)

1. Upload release (software to install) into blobstore
2. Register in director's DB

1. Pass manifest (deployment instructions) to director

BOSH Deployment (4 of 4)

1. Director runs deployment
2. Drives worker VMs
3. Workers deploy desired VMs (from stemcells)
4. Director & HM updated with new system status

Elastic Runtime

- The Elastic Runtime is an example of the distributed software that BOSH can manage

- The Elastic Runtime is a set of components/VMs used to run highly available, scalable applications in containers

Pivotal Elastic Runtime

v1.6.3-build.14

Pivotal

Elastic Runtime

Application Instances Run Inside Containers

Virtual Machine or Operating System

- Containers provide isolated environments for applications
- They are resource-friendly and start very quickly
- Application instances in Cloud Foundry run inside containers
  - One app instance per container
- See http://en.wikipedia.org/wiki/LXC (Linux containers)

Pivotal

Multi-AZ Functionality

- PCF can automatically deploy applications and Elastic Runtime components to multiple Availability Zones

- Helps protect against hardware failures

- AZ Networks are configured during the installation of the Elastic Runtime tile

`cf push my-app -i 4`

App Execution
inst-1
inst-3

App Execution
inst-2
inst-4

ELASTIC RUNTIME

AZ-1   **AZ-2**

Pivotal

Networking Prerequisites

- Provide 2 isolated networks per availability zone:
  - 1 for Elastic Runtime components
  - 1 for Application Containers
- Operators define networks in Ops Manager
- Operators can assign separate networks for Services during installation of each Pivotal Cloud Foundry tile

Elastic Runtime Network

Infrastructure Network

Pivotal

Load Balancer Configuration

- Configure a CNAME wildcard DNS entry that points to your load balancer, which points to Cloud Foundry's router

- The router uses the host to map to application instance(s)

- Additional Information on load balancer requirements located at: https://docs.pivotal.io/pivotalcf/1-7/opsguide/custom-load-balancer.html

*.example.com

Load Balancer

Router

app1.example.com   app2.example.com   …   app3.example.com

Pivotal

Firewall Prerequisites

- Ops Manager and Elastic Runtime require TCP ports to be opened in order to access platform services.

    - Ex: 443 from the load balancer to the platform

- Up-to-date requirements can be located at the following URL:

    - http://docs.pivotal.io/pivotalcf/1-7/customizing/config_firewall.html

Pivotal