

```
In [2]: print("hello, World")
```

hello, World

```
In [5]: name = "amina" # data type string
        score = 50 #data type int
        length = 50.5# data type float
        man = True #data type bool
```

```
In [11]: print(f" name: {name}, score: {score}, lenght: {length}, is a man: {man} ")
```

name: amina, score: 50, lenght: 50.5, is a man: True

```
In [12]: ### Type conversion
```

```
In [14]: man_int = int(man)
        print(man_int)
```

1

```
In [16]: man_str = str(man)
        print(man_str)
        print(type(man_str))
```

True
<class 'str'>

```
In [25]: #Convert score into boolean
        score_bool= bool(score)
        print(score_bool)
        print(type(score_bool))
```

True
<class 'bool'>

```
In [24]: #Convert length into string
        length_str=str(length)
        print(length_str)
        print(type(length_str))
```

```
50.5  
<class 'str'>
```

```
In [ ]:
```

```
In [26]: #OPERATORS
```

```
In [28]: a,b = 26,12
```

```
In [29]: a_plus_b = a + b
```

```
In [31]: a_minus_b = a - b
```

```
In [32]: a_multiply_b = a * b
```

```
In [37]: a_true_division_b = a/b
```

```
In [38]: a_floor_division_b = a//b
```

```
In [39]: a_modulas_b = a%b
```

```
In [42]: a_exponent_b = a ** b
```

```
print(f' a-b={a_minus_b}')
```

```
In [43]: print(f" a-b ={a_minus_b}")
```

```
a-b =14
```

```
In [44]: print(f" a*b ={a_multiply_b}")
```

```
a*b =312
```

```
In [47]: print(f" a/b ={a_true_division_b}")
```

```
a/b =2.1666666666666665
```

```
In [48]: print(f" a//b ={a_floor_division_b}")
```

```
a//b =2
```

```
In [49]: print(f" a%b ={a_modulas_b}")
```

a%b =2

```
In [50]: print(f" a**b ={a_exponent_b}")
```

a**b =95428956661682176

```
In [ ]:
```

```
In [ ]: ##INPUT -> OUTPUT
```

```
In [54]: a = input("Enter the value of a: ")  
b = input("Enter the value of b: ")
```

```
a_float =float(a)  
b_float=float(b)  
print(f" The value of a+b is: {a_float+b_float}")
```

The value of a+b is: 58.0

```
In [ ]:
```