

Profiling protokol

Vstup o velikosti 10⁶

Call graph

	index	% time	self-children	called	name
				<spontaneous>	
[1]	100.0	0.01	0.01	main [1]	
		0.01	0.00	1000001/1000068	exponentiation (double, double) [2]
		0.00	0.00	1/1	nthRoot (double, double) [3]
		0.00	0.00	3/3	multiplication (double, double) [11]
		0.00	0.00	2/2	division (double, double) [13]
		0.00	0.00	2/2	subtraction (double, double) [12]
		0.00	0.00	67/1000068	nthRoot (double, double) [3]
		0.01	0.00	1000001/1000068	main [1]
[2]	50.0	0.01	0.00	1000068	exponentiation (double, double) [2]
		0.00	0.00	1000068/1000068	modulo (double, double) [10]
		0.00	0.00	1/1	main [1]
[3]	0.0	0.00	0.00	1	nthRoot (double, double) [3]
		0.00	0.00	67/1000068	exponentiation (double, double) [2]
		0.00	0.00	1000068/1000068	exponentiation (double, double) [2]
[10]	0.0	0.00	0.00	1000068	modulo (double, double) [10]
		0.00	0.00	3/3	main [1]
[11]	0.0	0.00	0.00	3	multiplication (double, double) [11]
		0.00	0.00	2/2	main [1]
[12]	0.0	0.00	0.00	2	subtraction (double, double) [12]
		0.00	0.00	2/2	main [1]
[13]	0.0	0.00	0.00	2	division (double, double) [13]

Flat profile

	%	cumulative	self		self	total	
time	seconds	seconds	calls	ns/call	ns/call	name	
50.00	0.01	0.01	1000068	10.00	10.00	exponentiation(double, double)	
50.00	0.02	0.01				main	
0.00	0.02	0.00	1000068	0.00	0.00	modulo(double, double)	
0.00	0.02	0.00	3	0.00	0.00	multiplication(double, double)	
0.00	0.02	0.00	2	0.00	0.00	subtraction(double, double)	
0.00	0.02	0.00	2	0.00	0.00	division(double, double)	
0.00	0.02	0.00	1	0.00	669.95	nthRoot(double, double)	

Vstup o velikosti 10³

Call graph

	index	% time	self	children	called	name
		0.00	0.00	47/1048		nthRoot(double, double) [13]
		0.00	0.00	1001/1048		main [6]
[8]	0.0	0.00	0.00	1048		exponentiation(double, double) [8]
		0.00	0.00	1048/1048		modulo(double, double) [9]
		0.00	0.00	1048/1048		exponentiation(double, double) [8]
[9]	0.0	0.00	0.00	1048		modulo(double, double) [9]
		0.00	0.00	3/3		main [6]
[10]	0.0	0.00	0.00	3		multiplication(double, double) [10]
		0.00	0.00	2/2		main [6]
[11]	0.0	0.00	0.00	2		subtraction(double, double) [11]
		0.00	0.00	2/2		main [6]
[12]	0.0	0.00	0.00	2		division(double, double) [12]
		0.00	0.00	1/1		main [6]
[13]	0.0	0.00	0.00	1		nthRoot(double, double) [13]
		0.00	0.00	47/1048		exponentiation(double, double) [8]

Flat profile

%	cumulative	self		self	total	
time	seconds	seconds	calls	Ts/call	Ts/call	name
0.00	0.00	0.00	1048	0.00	0.00	exponentiation(double, double)
0.00	0.00	0.00	1048	0.00	0.00	modulo(double, double)
0.00	0.00	0.00	3	0.00	0.00	multiplication(double, double)
0.00	0.00	0.00	2	0.00	0.00	subtraction(double, double)
0.00	0.00	0.00	2	0.00	0.00	division(double, double)
0.00	0.00	0.00	1	0.00	0.00	nthRoot(double, double)

Vstup o velikosti 10

Call graph

	index	% time	self	children	called	name
		0.00	0.00	11/45		main [6]
		0.00	0.00	34/45		nthRoot(double, double) [13]
[8]	0.0	0.00	0.00	45		exponentiation(double, double) [8]
		0.00	0.00	45/45		modulo(double, double) [9]
		0.00	0.00	45/45		exponentiation(double, double) [8]
[9]	0.0	0.00	0.00	45		modulo(double, double) [9]
		0.00	0.00	3/3		main [6]
[10]	0.0	0.00	0.00	3		multiplication(double, double) [10]
		0.00	0.00	2/2		main [6]
[11]	0.0	0.00	0.00	2		subtraction(double, double) [11]
		0.00	0.00	2/2		main [6]
[12]	0.0	0.00	0.00	2		division(double, double) [12]
		0.00	0.00	1/1		main [6]
[13]	0.0	0.00	0.00	1		nthRoot(double, double) [13]
		0.00	0.00	34/45		exponentiation(double, double) [8]

Flat profile

%	cumulative	self		self	total	
time	seconds	seconds	calls	Ts/call	Ts/call	name
0.00	0.00	0.00	45	0.00	0.00	exponentiation(double, double)
0.00	0.00	0.00	45	0.00	0.00	modulo(double, double)
0.00	0.00	0.00	3	0.00	0.00	multiplication(double, double)
0.00	0.00	0.00	2	0.00	0.00	subtraction(double, double)
0.00	0.00	0.00	2	0.00	0.00	division(double, double)
0.00	0.00	0.00	1	0.00	0.00	nthRoot(double, double)

Shrnutí

Program očividně tráví nejvíce času ve funkci `exponentiation(double, double)`, což nám napovídá, že právě to místo v kódu je nejstrategičtějším k optimalizaci.