


Practica 7

El grafo de posibles caminos del método canMove de la clase Game:

```
168 * @return
169 */
170 public boolean canMove(int startrow, int startcol, int endrow, int endcol) {
171     1 boolean vuelta = false;
172     2 Piece p = this.board.getCell(row:startrow, col:startcol).getPiece();
173
174     if (p != null && p.getType() == 3 this.turn) {
175         4 vuelta = p.canmove(board:this.board, row:endrow, col:endcol);
176     }
177     5 return vuelta; 6
178 }
```



Caja blanca:

El método canMove:

Entrada	Salida
startrow = 6 startcol = 0 endrow = 5 Endcol = 0 this.board = inicial this.turn = White	true
startrow = 7 startcol = 0 endrow = 6 Endcol = 0 this.board = inicial this.turn = White	false
startrow = 2 startcol = 0 endrow = 3 Endcol = 0 this.board = inicial this.turn = White	false
startrow = 1 startcol = 0 endrow = 2 Endcol = 0 this.board = inicial this.turn = White	false
startrow = 6 startcol = 0 endrow = 3 Endcol = 0 this.board = inicial this.turn = White	false

Caja negra:

Método getCell de la clase Board:

Entrada, clases de equivalencia:

Codigo	Row
e1a	Valor menores que 0
e1b	Valor mayores que 7
e1c	Valor entre 0 y 7

Codigo	Col
e2a	Valor menores que 0
e2b	Valor mayores que 7
e2c	Valor entre 0 y 7

Salida, clases de equivalencia:

Codigo	Salida
sa	Cell
sb	Null

Valores frontera o límite:

Codigo	Row
l1a	-1
l1b	0
l1c	7
l1d	8

Codigo	Col
l2a	-1
l2b	0
l2c	7
l2d	8

Casos de prueba: clases de equivalencia

Entrada	Salida	Clases de equivalencia	Descripción
row=-3, col=0	Null	e1a, sb	Valor menor que 0
row=10, col=0	Null	e1b, sb	Valor mayor que 7
row=1, col=0	Cell	e1c, sa	Valores entre 0 y 7
row=7, col=2	Cell	e2c, sb	Valores entre 0 y 7
row=0, col=-3	Null	e2a, sb	Valor menor que 0
row=0, col=10	Null	e2b, sb	Valor mayor que 7

Casos de prueba: valores límite

Entrada	salida	Valor límite	Descripción
row=-1, col=0	Null	l1a	Valor límite inválido a la izquierda
row=0, col=0	Cell	l1b	Valor límite válido a la izquierda
row=7, col=0	Cell	l1c	Valor límite válido a la derecha
row=8, col=0	Null	l1d	Valor límite inválido a la derecha

row=0, col=-1	Null	l2a	Valor límite inválido a la izquierda
row=2, col=0	Cell	l2b	Valor límite válido a la izquierda
row=0, col=7	Cell	l2c	Valor límite válido a la derecha
row=0, col=10	Null	l2d	Valor límite inválido a la derecha

Resumen: En metodo GetCell (assertNull(celda) no podemos hacer test porque tenemos error "ArrayIndexOutOfBoundsException: Index -1 out of bounds for length 8", que significa que este metodo no vuelve null en caso cuando tenemos row o col menor que 0 y mayor que 7.

```

-----
T E S T S
-----
Running pedro.ieslaencanta.com.chess.model.BoardTest
Tests run: 1, Failures: 0, Errors: 1, Skipped: 0, Time elapsed: 0.119 s <<< FAILURE! - in pedro..
testGetCell_ela Time elapsed: 0.091 s <<< ERROR!
] java.lang.ArrayIndexOutOfBoundsException: Index -3 out of bounds for length 8
-   at pedro.ieslaencanta.com.chess.model.BoardTest.testGetCell_ela(BoardTest.java:44)

Results:

Errors:
    BoardTest.testGetCell_ela:44 Å» ArrayIndexOutOfBoundsException Index -3 out of bounds fo...

Tests run: 1, Failures: 0, Errors: 1, Skipped: 0
-
-----
BUILD FAILURE
-----
Total time: 3.558 s
Finished at: 2023-04-23T19:11:30+02:00
-----

```

Es método caja negra y no podemos cambiar código, pero si cambiamos – todo funciona bien.

Si añadimos esta comprobación en método GetCell y devuelve row y col = null en caso que menor que 0 y mayor que 7=>

```
public Cell getCell(int row, int col) {  
    if(row>=0 && row<=7 && col>=0 && col<=7){  
        return this.cells[row][col];  
    }  
    else {  
        this.cells=null;  
    }  
    return null;  
}
```

The screenshot shows an IDE with a project named 'pedro.ieslaencanta'. The file explorer on the left lists several interfaces: `ICollidable.java`, `IDebuggable.java`, `IDrawable.java`, `IGravity.java`, `IKeyListener.java`, and `IMovable.java`. The main editor displays a Java test class with the following code:

```

100 }
101 @Test
102 public void testGetCell_11d() {
103     Board instance = new Board();
104     Cell celda = instance.getCell( row:8, col
105     assertNull( actual:celda);
106 }

```

The 'Output' window at the bottom shows the results of running the test:

```

Building Chess 1.0-SNAPSHOT
-----[ jar ]-----

--- maven-surefire-plugin:2.22.0:test (default-cli) @ Chess ---

T E S T S

Running pedro.ieslaencanta.com.chess.model.BoardTest
Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.08 s - in pedro.ieslaenca

Results:

Tests run: 1, Failures: 0, Errors: 0, Skipped: 0

BUILD SUCCESS

Total time: 3.102 s
Finished at: 2023-04-23T20:03:03+02:00

```

Below the output window, a snippet of the `getCell` method is visible:

```

public Cell getCell(int row, int col) {
    if(row>=0 && row<=7 && col>=0 && col<=7){
        return this.cells[row][col];}
    else {
        this.cells=null;
    }
    return null;
}

```

En caso de `assertTrue(celda instanceof Cell);` todo funciona bien:

TESTS

Running pedro.ieslaencanta.com.chess.model.BoardTest

Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.089 s - in pedro.ieslaencant

Results:

Tests run: 1, Failures: 0, Errors: 0, Skipped: 0

BUILD SUCCESS

Total time: 3.229 s

Finished at: 2023-04-23T19:15:36+02:00

Método move de la clase Board:

En este método como en el método GetCell:

Todo funciona donde salida-Move, y no funciona donde salida Null.

The screenshot shows an IDE with a project explorer on the left containing files like `IDebuggable.java`, `IDrawable.java`, `IGravity.java`, `IKeyListener.java`, `IMovable.java`, and `IWarnClock.java`. The main editor displays a Java test method:

```
141 // test
142
143 public void testMove pi2 pf2() {
144     Board instance = new Board();
145     Move result = instance.move( star_row:1, star_col:1, end_row:1, end_col:2);
146     assertTrue(result instanceof Move);
147 }
148
149 // @Test
```


Below the editor, the 'Output' window shows the execution results, which are identical to the text shown in the first block of the image:

```
-----
TESTS
-----
Running pedro.ieslaencanta.com.chess.model.BoardTest
Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.082 s - in pedro.ieslaencanta.com.chess.model.BoardTest

Results:

Tests run: 1, Failures: 0, Errors: 0, Skipped: 0

-----
BUILD SUCCESS
-----
Total time: 3.105 s
Finished at: 2023-04-23T19:32:30+02:00
-----
```

Es método caja negra y no podemos cambiar código, pero si cambiamos – todo funciona bien.

Si cambiamos método move- todo funciona bien.

```
public Move move(int star_row, int star_col, int end_row, int
end_col) {

    if(star_row>=0 && star_row<=7 && star_col>=0 && star_col<=7
&& end_row>=0 && end_row<=7 && end_col>=0 && end_col<=7){

        Piece p = this.cells[star_row][star_col].getPiece();

        Move m = null;

        if (p != null) {

            m = p.move(this, end_row, end_col);

            this.cells[star_row][star_col].setPiece(null);

            this.cells[end_row][end_col].setPiece(p);

        }

        return m;

    }
}
```

```

else {

    this.cells=null;

}

return null;

}

```

```

public Move move(int star_row, int star_col, int end_row, int end_col) {
    if(star_row>=0 && star_row<=7 && star_col>=0 && star_col<=7 && end_row>=0 && end_row<=7 && end_col>=0 && end_col<=7){

        Piece p = this.cells[star_row][star_col].getPiece();

        Move m = null;
        if (p != null) {
            m = p.move(board: this, row: end_row, col: end_col);
            this.cells[star_row][star_col].setPiece(piece: null);
            this.cells[end_row][end_col].setPiece(piece: p);
        }
        return m;
    }
    else {
        this.cells=null;
    }
    return null;
}

```

The screenshot shows an IDE with a project named 'Chess'. The left sidebar displays a package explorer with the following files: Level.java, pedro.ieslaencanta, ICollidable.java, IDebuggable.java, IDrawable.java, IGravity.java, IKeyListener.java, and IMovable.java. The main editor shows the code for the 'move' method, which is highlighted in yellow. Below the code, the 'Output' window is open, showing the results of a Maven test run. The output indicates that the tests passed successfully.

```

@Test
public void testMove pi1 pf2() {
    Board instance = new Board();
    Move result = instance.move( star_row:-2, star_col:5, end_row:1, end_col:1)
    assertNull( actual:result);
}

@Test
public void testMove pi2 pf2() {

```

Output

Debugger Console x Run () x

Building Chess 1.0-SNAPSHOT

-----[jar]-----

--- maven-surefire-plugin:2.22.0:test (default-cli) @ Chess ---

T E S T S

Running pedro.ieslaencanta.com.chess.model.BoardTest

Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.08 s - in pedro.ieslaencanta.com.chess.model.BoardTest

Results:

Tests run: 1, Failures: 0, Errors: 0, Skipped: 0

BUILD SUCCESS

Total time: 3.065 s

Finished at: 2023-04-23T20:44:37+02:00

Todos tests funciona bien.

The screenshot shows an IDE with a Java file on the left and a debugger console on the right. The Java file contains a test method `testMove 1f5()` that creates a `Board` instance and calls `instance.move()` with specific parameters. The debugger console shows the output of the test, including the Maven Surefire plugin version, the test name, and the results of the test run.

```

239 }
240 @Test
241 public void testMove 1f5() {
242     Board instance = new Board();
243     Move result = instance.move( star_row:1, star_col:1, end_row:8, end_col:7);
244     assertNull("actual result");

```

```

--- maven-surefire-plugin:2.22.0:test (default-test) @ Chess ---

-----
T E S T S
-----
Running pedro.ieslaencanta.com.chess.controller.GameTest
Tests run: 5, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.059 s - in pedro.ieslaencanta.com.chess.controller.GameTest
Running pedro.ieslaencanta.com.chess.model.BoardTest
Tests run: 33, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.051 s - in pedro.ieslaencanta.com.chess.model.BoardTest

Results:

Tests run: 38, Failures: 0, Errors: 0, Skipped: 0

-----
BUILD SUCCESS
-----

Total time: 3.087 s
Finished at: 2023-04-23T21:44:54+02:00
-----

```

Método reset de la clase Board:

Entrada, clases de equivalencia:

Codigo	Cell/piecetype
e1a	Figura de color negro (black)
e1b	Figura de color blanco (white)
e1c	Null
e1d	Posición entre 0 y 7

Codigo	Cell/piecetype
e1d	Posición entre 0 y 7
e1e	Posición menor que 0
e1f	Posición mayor que 7

Salida, clases de equivalencia:

Codigo	Salida
sa	Rook
sb	Knight

sc	Bishop
sd	King
se	Queen
sf	Pawn
sg	Null

Codigo	Salida
sh	Black
si	White

Casos de prueba: clases de equivalencia

Entrada	Salida	Clases de equivalencia	Descripción
Rook Black [0,0]	Rook Black[0,0]	e1a, e1d, sa, sh	Rook Black [0,0]
Rook Black [0,7]	Rook Black [0,7]	e1a, e1d, sa, sh	Rook Black [0,7]
Rook white [7,0]	Rook white [7,0]	e1b, e1d, sa, si	Rook white [7,0]
Rook white [7,7]	Rook white [7,7]	e1b, e1d, sa, si	Rook white [7,7]
Knight Black [0,1]	Knight Black [0,1]	e1a, e1d, sb, sh	Knight Black [0,1]
Knight Black [0,6]	Knight Black [0,6]	e1a, e1d, sb, sh	Knight Black [0,6]

Knight white [7,1]	Knight white [7,1]	e1b, e1d, sb, si	Knight white [7,1]
Knight white [7,6]	Knight white [7,6]	e1b, e1d, sb, si	Knight white [7,6]
Bishop Black [0,2]	Bishop Black [0,2]	e1a, e1d, sc, sh	Bishop Black [0,2]
Bishop Black [0,5]	Bishop Black [0,5]	e1a, e1d, sc, sh	Bishop Black [0,5]
Bishop white [7,2]	Bishop white [7,2]	e1b, e1d, sc, si	Bishop white [7,2]
Bishop white [7,5]	Bishop white [7,5]	e1b, e1d, sc, si	Bishop white [7,5]
King Black [0,3]	King Black [0,3]	e1a, e1d, sd, sh	King Black [0,3]
King white [7,3]	King white [7,3]	e1b, e1d, sd, si	King white [7,3]
Queen Black [0,4]	Queen Black [0,4]	e1a, e1d, sd, sh	Queen Black [0,4]
Queen white [7,4]	Queen white [7,4]	e1b, e1d, sd, si	Queen white [7,4]
Pawn Black [1,7]	Pawn Black [1,7]	e1a, e1d, se, sh	Pawn Black [1,7]
Pawn Black [1,5]	Pawn Black [1,5]	e1a, e1d, se, sh	Pawn Black [1,5]
Pawn white [6,6]	Pawn white [6,6]	e1b, e1d, se, si	Pawn white [6,6]

Pawn white [6,2]	Pawn white [6,2]	e1b, e1d, se, si	Pawn white [6,2]
Null [2,0]	Null	e1c, e1d, sg	null
Null [-1,0]	Null	e1c, e1e, sg	null
Null [8,0]	Null	e1c, e1f, sg	null

Hay errores en este codigo:

```
Running pedro.ieslaencanta.com.chess.model.BoardTest
Tests run: 21, Failures: 8, Errors: 0, Skipped: 0, Time elapsed: 0.05 s <<< FAILURE! - in pedro.ieslaencanta.com.c
testReset_Rook_black_00 Time elapsed: 0.005 s <<< FAILURE!
| org.opentest4j.AssertionFailedError: expected: <true> but was: <false>
|   at pedro.ieslaencanta.com.chess.model.BoardTest.testReset_Rook_black_00(BoardTest.java:266)

testReset_Rook_black_07 Time elapsed: 0.002 s <<< FAILURE!
| org.opentest4j.AssertionFailedError: expected: <true> but was: <false>
|   at pedro.ieslaencanta.com.chess.model.BoardTest.testReset_Rook_black_07(BoardTest.java:274)

testReset_Knight_white_71 Time elapsed: 0.002 s <<< FAILURE!
| org.opentest4j.AssertionFailedError: expected: <true> but was: <false>
|   at pedro.ieslaencanta.com.chess.model.BoardTest.testReset_Knight_white_71(BoardTest.java:314)

testReset_Knight_white_76 Time elapsed: 0.005 s <<< FAILURE!
| org.opentest4j.AssertionFailedError: expected: <true> but was: <false>
|   at pedro.ieslaencanta.com.chess.model.BoardTest.testReset_Knight_white_76(BoardTest.java:322)

testReset_Rook_white_70 Time elapsed: 0 s <<< FAILURE!
| org.opentest4j.AssertionFailedError: expected: <true> but was: <false>
|   at pedro.ieslaencanta.com.chess.model.BoardTest.testReset_Rook_white_70(BoardTest.java:282)

testReset_Rook_white_77 Time elapsed: 0.003 s <<< FAILURE!
| org.opentest4j.AssertionFailedError: expected: <true> but was: <false>
|   at pedro.ieslaencanta.com.chess.model.BoardTest.testReset_Rook_white_77(BoardTest.java:290)

testReset_Knight_black_01 Time elapsed: 0.001 s <<< FAILURE!
| org.opentest4j.AssertionFailedError: expected: <true> but was: <false>
|   at pedro.ieslaencanta.com.chess.model.BoardTest.testReset_Knight_black_01(BoardTest.java:298)

testReset_Knight_black_06 Time elapsed: 0.001 s <<< FAILURE!
| org.opentest4j.AssertionFailedError: expected: <true> but was: <false>
|   at pedro.ieslaencanta.com.chess.model.BoardTest.testReset_Knight_black_06(BoardTest.java:306)
```

En Cell [0,0] y [0,6] para Black, [7,0] y [7,6] para White esta Rook,
Cell [0,1] y [0,7] Black, [7,1] y [7,7] para White esta Knight.

```
}
this.cells[0][0].setPiece(new Knight(0, 1, PieceType.Black, true,"1"));
this.cells[0][1].setPiece(new Rook(0, 0, PieceType.Black, true,"1"));
this.cells[0][2].setPiece(new Bishop(0, 2, PieceType.Black, true,"1"));
this.cells[0][3].setPiece(new Queen(0, 3, PieceType.Black, true,"1"));
this.kingBlack=new King(0, 4, PieceType.Black, true,"1");
this.cells[0][4].setPiece(this.kingBlack);
this.cells[0][5].setPiece(new Bishop(0, 5, PieceType.Black, true,"2"));
this.cells[0][6].setPiece(new Rook(0, 7, PieceType.Black, true,"2"));
this.cells[0][7].setPiece(new Knight(0, 6, PieceType.Black, true,"2"));

this.cells[7][0].setPiece(new Knight(7, 1, PieceType.White, true,"1"));
this.cells[7][1].setPiece(new Rook(7, 0, PieceType.White, true,"1"));
this.cells[7][2].setPiece(new Bishop(7, 2, PieceType.White, true,"1"));
this.cells[7][3].setPiece(new Queen(7, 3, PieceType.White, true,"1"));
this.kingWhite= new King(7, 4, PieceType.White, true,"1");
this.cells[7][4].setPiece(this.getKingWhite());
this.cells[7][5].setPiece(new Bishop(7, 5, PieceType.White, true,"2"));
this.cells[7][6].setPiece(new Rook(7, 7, PieceType.White, true,"2"));
this.cells[7][7].setPiece(new Knight(7, 6, PieceType.White, true,"2"));
for (int i = 0; i < this.cells[1].length ; i++) {
    this.cells[1][i].setPiece(new Pawn(1, i, PieceType.Black, true,String.valueOf(i)));
    this.cells[6][i].setPiece(new Pawn(6, i, PieceType.White, true,String.valueOf(i)));
}
}
```

Necesito cambiar código:

```

this.cells[0][1].setPiece(new Knight(row:0, col:1, type:PieceType.Black, alive:true, id:"1"));
this.cells[0][0].setPiece(new Rook(row:0, col:0, type:PieceType.Black, alive:true, id:"1"));
this.cells[0][2].setPiece(new Bishop(row:0, col:2, type:PieceType.Black, alive:true, id:"1"));
this.cells[0][3].setPiece(new Queen(row:0, col:3, type:PieceType.Black, alive:true, id:"1"));
this.kingBlack=new King(row:0, col:4, type:PieceType.Black, alive:true, id:"1");
this.cells[0][4].setPiece(piece:this.kingBlack);
this.cells[0][5].setPiece(new Bishop(row:0, col:5, type:PieceType.Black, alive:true, id:"2"));
this.cells[0][7].setPiece(new Rook(row:0, col:7, type:PieceType.Black, alive:true, id:"2"));
this.cells[0][6].setPiece(new Knight(row:0, col:6, type:PieceType.Black, alive:true, id:"2"));

this.cells[7][1].setPiece(new Knight(row:7, col:1, type:PieceType.White, alive:true, id:"1"));
this.cells[7][0].setPiece(new Rook(row:7, col:0, type:PieceType.White, alive:true, id:"1"));
this.cells[7][2].setPiece(new Bishop(row:7, col:2, type:PieceType.White, alive:true, id:"1"));
this.cells[7][3].setPiece(new Queen(row:7, col:3, type:PieceType.White, alive:true, id:"1"));
this.kingWhite= new King(row:7, col:4, type:PieceType.White, alive:true, id:"1");
this.cells[7][4].setPiece(piece:this.getKingWhite());
this.cells[7][5].setPiece(new Bishop(row:7, col:5, type:PieceType.White, alive:true, id:"2"));
this.cells[7][7].setPiece(new Rook(row:7, col:7, type:PieceType.White, alive:true, id:"2"));
this.cells[7][6].setPiece(new Knight(row:7, col:6, type:PieceType.White, alive:true, id:"2"));
for (int i = 0; i < this.cells[1].length ; i++) {
    this.cells[1][i].setPiece(new Pawn(row:1, col:i, type:PieceType.Black, alive:true, id:String.valueOf(i));
    this.cells[6][i].setPiece(new Pawn(row:6, col:i, type:PieceType.White, alive:true, id:String.valueOf(i));
}

```

Tests de método reset están bien:

```

Nothing to compile - all classes are up to date

--- maven-surefire-plugin:2.22.0:test (default-test) @ Chess ---

-----
T E S T S
-----
Running pedro.ieslaencanta.com.chess.controller.GameTest
Tests run: 5, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.083 s - in pedro.ieslaencanta.
Running pedro.ieslaencanta.com.chess.model.BoardTest
Tests run: 21, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.023 s - in pedro.ieslaencanta

Results:

Tests run: 26, Failures: 0, Errors: 0, Skipped: 0

-----
BUILD SUCCESS
-----
Total time: 3.816 s
Finished at: 2023-04-28T01:43:15+02:00
-----

```

Todo tests están bien:


```
Using 'UTF-8' encoding to copy filtered resources.  
- skip non existing resourceDirectory C:\Users\kirae\Documents\Desarollo de app web\Entorno de des\practica_2\eed-tema3-p7\src\test\resources
```

```
--- maven-compiler-plugin:3.1:testCompile (default-testCompile) @ Chess ---
```

```
Changes detected - recompiling the module!
```

```
- Compiling 2 source files to C:\Users\kirae\Documents\Desarollo de app web\Entorno de des\practica_2\eed-tema3-p7\target\test-classes
```

```
--- maven-surefire-plugin:2.22.0:test (default-test) @ Chess ---
```

```
-----  
T E S T S  
-----
```

```
Running pedro.ieslaencanta.com.chess.controller.GameTest
```

```
Tests run: 5, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.058 s - in pedro.ieslaencanta.com.chess.controller.GameTest
```

```
Running pedro.ieslaencanta.com.chess.model.BoardTest
```

```
Tests run: 54, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.076 s - in pedro.ieslaencanta.com.chess.model.BoardTest
```

```
Results:
```

```
Tests run: 59, Failures: 0, Errors: 0, Skipped: 0
```

```
-----  
BUILD SUCCESS  
-----
```

```
Total time: 5.136 s
```

```
Finished at: 2023-04-28T20:58:00+02:00  
-----
```