

Cannot be changed in BIOS settings.

The functions are defined as follows:

- HSI00: USB3.2 10Gbps - HSI01: PCle 3.0 x1 M.2

- HSI02: PCle 3.0 x1 M.2

- HSI03: PCle 3.0 x1 M.2

- HSI08: PCIe 3.0 x1 M.2 - HSI09: PCIe 3.0 x1 M.2 - HSI010: PCIe 3.0 x1 M.2 - HSI011: PCIe 3.0 x4 (x1)

- HSI06: PCle 3.0 x4 (x1)


Cannot be changed in BIOS settings.

The functions are defined as follows:


- DDIB: HDMI 2.0

- TCP0: HDMI 2.0

Sheet: /LattePanda Module/ File: LattePanda Module.kicad_sch Title: nvme Carrier for LattePanda Mu Size: A2 Date: 2024-07-13 KICad E.D.A. 8.0.8



| Sheet: /PCie/
| File: PCic.kicad_sch |
| Title: nvme Carrier for LattePanda Mu |
| Site: A2 | Date: 2024-07-13 | Rev. VI.0 |
| Kicad C.D.A. 8.0.8 | Ids. 3/10 |
| Site: A2 | S



Sheet: /HDMI// File: HDMI.kicad_sch Title: nvme Carrier for LattePanda Mu Size: A2 Date: 2024-07-13 KiCad E.D.A. 8.0.8 Rev: V1.0 ld: 4/10

