

Transformer un ° en radians

$$R_d = \frac{\pi}{180} \cdot ^\circ \rightarrow 72^\circ \rightarrow \frac{\pi}{180} \cdot 72 = \frac{72\pi}{180} \\ = \frac{72\pi : 9}{180 : 9} = \frac{8\pi}{20} = \frac{2\pi}{5}$$

Trouver Radian



$$R_d = \frac{S}{R} \text{ ou } S = R_d \cdot R \text{ ou } R = \frac{S}{R_d}$$

$$\cos^2 a + \sin^2 a = 1$$

$$\operatorname{Tg} = \frac{\sin}{\cos} \text{ ou } \frac{1}{\cos^2 a} = 1 + \operatorname{Tg}^2 a$$

..

$$\operatorname{Cotg} a = \frac{\cos a}{\sin a} = \frac{1}{\operatorname{Tg} a}$$

$$\frac{1}{\sin^2 a} = 1 + \operatorname{cotg}^2 a$$

$$-2 \cos^2 x - 3 \cos x + 2$$

$$-2y^2 - 3y + 2$$

$$9 - 4 = -2 \cdot 2$$


$$25 \quad \frac{3 \pm \sqrt{25}}{-4}$$

$$\frac{-3 \pm 5}{-4} = \frac{1}{2} \quad \frac{\pi}{3} \text{ or } \frac{5\pi}{3}$$

$$\sin^2 x + \cos^2 x = 1$$

$$\sin^2 x = 1 - \cos^2 x$$

$$2 \cdot (1 - \cos^2 x) = 3 \cos x$$



$$\cos A = \frac{2}{12}$$

$$\cos A = \frac{1}{6}$$

$$b^2 + c^2 = a^2$$

$$2^2 + c^2 = 12^2$$

$$4 + c^2 = 144$$

$$c^2 = 140$$

$$\sqrt{140} = c$$

$$c = \sqrt{35 \cdot 2}$$

$$c = 2\sqrt{35}$$

$$\sin \frac{12}{13}$$

$$\begin{array}{r} 12 \\ \hline -5 \end{array}$$

$$\frac{5.4 - 3.5}{4 + 10} = \frac{5}{14}$$