ICS Spring 2017

Problem Set 6

Exercise 1 – Bank Account(OOP)

Jeff is planning to start up a local bank. He plans to offer simple checking and savings account services, and needs some help designing a simple system to manage a customer's account. If the account type is "checking", the annual interest rate is 0.08; if the type is "saving", the rate is 0.04, respectively.

Customer Class have:

- A Name
- An Account Class

Account Class have:

- An account holder
- An account number
- An account type [Checkings / Saving]
- Balance

Methods you need to create:

- Getters and setters for account holder & balance
- Calculator for simple interest after x years
- Calculator for compound interest after x year

Example:

```
def main():
    # Quick test; replace this code with a system that does something useful
    # Perhaps read some records from a file, then create & maintain a system
    new_customer = Customer("Michael", "C", 20000)
    print(new_customer.account.get_holder())
    print(new_customer.account.get_balance())
    print(new_customer.account.compound_interest(10))
main()
And the output will be:
Michael
20000
23178.49994545574
```

Exercise 2 – RetailItem Class(OOP)

Write a class named RetailItem that holds data about an item in a retail store. The class should store the following data in attributes: item description, units in inventory, and price.

Once you have written the class, write a program that creates three RetailItem objects and stores the following data in them:

	Description	Units in Inventory	Price
Item #1	Jacket	12	59.95
Item #2	Designer Jeans	40	34.95
Item #3	Shirt	20	24.95

Exercise 3 – Cash Register (OOP)


This exercise assumes that you have created the RetailItem class in Exercise 2. Create a CashRegister class that can be used with the RetailItem class. The CashRegister class should be able to internally keep a list of RetailItem objects. The class should have the following methods:


- A method named purchase_item that accepts a RetailItem object as an argument. Each time the purchase_item method is called, the RetailItem object that is passed as an argument should be added to the list.
- A method named get_total that returns the total price of all the RetailItem objects stored in the CashRegister object's internal list.
- A method named show_items that displays data about the RetailItem objects stored in the CashRegister object's internal list.
- A method named clear that should clear the CashRegister object's internal list.

Demonstrate the CashRegister class in a program that allows the user to select several items for purchase. When the user is ready to check out, the program should display a list of all the items he or she has selected for purchase, as well as the total price

Exercise 4 – Maximum Sum Descent in OOP Style

- Positive integers in a triangle
- Goal: a descent from the root to the base, with the largest sum.





Bonus: Alternative Implementation of Pancake Sorting

Approach:

- move down level by level
 - o if the current level has smaller size:
 - flip above
 - and then flip this pancake up to the top
 - then flip to its proper location

Feel free to use the starting code and modify it from the in-class pancake sorting.