

1. The Transition matrix A defined in lecture allows you to:

1 / 1 point

- ☐ Compute the probability of going from a part of speech tag to a word.
- ☐ Compute the probability of going from a word to another word.
- ☐ Compute the probability of going from a word to a part of speech tag.
- ☒ Compute the probability of going from a part of speech tag to another part of speech tag.



Correct

Correct.

2. The Emission matrix B defined in lecture allows you to:

1 / 1 point

- ☐ Compute the probability of going from a word to a part of speech tag.
- ☒ Compute the probability of going from a part of speech tag to a word.
- ☐ Compute the probability of going from a word to another word.
- ☐ Compute the probability of going from a part of speech tag to another part of speech tag.

✓ **Correct**

Correct.

3. The column sum of the emission matrix has to be equal to 1.

1 / 1 point

☐ True.

☒ False.

 **Correct**

It is the row sum that has to be 1.

4. The row sum of the transition matrix has to be 1.

1 / 1 point


- ☒ True
- ☐ False, it has to be the column sum.

✓ **Correct**
Correct.

5. Why is smoothing usually applied? Select all that apply.

0.5 / 1 point

- ☐ Applying smoothing, for the majority of cases, allows us to decrease the probabilities in the transition and emission matrices and this allows us to have non zero probabilities.
- ☐ Applying smoothing is a bad idea and we should not use it.
- ☒ Applying smoothing, for the majority of cases, allows us to increase the probabilities in the transition and emission matrices and this allows us to have non zero probabilities.

 **This should not be selected**

Incorrect. In general, you are decreasing every entry's number by a little bit so that the 0 probabilities will be non zero. This is assuming there are more non zero entries which is usually the case.

- ☒ Applying smoothing, for the minority of cases, allows us to increase the probabilities in the transition and emission matrices and this allows us to have non zero probabilities.

 **Correct**

Correct.

6. Given the following D matrix, what would be the sequence of tags for the words on the right?

1 / 1 point

$D =$

	w_1	w_2	w_3	w_4	w_5
t_1	0	1	3	2	3
t_2	0	2	4	1	3
t_3	0	2	4	1	4
t_4	0	4	4	3	1

$s = \operatorname{argmax}_i c_{i,K} = 1$

<s> w1 w2 w3 w4 w5

- ☐ t_3, t_4, t_2, t_2, t_1
- ☐ t_1, t_3, t_1, t_2, t_1
- ☒ t_2, t_3, t_1, t_3, t_1
- ☐ t_3, t_4, t_2, t_3, t_1

✓ Correct

Correct

7. Previously, we have been multiplying the raw probabilities, but in reality we take the log of those probabilities. Why might that be the case?

0 / 1 point

- ☐ The log probabilities should not be used because they introduce noise to our original computed scores.
- ☐ Because the log probabilities force the numbers to be between 0 and 1 and hence, we want to take a probability.
- ☐ We take the log probabilities because probabilities are bounded between 0 and 1 and as a result, the numbers could be too small and will go towards 0.
- ☒ The log probabilities help us with the inference as they bound the numbers between -1 and 1.

✗ **Incorrect**

Incorrect.

8. Which of the following are useful for applications for parts of speech tagging?

1 / 1 point

☒ Named Entity Recognition

☒ **Correct**
Correct.

☒ Speech recognition

☒ **Correct**
Correct.

☐ Sentiment Analysis

☒ Coreference Resolution

☒ **Correct**
Correct.

7. Previously, we have been multiplying the raw probabilities, but in reality we take the log of those probabilities. Why might that be the case?

1 / 1 point

- ☐ Because the log probabilities force the numbers to be between 0 and 1 and hence, we want to take a probability.
- ☐ The log probabilities should not be used because they introduce noise to our original computed scores.
- ☐ The log probabilities help us with the inference as they bound the numbers between -1 and 1.
- ☒ We take the log probabilities because probabilities are bounded between 0 and 1 and as a result, the numbers could be too small and will go towards 0.

✓ **Correct**
Correct.

5. Why is smoothing usually applied? Select all that apply.

1 / 1 point

- ☒ Applying smoothing, for the majority of cases, allows us to decrease the probabilities in the transition and emission matrices and this allows us to have non zero probabilities.

✓ **Correct**
Correct.

- ☒ Applying smoothing, for the minority of cases, allows us to increase the probabilities in the transition and emission matrices and this allows us to have non zero probabilities.

✓ **Correct**
Correct.

- ☐ Applying smoothing is a bad idea and we should not use it.
- ☐ Applying smoothing, for the majority of cases, allows us to increase the probabilities in the transition and emission matrices and this allows us to have non zero probabilities.