



CompTIA

DeepDumps

Premium exam material

Get certification quickly with the **Deep Dumps** Premium exam material.
Everything you need to prepare, learn & pass your certification exam easily.

<https://www.DeepDumps.com>

About DeepDumps

At DeepDumps, we finally had enough of the overpriced, paywall-ridden exam prep industry. Our team of experienced IT professionals spent years navigating the certification landscape, only to realize that most prep materials came with a price tag bigger than the exam itself. We saw aspiring professionals spending more on study guides than on rent, and frankly, it was ridiculous. So, we decided to change the game. DeepDumps was born with one goal: to provide high-quality exam preparation without draining your wallet.

With DeepDumps, you get expert-vetted study materials, real-world insights, and a fair shot at success—without the financial headache..

Doubt Support

We have developed a very scalable solution using which we are able to solve 400+ doubts every single day with an average rating of 4.8 out of 5.

<https://DeepDumps.com>

[Mail us on - support@deepdumps.com](mailto:support@deepdumps.com)



Lifetime Free Updates

We provide lifetime free updates to our customers. To make life easier for our valued customers and fulfill their needs



Free Exam PDF

You are sure to pass the exam completely free of charge



Money Back Guarantee

We Provide 100% money back guarantee to our customer in case of any failure

John



Thank you so much for your help. I scored 972 in my exam today. More than 30 questions were there from your PDFs!

Dana



Thanks a lot for this updated AZ-900 Q&A. I just finished my exam and got 374. I followed both of your AZ-900 videos and the 6 PDF, the PDFs are very accurate, all answers are correct. Could you please create a similar video/PDF for DP900, your content-/PDF's is really awesome. The tem'd a really good job. Thank You 🙏

Ahamod Shibly



Customer support is really fast and friendly, I just finished with me exam I passed it along with the 6 PDF's you

Passed my exam today with 845 marks



Passed my exam today with 845 marks! Out of 52 questions, 51 were from your DeepDumps PDFs including Contoso case study. I will recommend you to my friends. Thank you DeepDumps team!

These questions are real and 100 % valid.



Thank you so much for your efforts, also your 4 PDFs are awesome, I passed the DP900 exam on 1 Sept. With 968 marks. Thanks a lot, buddy!

Esmaria



Simple, easy to understand explanations. To anyone who is writing the exam of AZ900,

ServiceNow

(CIS-SM)

Certified Implementation Specialist - Service Mapping

Total: **124 Questions**

Link: <https://deepdumps.com/papers/servicenow/cis-sm>

Question: 1**Deep Dumps**

Which of the following represents the skills needed that a Service Mapping administrator or implementer should have? (Choose four.)

- A. Understanding of XML, Regex, Delimited text, and JSON
- B. Understanding of protocols such as HTTP, TCP, SNMP, SOAP, and REST
- C. Scripting capabilities with respect to Unix and Windows commands
- D. Intermediate or above Windows and Unix administration skills
- E. Sufficient skills to build an enterprise web site
- F. Understanding of relational database theory

Answer: ABCD**Explanation:**

- A. Understanding of XML, Regex, Delimited text, and JSON: These are essential for parsing and processing data.
- B. Understanding of protocols such as HTTP, TCP, SNMP, SOAP, and REST: This knowledge is necessary for discovering and communicating with various services and devices.
- C. Scripting capabilities with respect to Unix and Windows commands: Scripting is often required to extend the discovery process and handle custom configurations.
- D. Intermediate or above Windows and Unix administration skills: These administration skills are crucial for managing the agents and systems being mapped.

Question: 2**Deep Dumps**

Which one of the following ServiceNow application KPIs would improve most as a direct result of having visibility to a service map created through Service Mapping?

- A. Problem Management: Number of Incidents per Known Problem
- B. Incident Management: Mean Time to Resolve
- C. Event Management: Signal to Noise Ratio
- D. Change Management: Number of Major Changes

Answer: B**Explanation:**

- B. Incident Management: Mean Time to Resolve

Service Mapping in ServiceNow provides clear visibility into service dependencies, infrastructure, and relationships.

Question: 3**Deep Dumps**

How many ServiceNow instances can one MID Server connect to?

- A. 1

- B. 5
- C. Up to 255
- D. Unlimited

Answer: A

Explanation:

A. 1

A MID Server (Management, Instrumentation, and Discovery Server) is used in ServiceNow to enable communication between the platform and external systems (e.g., on-premises infrastructure) for tasks like:

Discovery

Orchestration

IntegrationHub activities

Question: 4

Deep Dumps

When a Windows Server is reclassified from the Server [cmdb_ci_server] table to the Windows Server [cmdb_ci_win_server] table, which one of the following describes the process that occurred?

- A. Class Change
- B. Class Upgrade
- C. Class Switch
- D. Class Downgrade

Answer: B

Explanation:

B. Class Upgrade.

In ServiceNow's CMDB (Configuration Management Database), when a CI (Configuration Item) is moved from a base class to a more specific subclass, the process is known as a Class Upgrade.

Question: 5

Deep Dumps

To begin the configuration of tag-based services, tag values must be defined where?

- A.Tag categories
- B.Tag catalogs
- C.Tag-based service families
- D.Tag libraries

Answer: A

Explanation:

A. Tag categories.

To configure tag-based services in systems like ServiceNow (and other platforms using tag-based classification), the first step is to define tag values, which must be defined within tag categories.

Question: 6

Deep Dumps

Which of the following are potential benefits when implementing Service Mapping? (Choose four.)

- A.Reduced ongoing service map maintenance effort as a result of automated map updates
- B.Faster service issue resolution and reduced downtime due to better root cause analysis
- C.Improved Software Asset Management capabilities
- D.Reduction in effort to create service maps
- E.Reduction in change related incidents due to improved service visibility during change planning
- F.More accurate alerts from monitoring tools

Answer: ABDE

Explanation:

A. Reduced ongoing service map maintenance effort as a result of automated map updates

Service Mapping automates the discovery and mapping of applications and services, reducing manual efforts required for upkeep.

B. Faster service issue resolution and reduced downtime due to better root cause analysis

Service maps show dependencies between services and infrastructure, helping teams quickly identify impacted components during outages.

D. Reduction in effort to create service maps

Automated discovery and mapping significantly reduce the manual work traditionally needed to build service maps.

E. Reduction in change related incidents due to improved service visibility during change planning

With full visibility of dependencies, teams can assess the impact of changes more accurately, reducing the likelihood of unintended service disruptions.

Question: 7

Deep Dumps

Which one of the following can be used to enable patterns to search for additional attributes and modify discovery logic defined in an Identification Section without modifying the baseline pattern and potentially impacting upgrades?

- A. Add step(s) to the pattern's Identification Section.
- B. Add step(s) to the pattern's Connection Section.
- C. Add step(s) to the pattern's Extension Section.
- D. Add step(s) to the pattern's Update Set.
- E. Add step(s) directly to the NDL code.

Answer: C

Explanation:


C. Add step(s) to the pattern's Extension Section.

In ServiceNow Discovery and Service Mapping, patterns are used to define how the platform discovers and identifies configuration items (CIs) and their attributes.

When you want to customize a pattern to collect additional attributes or adjust the logic without modifying the baseline pattern

Question: 8**Deep Dumps**

In the image, which one of the following best describes the lower icons?



- A. The connections from HAProxy are to other CIs that had errors during discovery.
- B. The connections from HAProxy are application clusters.
- C. The connections from HAProxy could not be identified and are marked as a Generic Application.
- D. The connections from HAProxy are marked as boundaries.

Answer: D**Explanation:**

D. The connections from HAProxy are marked as boundaries.

In Service Mapping in ServiceNow, when viewing a Service Map, boundary icons are visual cues that indicate a connection leaves the current map or represents a transition between services or domains.

These boundary icons usually appear at the edges of the service map, showing that the discovered CI (like HAProxy in this case) is connecting to something outside the current context.

This helps users visualize integration points between services or external dependencies without cluttering the main service map with unrelated details.

Question: 9**Deep Dumps**

Assuming Reconciliation Rules (Reconciliation Definitions) were configured exactly the same for both Data Sources, ServiceNow and ServiceWatch, for the Application [cmdb_ci_appl] table and the following Data Source Precedence Rules are configured.

Which one of the following is true?

Data Source Precedences				
	New	Go to	Order	Search
1 to 2 of 2				
All				
		Applies to	Data source	Order
Search				
☐		cmdb_ci_appl	ServiceWatch	100 true
☐		cmdb_ci_appl	ServiceNow	200 true

- A.If an Application CI is discovered with a Data Source, ServiceNow, then if the same Application CI is discovered by the Data Source, Altiris, an update will be allowed.
- B.If an Application CI is discovered with a Data Source, ServiceWatch, then if the same Application CI is discovered by the Data Source, ServiceNow, an update will be allowed.
- C.If an Application CI is discovered with a Data Source, ServiceNow, then if the same Application CI is discovered by the Data Source, ServiceWatch, an update will be allowed.
- D.If an Application CI is discovered with a Data Source, ServiceWatch, then if the same Application CI is discovered by the Data Source, Altiris, an update will be allowed.

Answer: C**Explanation:**

C. If an Application CI is discovered with a Data Source, ServiceNow, then if the same Application CI is discovered by the Data Source, ServiceWatch, an update will be allowed.

In ServiceNow's CI data management, data sources are ranked using the Data Source Precedence model. This ranking determines which source is authoritative when multiple discovery tools or integrations provide data for the same Configuration Item (CI).

ServiceNow Discovery (also referred to as ServiceWatch in earlier terms or contexts) usually has higher precedence than other data sources like Altiris or manual entry (ServiceNow).

When a higher precedence source discovers a CI that was already discovered by a lower precedence source, the update is allowed (it overwrites the lower priority data).

The opposite (lower precedence source trying to update CIs from a higher precedence source) is not allowed.

Question: 10**Deep Dumps**

Service Mapping provides visibility to the Operator in Agent Workspace without leaving the Workspace UI. This visibility includes what items associated with the CI? (Choose two.)

- A.Releases

- B.Problems
- C.Incidents
- D.Alerts

Answer: CD

Explanation:

C. Incidents.

D. Alerts.

Incidents: Open or related incidents linked to the CI.

Alerts: Any active or historical alerts tied to the CI, often from Event Management or Monitoring tools.

Question: 11

Deep Dumps

In ServiceNow Discovery, which one of the following phases is the server RAM value discovered?

- A.Port scan
- B.Classification
- C.Classification and Identification
- D.Identification and Exploration

Answer: D

Explanation:

D. Identification and Exploration

In ServiceNow Discovery, the RAM value of a server is a hardware detail that is collected during later phases of discovery,

Question: 12

Deep Dumps

In Pattern Designer, which one of the following best describes the Create Connection step?

- A. Provides information about integrations to the host
- B. Provides information about relationships between cluster members
- C. Provides information about outbound connections to other CIs
- D. Provides information about relationships between the host and installed software

Answer: C

Explanation:

C. Provides information about outbound connections to other CIs.

The Create Connection step in ServiceNow Pattern Designer is used to define and map the outbound connections from a specific Configuration Item (CI) to other CIs. This is a critical part of the Discovery process, as it helps to build the full service map by identifying the dependencies and relationships between different

components.

Question: 13

Deep Dumps

Which one of the following best describes the definition of an Entry Point?

- A.A method by which a user interacts with a service or a CI interacts with another CI
- B.A type of communication taking place between applications
- C.A template of attributes that define a communication type between applications
- D.A Host::Hosted on relation between CIs

Answer: A

Explanation:

A. A method by which a user interacts with a service or a CI interacts with another CI An Entry Point represents a specific interaction point or method through which a user engages with a service or through which one Configuration Item (CI) interacts with another CI. It could be a user interface (UI) element, an API endpoint, or any other means by which a service receives requests or performs actions.

Question: 14

Deep Dumps

In Service Mapping, when discovery is started, what is the execution strategy used to run Identification Sections?

- A.Identification Sections are executed randomly until one is successful and if more than one section is successful an error will be displayed.
- B.Identification Sections are executed randomly and the data gathered by the successful sections are merged.
- C.Identification Sections are executed one by one in the order they are listed and the last section that is successful will be used.
- D.Identification Sections are executed one by one in the order they are listed until the first successful match which concludes the Identification phase.

Answer: D

Explanation:

D. Identification Sections are executed one by one in the order they are listed until the first successful match which concludes the Identification phase.

In ServiceNow Service Mapping, the Identification phase of a discovery pattern attempts to uniquely identify a Configuration Item (CI). The Identification Sections are processed sequentially. The first section that successfully identifies the CI based on its criteria is used, and the system stops executing further Identification Sections for that specific CI. This ensures efficiency and prevents unnecessary processing.

Question: 15

Deep Dumps

Which one of the following Linux commands can be used by a non root user to return the process ID listening on port 8080?

- A.sudo netstat -an -p TCP | grep :8080

B.sudo netstat -anp | grep :8080
C.netstat -anp | grep :8080
D.netstat -an -pid * | grep :8080

Answer: B

Explanation:

B is correct. -a gets a list of available sockets on your system, -n displays numeric addresses and port numbers, -p gets the PID. And ofcourse sudo is required since the user is non root and pipe with grep at the end to limit the result to port 8080.

Question: 16

Deep Dumps

Which one of the following best describes the process that Service Mapping uses to run a command on a target device?

- A.Service Mapping provides a task with the command that the MID Server collects, the MID Server executes the command on the target device, and returns the result to the ServiceNow instance in an XML payload.
- B.The MID Server decides what command to execute, executes the command on the target device, and returns the result to the ServiceNow instance in an XML payload.
- C.Service Mapping sends a request to the target device to execute a command, and the target device returns the result to the ServiceNow instance through the MID Server.
- D.Service Mapping sends a request to the target device to execute a command, and the target device returns the result to the ServiceNow instance.

Answer: A

Explanation:

A. Service Mapping provides a task with the command that the MID Server collects, the MID Server executes the command on the target device, and returns the result to the ServiceNow instance in an XML payload.

In ServiceNow Service Mapping, the MID Server plays a crucial role in executing commands remotely on devices during Discovery. Here's how the process works:

Service Mapping on the ServiceNow instance creates a probe or pattern step that contains the command to be run.

This probe is sent to the MID Server, which acts as a bridge between the ServiceNow cloud and the internal network.

The MID Server executes the command on the target device using appropriate credentials (e.g., via SSH, WMI, SNMP).

The results of the command execution are collected by the MID Server and sent back to the ServiceNow instance in an XML payload.

Question: 17

Deep Dumps

In Event Management, which of the following rules allows for automatic task creation?

- A.Alert Management
- B.Event
- C.Task
- D.Alert Correlation

Answer: A

Explanation:

A. Alert Management.

In ServiceNow Event Management, Alert Management Rules are used to configure automatic task creation and more. These rules define actions that should be taken when an alert is created or updated — such as:

Automatically creating an incident, problem, or change task.

Suppressing or assigning alerts.

Updating alert fields.

Adding alert remediation steps.

Question: 18

Deep Dumps

During ServiceNow Discovery, which one of the following is the approximate number of host IPs that are port scanned with a Discovery Schedule configured with an IP network as shown?
180.181.0.0/16

- A.~5 million
- B.~1 million
- C.~65 thousand
- D.~500,000 thousand

Answer: C

Explanation:

C. ~65 thousand

The CIDR block 180.181.0.0/16 represents a Class B IP range.

A /16 subnet contains:

2

(

32

–

16

)

=

2

16

=

65

,

536

IP addresses

2

(32-16)

=2

16

=65,536 IP addresses

This includes both usable and reserved IPs (e.g., network and broadcast), but for Discovery in ServiceNow, all IPs in the range are typically considered for port scanning, unless exclusions are defined.

Question: 19

Deep Dumps

ServiceNow only needs Domain user with local admin rights to discover Windows hosts as part of a successful implementation of ServiceNow Discovery, however which of the following targets will not be discovered?

- A.Windows Active Directory Servers
- B.Windows DHCP Servers
- C.Windows Domain Controller Servers
- D.Windows DNS Servers

Answer: C

Explanation:

C. Windows Domain Controller Servers.

While a Domain user with local admin rights is sufficient for discovering most Windows hosts, a Domain Controller requires higher-level permissions to be fully discovered. Domain Controllers are core to the Windows domain structure and contain critical information that is not accessible with just local administrator rights. The Discovery process needs a dedicated set of credentials, typically a Domain Administrator account or a service account with equivalent privileges, to properly classify and explore a Domain Controller and its associated services like Active Directory, DNS, and DHCP. The other servers listed (Active Directory, DHCP, DNS) can often have their services discovered, but the primary target that requires special, higher-level credentials for full discovery is the Domain Controller itself.

Question: 20

Deep Dumps

Which one of the following is true for variables defined in an Identification Section?

- A. Identification Section variables can also be used in all other Identification Sections in any pattern.
- B. Identification Section variables can also be used in Parent CI Types.
- C. Identification Section variables can also be used in all other Identification Sections in the same pattern.
- D. Identification Section variables can also be used in Connection Sections for any pattern.
- E. Identification Section variables can also be used in Connection Sections for the same pattern.

Answer: E

Explanation:

E. Identification Section variables can also be used in Connection Sections for the same pattern.

In ServiceNow Discovery and Service Mapping, patterns are used to identify and explore Configuration Items (CIs). Each pattern contains sections — typically Identification, Connection, and optionally Extension.

Variables defined in the Identification Section are local to the pattern.

These variables can be reused in the Connection Section of the same pattern.

They are not shared across different patterns or globally.

Question: 21

Deep Dumps

Which one of the following statements best explains the following URL:
`https://<Instance_URL>/SaCmdManager.do?ip=198.51.100.66?`

- A. The user is starting the Command Line Console and is able to send commands to the host 198.51.100.66.
- B. The user is starting the Command Line Console and explicitly directs Service Mapping to use the MID Server 198.51.100.66 to execute commands.
- C. This is not a valid URL for Service Mapping.
- D. The user is starting the Command Line Console and is able to send commands against the ServiceNow instance at 198.51.100.66.

Answer: A

Explanation:

A. The user is starting the Command Line Console and is able to send commands to the host 198.51.100.66.

The URL format `https://<Instance_URL>/SaCmdManager.do?ip=198.51.100.66` is used to launch the Service Mapping Command-Line Console, which allows administrators to manually execute commands directly on a target host. The `ip=198.51.100.66` parameter specifies the IP address of the target device where the commands will be run. This is a valuable troubleshooting tool for checking connectivity and command output.

Question: 22

Deep Dumps

In Service Mapping, which one of the following is true if a target host is already discovered and in the CMDB?

- A. The host will be deleted in the CMDB and a new host record will be created during Service Mapping discovery.
- B. The host will be immediately rediscovered, but only the changes will be updated in the CMDB during Service Mapping discovery.
- C. The host will be immediately rediscovered and updated in the CMDB during Service Mapping discovery.

D.The host will not be rediscovered during Service Mapping discovery.

Answer: B

Explanation:

B, as during the Service Mapping discovery process the discovery of a host is also triggered, however if the host has been discovered previously only the updated attributes of the host will be updated in CMDB. The sys_id of the host will remain the same.

Question: 23

Deep Dumps

In Service Mapping, when discovery is started, what is the execution strategy used to run Connection Sections?

- A.Connection Sections are executed one by one and connections will result from each successful section.
- B.Connection Sections are executed randomly and connections will result from each successful section.
- C.Connection Sections are executed one by one in the order they are listed until the first successful section.
- D.Connection Sections are executed one by one in the order they are listed with a connection created from the last successful section.

Answer: A

Explanation:

A. Connection Sections are executed one by one and connections will result from each successful section.

Unlike Identification Sections, which stop after the first successful match, Service Mapping's Connection Sections are designed to run to completion. The goal of the Connection phase is to discover all possible connections and dependencies for a given Configuration Item (CI). Therefore, the system executes each Connection Section in the order it appears, and every successful section that finds a connection will contribute to the final service map. This ensures a comprehensive view of all outbound connections from the CI.

Question: 24

Deep Dumps

Which one of the following is a public IP Address?

- A.172.20.5.9
- B.225.16.0.5
- C.192.168.100.100
- D.10.0.6.8

Answer: B

Explanation:

B. 225.16.0.5.Here's a breakdown of why the other options are not public IP addresses:A. 172.20.5.9: This is a private IP address within the 172.16.0.0 - 172.31.255.255 range, commonly used for private networks.C. 192.168.100.100: This is also a private IP address within the 192.168.0.0 - 192.168.255.255 range, commonly used for home and small office networks. D. 10.0.6.8: This is another private IP address within the 10.0.0.0 - 10.255.255.255 range, also commonly used for private networks.

Question: 25**Deep Dumps**

Given the CMDB class structure shown, which types of Configuration Items (CIs) will be included in a report run against the Server [cmdb_ci_server] table?

```
- cmdb
---- cmdb_ci
---- ---- cmdb_ci_hardware
---- ---- ---- cmdb_ci_computer
---- ---- ---- ---- cmdb_ci_server
---- ---- ---- ---- ---- cmdb_ci_win_server
---- ---- ---- ---- ---- cmdb_ci_linux_server
---- ---- ---- ---- ---- cmdb_ci_unix_server
---- ---- ---- ---- cmdb_ci_pc_hardware
```

- A. CIs defined directly in Server [cmdb_ci_server] table and all parent classes
- B. CIs defined directly in Server [cmdb_ci_server] table and all child classes
- C. CIs defined directly in the Server [cmdb_ci_server] table

Answer: B**Explanation:**

B. CIs defined directly in Server [cmdb_ci_server] table and all child classes.

When you query a table like cmdb_ci_server (the Server table) in ServiceNow, the default behavior is to return all CIs that are of that specific class and all CIs that belong to its child classes. This is because cmdb_ci_server is a parent table, and its child tables, such as cmdb_ci_win_server (Windows Server) and cmdb_ci_linux_server (Linux Server), inherit from it. A standard query on a parent table will display records from all of its descendant tables, providing a comprehensive view of all servers, regardless of their specific operating system.

Question: 26**Deep Dumps**

Which one of the following best represents the output from the following Regular Expression?
([\\w\\d\\-\\.]+)

- A. Match a single character in the list between one and unlimited times.
- B. Match a single character in the list one time.
- C. Match a single character in the list between one and three times.
- D. Match a single character in the list between one and ten times.

Answer: A

Explanation:

A. Match a single character in the list between one and unlimited times.

[...]: This is a character set. It means the expression will match any single character that is inside the brackets.

\w: Matches any word character (alphanumeric and underscore).

\d: Matches any digit (0-9).

-: Matches a literal hyphen.

\.: Matches a literal period. The backslash (\) is an escape character that tells the regex engine to treat the dot literally, not as a wildcard.

+: This is a quantifier. It matches the preceding element (the entire character set in this case) one or more times. This is equivalent to "unlimited" times in the context of the options.

Question: 27

Deep Dumps

Which one of the following describes how a MID Server communicates with a ServiceNow instance?

- A. Initiates on HTTPS
- B. Responds on HTTPS
- C. Responds on HTTP
- D. Initiates on HTTP

Answer: A

Explanation:

A. Initiates on HTTPS.

A MID Server always initiates communication with the ServiceNow instance. It sends a heartbeat to the instance and regularly polls for new tasks. This communication is secure and uses the HTTPS protocol (Hypertext Transfer Protocol Secure). This design is a key security feature, as it prevents the need for inbound firewall rules to be opened to the MID Server. Instead, the MID Server is an outbound-only connection.

Question: 28

Deep Dumps

Assuming the Apache Web Server Identification Rule (CI Identifier) is configured as shown with the following Criterion attributes:

Class -

Configuration file -

Version -

Identifier Entry

* Identifier	cmdb_ci_apache_web_server	☒ Active
* Search on table	Apache Web Server	
* Criterion attributes	☒ Class, Configuration file, Version	Allow null attribute ☒
Priority	100	Allow fallback to parent's rules ☐

Yesterday, an Apache Web Server CI was discovered as part of Service Mapping. Today, the application owner upgraded the Apache Web Server to a different version and reran discovery of the service. What will happen in the CMDB?

- A. A duplication error will occur.
- B. A new Apache Web Server CI is created.
- C. The existing Apache Web Server CI will be reconciled with the upgraded Apache Web Server CI and its version will be updated.
- D. The Apache Web Server CI will be reclassified as a Web Server CI.

Answer: B

Explanation:

B. A new Apache Web Server CI is created. When the Apache Web Server Identification Rule is configured with specific criteria, including the version, and the version changes during an upgrade, the Service Mapping process would likely treat the upgraded version as a new Configuration Item.

Question: 29

Deep Dumps

Within the CMDB, all application CI Types/Classes are children of which parent class?

- A. Database Instance [cmdb_ci_db_instance]
- B. Software [cmdb_ci_software]
- C. Installed Software [cmdb_ci_installed_software]
- D. Application [cmdb_ci_appl]
- E. Licenses [cmdb_ci_license]

Answer: D

Explanation:

D. Application [cmdb_ci_appl] parent class.

In the ServiceNow CMDB hierarchy, the Application class (cmdb_ci_appl) serves as the base for all application-specific Configuration Items. While Software (cmdb_ci_software) is a more general parent class, Application is the direct parent for more specialized application types.

Question: 30

Deep Dumps

In Service Mapping, which one of the following best describes the process of discovery after an Entry Point is configured?

- A. For each pattern that supports the Entry Point Type, run identification Sections until one finishes successfully and then run each Connection Section for the pattern.
- B. For each pattern that supports the Entry Point Type, run all the identification Sections that finish successfully and then run each Connection Section for the pattern.
- C. For each pattern that supports the Entry Point Type, run identification Sections until one finishes successfully and then run Connection Sections until one finishes successfully.
- D. For each pattern that supports the Entry Point Type, run all the Identification Sections and run all Connection Sections.

Answer: A

Explanation:

A. For each pattern that supports the Entry Point Type, run identification Sections until one finishes successfully and then run each Connection Section for the pattern.

In Service Mapping (in ServiceNow), once you configure an Entry Point (e.g., a web URL, a host name, or IP address):

Patterns that support the Entry Point type are evaluated.

For each of those patterns:

The Identification Section is run sequentially until one succeeds. As soon as one Identification Section finishes successfully, the system does not continue to test the others.

Then, the Connection Section is run to discover relationships between CIs and move to downstream dependencies (i.e., expanding the service map).

Question: 31

Deep Dumps

When using the Pattern Designer, a Regular Expression parsing strategy is available from which operation?

- A. Set variable
- B. Match
- C. Create connection
- D. Parse file

Answer: D

Explanation:

D. Parse file

In ServiceNow's Pattern Designer, the Regular Expression parsing strategy is primarily used with the "Parse file" operation.

The Parse file operation allows pattern designers to extract data from files, such as configuration files, log files, or command outputs.

Within this operation, you can choose different parsing strategies — one of which is Regular Expression (Regex).

Regex is used to define patterns to match and extract specific pieces of text from a file.

Question: 32**Deep Dumps**

Using Pattern Designer, which one of the following Delimited Text Parsing Strategies could be used to parse CO from the string?

Location,Denver,CO

- A.Delimiter of a comma and position 3
- B.Delimiter of Location, and position 2
- C.Delimiter of Denver and position 2
- D.Delimiter of a comma and position 2

Answer: A**Explanation:**

A. Delimiter of a comma and position 3.

To parse "CO" from the string "Location,Denver,CO" using a Delimited Text Parsing Strategy, you need to specify the correct separator and the position of the desired value.

Question: 33**Deep Dumps**

In Event Management, if a Message key is not passed from an Event, which of the following Alert fields combine to populate the Message key on an Alert?

- A.Task, Description, Created
- B.Node, Type, Resource, Number
- C.Source, Number, Task
- D.Source, Node, Type, Resource

Answer: D**Explanation:**

D. Source, Node, Type, Resource.

The Message key is crucial for identifying if incoming events are related to existing alerts. If the event payload doesn't include a Message key, ServiceNow automatically generates one by concatenating the values from four key fields:

Source: The monitoring tool or system that generated the event (e.g., SolarWinds, Nagios).

Node: The affected CI (Configuration Item), such as a specific server or router.

Type: The event type, which helps categorize the nature of the alert (e.g., CPU, disk, memory).

Resource: The specific component of the node that is the subject of the event (e.g., C: drive, CPU-0).

Question: 34**Deep Dumps**

In Service Mapping, when an application is identified as a Generic application, which one of the following is the cause?

- A. No Pattern Identification Section matches

- B. No Pattern Identification and Connection Section matches
- C. No Identification Rule exists
- D. No Pattern Connection Section matches

Answer: A

Explanation:

A. No Pattern Identification Section matches.

In Service Mapping, when a discovery process runs, it attempts to identify the discovered application using predefined patterns. These patterns contain Identification Sections with rules to uniquely identify specific application types (e.g., Apache Tomcat, Oracle Database). If the discovery process for a particular application completes but none of the Identification Sections in any of the available patterns match the application, Service Mapping cannot classify it specifically. In this scenario, it falls back to classifying the application as a Generic application. The lack of a matching Identification Section is the direct cause of this classification. Connection Sections are used to build the relationships after an application has been successfully identified, so their failure does not cause a "Generic application" classification.

Question: 35

Deep Dumps

Which address is required for Service Mapping to discover a Load Balancer that does not previously exist in the CMDB?

- A. Management IP address
- B. MAC address
- C. Public IP address
- D. MIB address

Answer: A

Explanation:

A. Management IP address.

Service Mapping initiates discovery from an entry point, and for network devices like a Load Balancer, the Management IP address is the standard entry point. This is the dedicated IP address used for administration and management of the device, and it is the address that the MID Server and Discovery probes are configured to communicate with. The Management IP allows Service Mapping to access the device's management interface, run commands, and gather the necessary information to identify and classify the device, and then build the connections to the services it manages.

Question: 36

Deep Dumps

Which one of the following Regular Expressions could be used to parse the value 5.2.0 from the string? Version 5.2.0

- A. Version (\.*)
- B. Version\s+(\d+\.\d+\.\d+)
- C. Version (\d+)
- D. Version (\d+).(\d+).(\d+)

Answer: B

Explanation:

B is the correct answer. Version\s+: This part matches the literal string "Version" followed by one or more whitespace characters.(\d+\d+\d+): This part captures a group of digits, followed by a dot, followed by another group of digits, followed by a dot, and finally another group of digits. This matches the version number format "X.Y.Z".The parentheses () capture the version number, which can then be extracted and used for further processing.P.S. Answer 'A' would match any character after "Version", including spaces and punctuation, which is not what we want.

Question: 37

Deep Dumps

Which of the following reasons would a prospect consider purchasing ServiceNow Event Management? (Choose three.)

- A.Determine impacted services from a given event/alert.
- B.Provide software deployment capabilities to patch problem infrastructure.
- C.Automatically generate incidents for certain classes of alerts.
- D.Provide state of the art monitoring capabilities across a wide array of different types of infrastructure.
- E.Consolidate events from disparate monitoring tools into a consolidated central system.

Answer: ACE

Explanation:

- A. Determine impacted services from a given event/alert. Event Management integrates with Service Mapping to provide a clear, real-time view of which business services are affected by an alert. This visibility is crucial for prioritizing responses and understanding the business impact of an infrastructure issue.
- C. Automatically generate incidents for certain classes of alerts. This feature automates the creation of incidents based on predefined alert conditions. It streamlines the incident management process by eliminating manual ticket creation and ensuring a faster response to critical issues.
- E. Consolidate events from disparate monitoring tools into a consolidated central system. Event Management acts as a "manager of managers," ingesting event data from various monitoring tools across the IT environment. This consolidation provides a single pane of glass for all events and alerts, reducing noise and allowing for more efficient analysis and correlation.

Question: 38

Deep Dumps

When running Service Mapping discovery, which of the following represents the root cause of the error?
"Failed to access target system. Access is denied"

- A.SSO authentication error
- B.CLI permissions error
- C.Applicative permissions error
- D.Windows authentication error

Answer: D

Explanation:

D. Windows authentication error.

This error message typically indicates that the credentials provided to the MID Server are not valid for the target Windows host. This could be due to an incorrect username or password, or because the account lacks the necessary local administrator privileges to run the commands required for discovery. While other issues like firewall rules or WMI service failures can produce similar errors, a direct "Access is denied" message is the most common symptom of a Windows authentication failure.

Thank you

Thank you for being so interested in the premium exam material.
I'm glad to hear that you found it informative and helpful.

But Wait

I wanted to let you know that there is more content available in the full version. The full paper contains additional sections and information that you may find helpful, and I encourage you to download it to get a more comprehensive and detailed view of all the subject matter.

[Download Full Version Now](#)



Future is Secured
100% Pass Guarantee



24/7 Customer Support
Mail us - support@deepdumps.com



Verified Updates
Lifetime Updates!

Total: **124 Questions**

Link: <https://deepdumps.com/papers/servicenow/cis-sm>