

SQL Fina Task

Introduction

Danny seriously loves Japanese food so in the beginning of 2021, he decides to embark upon a risky venture and opens a cute little restaurant that sells his 3 favorite foods: sushi, curry and ramen.

Danny's Diner needs your assistance to help the restaurant stay afloat - the restaurant has captured some very basic data from their few months of operation but have no idea how to use their data to help them run the business.

Problem Statement

Danny wants to use the data to answer a few simple questions about his customers, especially about their visiting patterns, how much money they've spent and also which menu items are their favorite. Having this deeper connection with his customers will help him deliver better and more personalized experience for his loyal customers.


He plans on using these insights to help him decide whether he should expand the existing customer loyalty program - additionally he needs help to generate some basic datasets so his team can easily inspect the data without needing to use SQL.

Danny has provided you with a sample of his overall customer data due to privacy issues - but he hopes that these examples are enough for you to write fully functioning SQL queries to help him answer his questions!

Danny has shared with you 3 key datasets for this case study:

- `sales`
- `menu`
- `members`

You can inspect the entity relationship diagram and example data below.



Example Datasets

All datasets exist within the `dannys_diner` database schema - be sure to include this reference within your SQL scripts as you start exploring the data and answering the case study questions.

Table 1: sales

The `sales` table captures all `customer_id` level purchases with an corresponding `order_date` and `product_id` information for when and what menu items were ordered.

customer_id	order_date	product_id
A	2021-01-01	1
A	2021-01-01	2
A	2021-01-07	2
A	2021-01-10	3
A	2021-01-11	3
A	2021-01-11	3
B	2021-01-01	2
B	2021-01-02	2
B	2021-01-04	1
B	2021-01-11	1
B	2021-01-16	3
B	2021-02-01	3
C	2021-01-01	3
C	2021-01-01	3
C	2021-01-07	3

Table 2: menu

The menu table maps the product_id to the actual product_name and price of each menu item.

product_id	product_name	price
1	sushi	10
2	curry	15
3	ramen	12

Table 3: members

The final members table captures the join_date when a customer_id joined the beta version of the Danny's Diner loyalty program.

customer_id	join_date
A	2021-01-07
B	2021-01-09

Case Study Questions

Each of the following case study questions can be answered using a single SQL statement:

1. What is the total amount each customer spent at the restaurant?
2. How many days has each customer visited the restaurant?
3. What was the first item from the menu purchased by each customer?
4. What is the most purchased item on the menu and how many times was it been purchased by all customers?
5. Which item was the most popular for each customer?
6. Which item was purchased first by the customer after they became a member?
7. Which item was purchased just before the customer became a member?
8. What is the total items and amount spent on each member before they became a member?

9. If each \$1 spent equates to 10 points and sushi has a 2x points multiplier - how many points would each customer have?
10. In the first week after a customer joins the program (including their join date) they earn 2x points on all items, not just sushi - how many points do customer A and B have at the end of January?

Bonus Questions

Join All the Things

The following questions are related to creating basic data tables that Danny and his team can use to quickly derive insights without needing to join the underlying tables using SQL.

Recreate the following table output using the available data:

customer_id	order_date	product_name	price	member
A	2021-01-01	curry	15	N
A	2021-01-01	sushi	10	N
A	2021-01-07	curry	15	Y
A	2021-01-10	ramen	12	Y
A	2021-01-11	ramen	12	Y
A	2021-01-11	ramen	12	Y
B	2021-01-01	curry	15	N
B	2021-01-02	curry	15	N
B	2021-01-04	sushi	10	N
B	2021-01-11	sushi	10	Y
B	2021-01-16	ramen	12	Y
B	2021-02-01	ramen	12	Y
C	2021-01-01	ramen	12	N
C	2021-01-01	ramen	12	N
C	2021-01-07	ramen	12	N

Rank All the Things

Danny also requires further information about the **ranking** of customer products, but he purposely does not need the ranking for non-member purchases, so he expects null **ranking** values for the records when customers are not yet part of the loyalty program.

customer_id	order_date	product_name	price	member	ranking
A	2021-01-01	curry	15	N	null
A	2021-01-01	sushi	10	N	null
A	2021-01-07	curry	15	Y	1
A	2021-01-10	ramen	12	Y	2
A	2021-01-11	ramen	12	Y	3
A	2021-01-11	ramen	12	Y	3
B	2021-01-01	curry	15	N	null
B	2021-01-02	curry	15	N	null
B	2021-01-04	sushi	10	N	null
B	2021-01-11	sushi	10	Y	1
B	2021-01-16	ramen	12	Y	2
B	2021-02-01	ramen	12	Y	3
C	2021-01-01	ramen	12	N	null
C	2021-01-01	ramen	12	N	null
C	2021-01-07	ramen	12	N	null

Submit your answer both as SQL Queries and Power Point Sharing your insight.

