Analysis of Prenatal Depression and Anxiety during Covid-19*

Boxuan Yi

24 March 2024

Table of contents

| 1 | Introduction | 1 |
|---|--------------|---|
| 2 | Data | 1 |
| 3 | Model | 2 |
| 4 | Results | 2 |
| 5 | Discussions | 2 |
| 6 | Appendix | 2 |

1 Introduction

2 Data

Table 1: Levels of Depression and Anxiety Among Different Age Groups

| Age Group | Survey Language | Average Level of Depression | Average Level of Anxiety |
|--------------|-----------------|-----------------------------|--------------------------|
| Under 27 | English | 0.4057530 | 0.5982596 |
| Under 27 | French | 0.3243386 | 0.5260771 |
| 27 to 34 | English | 0.3343954 | 0.5393596 |
| 27 to 34 | French | 0.2850746 | 0.4836887 |
| 35 to 39 | English | 0.3236429 | 0.5212459 |
| 35 to 39 | French | 0.3063492 | 0.5065760 |
| 40 and above | English | 0.3325758 | 0.5294372 |
| 40 and above | French | 0.2727273 | 0.5324675 |




Figure 1: The Distribution of Age Groups and Household Income for Pregnant Participants






Figure 2: The Distribution of Age Groups and Level of Education for Pregnant Participants




- (a) Distribution of Levels of Depression by Education
- (b) Distribution of Levels of Depression by Household Income

Figure 3: Distribution of Levels of Depression by Education and Household Income



- (a) Distribution of Levels of Anxiety by Education
- (b) Distribution of Levels of Anxiety by Household Income

Figure 4: Distribution of Levels of Anxiety by Education and Household Income



- (a) Distribution of Edinburgh Postnatal Depression Scale Scores by Month
- (b) Distribution of Promis Anxiety Scores by Months

Figure 5: Distribution of Levels of Depression and Anxiety by Month

Table 2: Estimating Prenatal Depression given Age, Household Income, Education Level and Choice of Language

| | Level of Depression |
|--|---------------------|
| (Intercept) | -12.770 |
| age_group27 to 34 | 0.934 |
| age_group35 to 39 | 0.355 |
| age_group40 and above | -2.416 |
| $household_income\$20,000 - \$39,999$ | -2.348 |
| $household_income\$40,000 - \$69,999$ | -0.013 |
| $household_income\$70,000 - \$99,999$ | 0.799 |
| $household_income\$100,000 - \$124,999$ | 0.956 |
| $household_income\$125,000 - \$149,999$ | 0.542 |
| $household_income\$150,000 - \$174,999$ | 0.389 |
| $household_income\$175,000 - \$199,999$ | -0.588 |
| $household_income\$200,000+$ | 0.465 |
| languageFrench | -0.975 |
| maternal_educationHigh school diploma | -2.007 |
| maternal_educationCollege/trade school | 0.264 |
| maternal_educationUndergraduate degree | 1.020 |
| maternal_educationMasters degree | 0.467 |
| maternal_educationDoctoral Degree | -0.629 |

Table 3: Estimating Prenatal Anxiety given Age Group, Household Income, Education Level and Choice of Language.

| | Level of Anxiety |
|--|------------------|
| (Intercept) | -9.324 |
| age_group27 to 34 | -0.086 |
| age_group35 to 39 | -0.509 |
| age_group40 and above | -4.777 |
| $household_income\$20,000 - \$39,999$ | 2.810 |
| $household_income\$40,000 - \$69,999$ | -1.715 |
| $household_income\$70,000 - \$99,999$ | 2.724 |
| $household_income\$100,000 - \$124,999$ | 1.402 |
| $household_income\$125,000 - \$149,999$ | -1.265 |
| $household_income\$150,000 - \$174,999$ | -1.311 |
| $household_income\$175,000 - \$199,999$ | -1.966 |
| $household_income\$200,000+$ | 1.968 |
| languageFrench | -3.065 |
| maternal_educationHigh school diploma | -3.978 |
| maternal_educationCollege/trade school | 1.352 |
| maternal_educationUndergraduate degree | 1.367 |
| maternal_educationMasters degree | 0.788 |
| maternal_educationDoctoral Degree | -2.287 |




Figure 6: The Coefficients and Confidence Interval in the Depression Model






Figure 7: The Coefficients and Confidence Interval in the Anxiety Model



(a) Distribution of Birth Weight and Depression by Deliv(b) Distribution of Birth Weight and Anxiety by Delivery ery Mode Mode



(c) Distribution of Birth Length and Depression by Delivery (d) Distribution of Birth Length and Anxiety by Delivery Mode ${\rm Mode}$

Figure 8: Distribution of Birth Weight and Length and Prenatal Mental Health by Delivery Mode

- 3 Model
- 4 Results
- 5 Discussions

6 Appendix




Figure 9: Income and Education Groups Distribution Based on the Choice of Survey Language






Figure 10: Distribution of the Preceived Danger to Baby and Preceived Potential Harm to Baby

^{*}Code and data in this analysis is available at: https://github.com/Elaineyi1/Prenatal_Mental_Health



(a) Relationship between Perceived Danger to Self and De(b) Relationship between Perceived Danger to the Unborn pression and Depression



(c) Relationship between Perceived Danger to Self and Anx(d) Relationship between Perceived Danger to the Unborn iety and Anxiety

Figure 11: Association between Perceived Level of Danger and Prenatal Mental Health