

Explain proper scenario for following ping errors ?

1). Destination host unreachable

It is Data (ping) packet overflow not for system table
route [creating] table ^{sending outside of network}

2). Request timed out

sending Destination ip request packet received PC2
It's traffic route table allowed for source ip to Destination ip
still not route for Destination route table gateway router so
request time out generated

3). Reply from some ip destination host unreachable

Not in route forward data nearby route devices. Reply from
some ip destination host unreachable error showing. If assigned
forwarding route allowed it's error not showing data traffic so to
destination host.

TTL expired

PC1: 50.0.0.10 e0/0
Route: 50.0.0.1
PC2: 60.0.0.10 e0/1
60.0.0.1

Assigned ip add for PC1: 50.0.0.10, Subnet 255.0.0.0 :
PC2: 60.0.0.10 " 255.0.0.0

Ping of PC1 to PC2 ip address this ip route table checking for routing
system route table allowing data sent Destination ip address received
It is mean Gateway not assigned Destination ip not setting data overflows
inside of looping ip.

2). Request time out:

Sending Request Destination ip address ~~received~~ [50.0.0.10] Source IP
to [60.0.0.10] Destination IP → checking Route → PC1 to PC2
checking for source IP and Destination IP return trustful → ~~Attended~~
for route way not assigned (request time out) generated for
this error