

How to check connectivity two system communicate sharing resource data end to end in background process


Step:1 Power on the Win1 & Win2 system

Go to Start – Run – ncpa.cpl — (Nic properties)


Assign the ip address



WinPC 1 name: Sys1 ip : 50.0.0.10


WinPC 2 name: Sys2 ip : 50.0.0.20



Step:2








Step:2

Once assigned ip check its taken or not by using `ipconfig()` command in cmd


How to Use It



- Open the Command Prompt by typing `cmd` in the Windows search bar.
 - Type `ipconfig` and press Enter to see your basic network details.
- Common Commands
- **ipconfig:** Shows basic details like your IPv4 address, subnet mask, and default gateway.
 - **ipconfig /all:** Shows full details including your physical MAC address, DNS servers, and DHCP status.
 - **ipconfig /release:** Drops your current IP address so your computer disconnects from the network temporarily.
 - **ipconfig /renew:** Asks your router for a new IP address.


- **ipconfig /flushdns**: Clears out your computer's DNS cache to help fix website loading errors.




Assign WinPC2 ip:50.0.0.20 process







Once assigned ip check its taken or not by using ipconfig command in cmd





Set hostname for two computers

Computer1 — sys1

Computer2 — sys2

Go to run type sysdm.cpl





Now we can ping using system name with the help of (Netbios) protocol