

APP SUMMARY

Inkmx

Repo-based snapshot of the web app, its runtime surfaces, and the fastest way to start it locally.

SNAPSHOT

Scope: 1-page repo summary

Evidence: code + config + docs

Updated: March 8, 2026

What It Is

Inkmx is a mobile-first "micro-business OS" for building professional bio or landing pages and running lightweight business operations from one dashboard. Repo evidence also shows companion Telegram and Capacitor entry points alongside the main web app.

Who It Is For

Primary persona in the repo: creators, freelancers, and small businesses in the CIS region that need a public page, lead capture, analytics, and simple CRM workflows without stitching together many tools.

What It Does

- Build and publish public bio or landing pages with block-based editing.
- Capture and manage leads, contacts, deals, tasks, and inbox workflows in the dashboard.
- Track views, clicks, experiments, and page or block analytics.
- Run bookings, events, products or orders, and payment flows.
- Support localization, SEO pages, sitemap generation, and bot-friendly SSR.
- Send notifications and connect services such as Telegram, email, calendar sync, and pixel tracking.

How To Run

- 1 Install Node.js 18+ (20 recommended) and npm.
- 2 Run npm install from the repo root.
- 3 Copy .env.example to .env and set VITE_SUPABASE_PROJECT_ID, VITE_SUPABASE_PUBLISHABLE_KEY, VITE_SUPABASE_URL, and VITE_APP_DOMAIN.
- 4 Run npm run dev, then open <http://localhost:8080>.

How It Works

- Vite builds two browser entries: the main React SPA and a Telegram Mini App.
- The shared app shell adds routing, auth, language state, toasts, React Query caching, and PWA prompts.
- UI code is organized into pages, components, services, repositories, domain, and use-cases layers.
- Data access goes through a Supabase JS client configured from env vars; schema lives in supabase/migrations.
- Backend logic lives in 44 Supabase Edge Function folders for AI content, leads, payments, calendar, SEO, notifications, and Telegram.
- A Cloudflare worker sends bot traffic to seo-ssr or generate-sitemap; human traffic stays on the SPA. Capacitor wraps the built web app for iOS and Android.

Data flow: Browser or Telegram client -> React routes or screens -> services and repositories -> Supabase client and Edge Functions -> Postgres, Auth, and Storage. Bot requests -> Cloudflare worker -> SSR or sitemap Edge Functions -> HTML response.

Repo Evidence Used

README.md package.json .env.example
vite.config.ts capacitor.config.ts src/main.tsx
src/App.tsx src/platform/supabase/client.ts
tg.html src/telegram/ supabase/
cloudflare-worker/

If a required item had not been present in the repository, this summary would label it "Not found in repo."