

#	Type	Status	Start	Name	Comment
	Assert	Pass	15:27:35.738	Play RVL@LOGIN-DATOS-CORRECTOS TC24940	
Link					
C:\SpiraRepository\LOGIN-DATOS-CORRECTOS TC24940\Main.rvl.xlsx(RVL,2,1)					
#	Type	Status	Start	Name	Comment
	Message	Info	15:27:36.238	Global.DoKillByPid: 9248	Terminated succesfully
	Assert	Pass	15:27:47.293	Log_In.DoClick({})	Returned Value: true
	Assert	Pass	15:27:48.841	Username.DoClick({})	Returned Value: true
	Assert	Pass	15:27:50.633	Username.DoSetText({"0":"librarian"})	Returned Value: true
	Assert	Pass	15:27:52.117	Password.DoClick({})	Returned Value: true
	Assert	Pass	15:27:53.691	Password.DoSetText({"0":"librarian"})	Returned Value: true
	Assert	Pass	15:27:53.766	Verify that: Value=librarian	
Text					
librarian					
librarian					
#	Type	Status	Start	Name	Comment
	Assert	Pass	15:27:53.802	Verify that: Value=librarian	
Text					
librarian					
librarian					
#	Type	Status	Start	Name	Comment
	Assert	Pass	15:27:55.694	ctl00\$MainContent\$LoginUser\$Logi.DoClick({})	Returned Value: true
	Assert	Pass	15:27:57.417	Home.DoClick({})	Returned Value: true
	Assert	Pass	15:27:59.204	Book_Management.DoClick({})	Returned Value: true
	Assert	Pass	15:28:00.945	Author_Management.DoClick({})	Returned Value: true
	Assert	Pass	15:28:02.412	Log_Out.DoClick({})	Returned Value: true
	Test	Pass	15:28:02.427	LOGIN-DATOS-CORRECTOS TC24940	Passed:13 Failed:0 Time:27.327s
Text					
Executing Script: C:\SpiraRepository\LOGIN-DATOS-CORRECTOS TC24940\LOGIN-DATOS-CORRECTOS TC24940 - test					
Entry Point: Test					
#	Type	Status	Start	Name	Comment

Test Pass

Total:15 Pass:14 Fail:0 Info:1