==

Application: kicad
Version: 6.0.0-rc1-unknown-a5c892d~84~ubuntu14.04.1, release build
Libraries:
    wxWidgets 3.0.2
    libcurl/7.35.0 OpenSSL/1.0.1f zlib/1.2.8 libidn/1.28 librtmp/2.3
Platform: Linux 4.4.0-112-generic x86_64, 64 bit, Little endian, wxGTK
Build Info:
    wxWidgets: 3.0.2 (wchar_t,wx containers,compatible with 2.8) GTK+ 2.24
    Boost: 1.54.0
    OpenCASCADE Community Edition: 6.8.0
    Curl: 7.35.0
    Compiler: GCC 4.8.4 with C++ ABI 1002

Build settings:
    USE_WX_GRAPHICS_CONTEXT=OFF
    USE_WX_OVERLAY=OFF
    KICAD_SCRIPTING=ON
    KICAD_SCRIPTING_MODULES=ON
   KICAD_SCRIPTING_WXPYTHON=ON
    KICAD_SCRIPTING_ACTION_MENU=ON
    BUILD_GITHUB_PLUGIN=ON
    KICAD_USE_OCE=ON
    KICAD_USE_OCC=OFF
    KICAD_SPICE=ON

commit 47f0f52b28471a8be6e5fc28bd8407dbf9090f26

==

Application: kicad
Version: 5.0.0-fee4fd1~66~ubuntu14.04.1, release build
Libraries:
  wxWidgets 3.0.2
  libcurl/7.35.0 OpenSSL/1.0.1f zlib/1.2.8 libidn/1.28 librtmp/2.3
Platform: Linux 4.4.0-112-generic x86_64, 64 bit, Little endian, wxGTK
Build Info:
  wxWidgets: 3.0.2 (wchar_t,wx containers,compatible with 2.8) GTK+ 2.24
  Boost: 1.54.0
  OpenCASCADE Community Edition: 6.8.0
  Curl: 7.35.0
  Compiler: GCC 4.8.4 with C++ ABI 1002

Build settings:
  USE_WX_GRAPHICS_CONTEXT=OFF
  USE_WX_OVERLAY=OFF
 KICAD_SCRIPTING=ON
  KICAD_SCRIPTING_MODULES=ON
  KICAD_SCRIPTING_WXPYTHON=OFF
  KICAD_SCRIPTING_ACTION_MENU=ON
  BUILD_GITHUB_PLUGIN=ON
  KICAD_USE_OCE=ON

KICAD_USE_OCC=OFF
KICAD_SPICE=ON

===

===

===

===

===

===

===

===

==

==

==

- D
- d
- d
- dd
- d
- d
- dd
- d
- d
- d
- d
- d
- d
- d