

1 Introduction

To develop a robot, we need to know the environment where the robot will be moving. As this project is to implement a LEGO robot solving a real-life version of a Sokoban game, the environment needs to represent the objects that are found in the game. A Sokoban map consists of some pushable “diamonds” or “boxes”, some fixed walls and goal areas.

2 Physical environment specification

This section represents the map in which the robot will move around.

1. Surface

- (a) The surface is white paper with black lines.
- (b) The surface is placed in the horizontal plane on the floor, not on a wall. Only the gravity should be required to keep the robot on the surface.

2. Grid

- (a) Every row and column of the sokoban map is represented by a black line in the middle. See figure 1 and 2 for a comparison between the traditional map and the real-life implementation of the same map.
- (b) Every square will be represented by two lines, where the middle of the square represents the two lines orthogonal intersection.
- (c) Every game square is $30 \times 30 \text{ cm} \pm 1 \text{ cm}$ large.

3. Diamonds

- (a) The diamonds is implemented using small cans of tomato puree with a diameter of 54mm and a height of 72mm.

4. Goals

- (a) The goal areas are not marked on the map.

5. Walls

- (a) The walls are represented by ending the black lines.

6. Lines

- (a) The lines' color will be black.
- (b) The width of the lines is $14\text{mm} \pm 2\text{mm}$.

7. Start position

- (a) The start position is given in the map. The direction of the robot is free.




Figure 1: Original Sokoban map




Figure 2: Illustration of real-life map of the same Sokoban map

3 Software environment specification

This section represents the map specification for the solver.

1. Map specification

- (a) The map will be given as a file in the *.txt file format.
- (b) The map is represented by a X times Y array of symbols described in "Array representation".
- (c) The map size will given in the first line of the *.txt file in the format XX YY DD.
 - XX represents the width of the array as two characters, ie 10 or 05.

- YY represents the height of the array as two characters, ie 10 or 05.
- DD represents the number of diamonds in the map as two characters, ie 10 or 05.

(d) The rest of the *.txt file represents the map of the sokoban game.

2. Array representation

- (a) The symbol X represents a wall.
- (b) The symbol J represents a diamond.
- (c) The symbol G represents a diamond destination / goal.
- (d) The symbol . represents a walkable area.
- (e) The symbol M represents the sokoban man / the robot.
- (f) An empty field represents an area outside the map.
- (g) An example of the sokoban map of figure 1 represented as a *.txt file is listed in listing 1.

Listing 1: The map file for the example map

```
1 10 09 04
2      XXXXX
3 XXXXXX...X
4 X..J....X
5 X..JXXX.XX
6 XXGJG.G.GX
7 X.JX....X
8 X.MXXXXXX
9 X..X
10 XXXX
```