



(ai-rag-eval-prod) x



Editor



Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [L...](#) Don't show again [Dismiss](#)

Gemini CLI.

Your Cloud Platform project in this session is set to **ai-rag-eval-prod**.

Use ``gcloud config set project [PROJECT_ID]`` to change to a different project.

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl create deployment ai-eval-api --image=nginx
```

```
deployment.apps/ai-eval-api created
```

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl get deployments
```

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
ai-eval-api	1/1	1	1	6s
genai-eval	2/2	2	2	4d

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
ai-eval-api-5777dfb7dd-bthz4	1/1	Running	0	26s
genai-eval-5467778c4f-54ltg	1/1	Running	0	2d4h
genai-eval-5467778c4f-7ttpf	1/1	Running	0	2d4h

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl create deployment ai-eval-api --image=python:3.10 --port=8000
```

```
error: failed to create deployment: deployments.apps "ai-eval-api" already exists
```

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$
```




(ai-rag-eval-prod) x



Editor



Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [L...](#) Don't show again [Dismiss](#)

Gemini CLI.

Your Cloud Platform project in this session is set to **ai-rag-eval-prod**.

Use ``gcloud config set project [PROJECT_ID]`` to change to a different project.

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl create deployment ai-eval-api --image=nginx
```

deployment.apps/ai-eval-api created

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl get deployments
```

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
ai-eval-api	1/1	1	1	6s
genai-eval	2/2	2	2	4d

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
ai-eval-api-5777dfb7dd-bthz4	1/1	Running	0	26s
genai-eval-5467778c4f-54ltg	1/1	Running	0	2d4h
genai-eval-5467778c4f-7ttpf	1/1	Running	0	2d4h

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl create deployment ai-eval-api --image=python:3.10 --port=8000
```

error: failed to create deployment: deployments.apps "ai-eval-api" already exists

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl expose deployment ai-eval-api --type=LoadBalancer --port=80 --target-port=8000
```

service/ai-eval-api exposed

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl get services
```

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
ai-eval-api	LoadBalancer	34.118.225.127	<pending>	80:31586/TCP	6s
genai-eval	LoadBalancer	34.118.228.76	34.121.205.47	80:32121/TCP	3d23h
kubernetes	ClusterIP	34.118.224.1	<none>	443/TCP	4d

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$
```




(ai-rag-eval-prod) x



Editor

Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [L...](#) Don't show again [Dismiss](#)

```
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl get pods
NAME                                READY   STATUS    RESTARTS   AGE
ai-eval-api-5777dfb7dd-bthz4        1/1     Running   0           26s
genai-eval-5467778c4f-54ltg         1/1     Running   0           2d4h
genai-eval-5467778c4f-7ttpf         1/1     Running   0           2d4h
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl create deployment ai-eval-api --image=python:3.10 --port=8000
error: failed to create deployment: deployments.apps "ai-eval-api" already exists
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl expose deployment ai-eval-api --type=LoadBalancer --port=80 --target-port=8000
service/ai-eval-api exposed
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl get services
NAME                TYPE                CLUSTER-IP      EXTERNAL-IP      PORT(S)          AGE
ai-eval-api         LoadBalancer        34.118.225.127   <pending>        80:31586/TCP     6s
genai-eval          LoadBalancer        34.118.228.76    34.121.205.47    80:32121/TCP     3d23h
kubernetes          ClusterIP            34.118.224.1     <none>           443/TCP          4d
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ mkdir -p docs/artifacts
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$ kubectl get deployments
kubectl get pods
kubectl get services
NAME                READY   UP-TO-DATE   AVAILABLE   AGE
ai-eval-api         1/1     1            1           6m44s
genai-eval          2/2     2            2           4d
NAME                READY   STATUS    RESTARTS   AGE
ai-eval-api-5777dfb7dd-bthz4        1/1     Running   0           6m44s
genai-eval-5467778c4f-54ltg         1/1     Running   0           2d4h
genai-eval-5467778c4f-7ttpf         1/1     Running   0           2d4h
NAME                TYPE                CLUSTER-IP      EXTERNAL-IP      PORT(S)          AGE
ai-eval-api         LoadBalancer        34.118.225.127   34.66.12.162     80:31586/TCP     4m55s
genai-eval          LoadBalancer        34.118.228.76    34.121.205.47    80:32121/TCP     3d23h
kubernetes          ClusterIP            34.118.224.1     <none>           443/TCP          4d
azohaib_0150@cloudshell:~ (ai-rag-eval-prod)$
```