

Not saving values of PID/Kalman after set and close window. #9

Closed

misha-dig opened this issue on 15 May · 1 comment

misha-dig commented on 15 May · edited by alex5250

1. We pressed button 'Open PID / Kalman Setup'

2. Typing setting of PID regulator in modal dialog

3. And clicked 'Set setting'

4. We repressed button 'Open PID / Kalman Setup'

5. Reset all set parameters in modal, set all zero value in text box of setting PID dialog. This studio didn't save log-file for setting PID after clicked a button 'set setting'.

ElectricEagleStudio 1.0.07052020 Beta

Drone gain P.I.D Setup

P

I

D

12

20

2

☐ Auto Level

☒ Baro

Drone yaw P.I.D Setup

P

I

D

6.5

6.0

7.0

☒ Ultrasonics

Set Settings

Reflash Drone

Windows: сведения

Windows 10

Майкрософт Windows  
Версия 1909 (Сборка ОС 18363.778)  
© Корпорация Майкрософт (Microsoft Corporation), 2019. Все права

Операционная система Windows 10 Pro и пользовательский интерфейс в ней защищены правами на товарные знаки и иные объекты интеллектуальной собственности в США и других странах.

Продукт лицензирован в соотв. с [усл. лиценз. соглашения на исп. ПО корпорации Майкрософт](#), выданного:  
Programmer

OK

ElectricEagleStudio 1.0.07052020 Beta

Drone Configuration

Open Configurator app.Wizard

Open PID / Kalman Setup

Reflash Drone

Re-Calibrate Drone

Flash Drone Via ZIP

Modules

Demo Module

It is a small module  
1.0.1

Integration

Run Config

Connected to : COM1

Learn Git and GitHub without any code!

Using the Hello World guide, you'll start a branch, write comments, and open a pull request.

Read the guide

alex5250 / ElectricEaglesStudio

Windows Eagle Studio 1.0.07052020 Beta

Drone gain P.I.D Setup

P

I

D

12

20

2

☐ Auto Level

☒ Baro

Drone yaw P.I.D Setup

P

I

D

6.5

6.0

7.0

☒ Ultrasonics

Set Settings

Reflash Drone

Drone Configuration

Open Configurator app.Wizard

Open PID / Kalman Setup

Reflash Drone

Re-Calibrate Drone

Flash Drone Via ZIP

Modules

Demo Module

It is a small module  
1.0.1

Integration

Run Config

Connected to : COM1

log.txt

Assignees

No one—assign yourself

Labels

bug

Projects

None yet

Milestone

No milestone

Linked pull requests

Successfully merging a pull request may close this issue.

None yet

Notifications

Customize

Unsubscribe

You're receiving notifications because you're watching this repository.

2 participants

Lock conversation

Pin issue

Transfer issue

Delete issue

alex5250 added the bug label on 15 May

alex5250 changed the title Lose log-file for PID-setting-after-clicking-a-button 'Set-setting': Not saving values of PID/Kalman after set and close window. on 15 May

alex5250 commented on 3 Jun

Fixed by change this :

```
@FXML
void settings(MouseEvent event) throws IOException {
    if(app.API.Variables_Java.Variables.clone_flag) {
        p_gain_roll = Float.parseFloat(p_gain.getText());
        i_gain_roll = Float.parseFloat(i_gain.getText());
        d_gain_roll = Float.parseFloat(d_gain.getText());
        p_gain_yaw = Float.parseFloat(p_yaw.getText());
        i_gain_yaw = Float.parseFloat(i_yaw.getText());
        d_gain_yaw = Float.parseFloat(d_yaw.getText());
        AutoLevel = autolevel.isSelected();
        barometr = baro_setting.isSelected();
        ultrasonics = ultrosettings.isSelected();
        PID_Generate();
    }
}
```

By this

```
@FXML
void settings(MouseEvent event) throws IOException {
    p_gain_roll = Float.parseFloat(p_gain.getText());
    i_gain_roll = Float.parseFloat(i_gain.getText());
    d_gain_roll = Float.parseFloat(d_gain.getText());
    p_gain_yaw = Float.parseFloat(p_yaw.getText());
    i_gain_yaw = Float.parseFloat(i_yaw.getText());
    d_gain_yaw = Float.parseFloat(d_yaw.getText());
    AutoLevel = autolevel.isSelected();
    barometr = baro_setting.isSelected();
    ultrasonics = ultrosettings.isSelected();
    if(app.API.Variables_Java.Variables.clone_flag) {
        p_gain_roll = Float.parseFloat(p_gain.getText());
        i_gain_roll = Float.parseFloat(i_gain.getText());
        d_gain_roll = Float.parseFloat(d_gain.getText());
        p_gain_yaw = Float.parseFloat(p_yaw.getText());
        i_gain_yaw = Float.parseFloat(i_yaw.getText());
        d_gain_yaw = Float.parseFloat(d_yaw.getText());
        AutoLevel = autolevel.isSelected();
        barometr = baro_setting.isSelected();
        ultrasonics = ultrosettings.isSelected();
        PID_Generate();
    }
}
```

Closed

alex5250 closed this on 3 Jun

Write

Preview

H B I

≡ <> ↻

≡ ≡ ☑ @ ↻ ↶

Leave a comment

Attach files by dragging & dropping, selecting or pasting them.

📎

Reopen issue

Comment

Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

© 2020 GitHub, Inc.

Terms

Privacy

Security

Status

Help

Contact GitHub

Pricing

API

Training

Blog

About