

App Store Submission

# Readings

**Apple Documentation** 

## **Submission Steps**

- Create a distribution certificate.
- Create a store distribution provisioning profile.
- Archive and validate your app.
- Submit your app using Xcode.

### Create a distribution certificate

Log into the Apple Developer Portal

Upload a signing request

Download the distribution certificate

### Create a distribution certificate



### Create a distribution certificate

#### Development

- iOS App Development
   Sign development versions of your iOS app.
- Apple Push Notification service SSL (Sandbox)
  Establish connectivity between your notification server and the Apple Push Notification service sandbox environment. A separate certificate is required for each app you develop.

#### Production

App Store and Ad Hoc Sign your iOS app for submission to the App Store or for Ad Hoc distribution.

Creates a public/private keypair on your machine.

Creates a file to submit to Apple to digitally sign it so you can sign your apps with it.

Keychain Access	File Ed	it View	Window	Help			
About Keychain Ad					Keychain Acces		
Preferences	ж	, ceychaii	1.				
Keychain First Aid	7 # 3	Α					
Certificate Assistar	nt	Op.	en				
Ticket Viewer	#7	K Cr	Create a Certificate				
Services			Create a Certificate Authority Create a Certificate For Someone Else as a Certificate Authori				
Hide Keychain Acc Hide Others Show All	ess ∺ ∵∺	H Set	t the default	Certificate A	a Certificate Au uthority eloper Installe	novel a	



Continue

You can now upload your request to Apple.


After a few seconds you can download the certificate to sign your apps.


## Create a distribution provisioning profile

Make sure your app has an App ID

Create a provisioning profile with that App ID

## Create an App ID







Select App ID.

If you plan to use services such as Game Center, In-App Purchase, and Push Notifications, or want a Bundle ID unique to a single app, use an explicit App ID. If you want to create one provisioning profile for multiple apps or don't need a specific Bundle ID, select a wildcard App ID. Wildcard App IDs use an asterisk (\*) as the last digit in the Bundle ID field. Please note that iOS App IDs and Mac App IDs cannot be used interchangeably.

App ID: Boise Most Wanted (VL5S9LF87U.com.zstudiolabs.boisemostwanted) \$




Select certificates.

Select the certificates you wish to include in this provisioning profile. To use this profile to install an app, the certificate the app was signed with must be included.




Ziray Studio Labs, LLC (iOS Distribution)

May 13, 2014



## Archive and validate your app



## Archive and validate your app



#### **Boise Wanted**

**Boise Wanted** 

Archive Type: iOS App Archive

Creation Date: Version: 1.4.1

Identifier: com.zstudiolabs.boisemostwanted
Estimated App Store Size: Estimate Size

Validate...

Distribute...

O- None

			Q* Name	
Name	Creation Date	Comment	Status	
Boise Wanted	March 20, 2014	1.5		
Boise Wanted	November 22, 2013			

## Submit your app using Xcode

Once your app validates, submit it to the store.

Approvals take 1-2 days.

(http://appreviewtimes.com)