



Comment	Description	Designator	Footprint	LibRef	Quantity
BEEP		BEEP1	BELL-5	BEEP	1
0.1uf		C1, C2, C4, C7, C9, C10	0603P	С	6
22PF		C3	0603P	С	1
22		C5	0603P	С	1
104		C6, C11, C12, C14	0603P	С	4
1uf		C8	0603P	С	1
106		C13	0603P	С	1
106		C15	0603C	С	1
CAN		CAN1	HEAD2L-0.8	HEAD2	1
CAN		CAN2, CAN3	XH2.54-2	HEAD2	2
RB161MM-20TR		D1	LC-SOD-123F	肖特基	1
D1		Diode	LC-SOD-123F	肖特基	1
LED1	Typical RED, GREEN, YELLOW, AMBER GaAs LED	DS1, DS3	0603_LED	LED2	2
LED0	Typical RED, GREEN, YELLOW, AMBER GaAs LED	DS2	0603_LED	LED2	1
LED2	Typical RED, GREEN, YELLOW, AMBER GaAs LED	DS4	0603_LED	LED2	1
0.3A 60VPTC FUSE	Fuse	F1	LC-1812_R	Fuse 1_2	1
CAN-GH1.25		G1	GH1.25_1*2_lishi	GH1.25-CAN	1
220R,2.0A,0.05DCR		L1	L_0603	L	1
220R,2.0A,0.05DCR		L2	0603P	L	1
BSS84-PMOS		P1, P2, P3	LC-SOT-23(SOT-23-3)	BSS84-PMOS	3
XH2.54		POWER-2.54	XH2.54-2	XH2.54-2	1
S8050	8050/BCW846/BCW847	Q1	SOT-23R	NPN	1
3.3K	R-0805	R1, R3, R6, R8, R11, R12	0603P	R-0805	6
10K	[NoValue], R-0805	R2, R9, R16, R17, R18	0603P	R, R-0805	5
100R		R4, R5	0603P	R	2
1M		R7	0603P	R	1
120R		R10	0603P	R	1
470R		R15	0603P	R	1
1K		R19	0603R	R	1
10K		R20	0603R	R	1
470R		R21, R22, R23	0603R	R	3
0603_100R		R24, R25	0603R	RES	2
2.7K	R-0805	R26, R27	0603R	R-0805	2
KEY_M		RESET1	KEY_M	KEY_M	1
自锁开关		S1	自锁开关5.8*5.8	Switch_5.8	1
3.81		S2, S3, S4, S5, S6, S7	KF2EDG-3.81-3P-弯针	槽型开关	6
HEADER		U1	XH2.54-4	XH2.54插座-4P	1
编码器		U2, U5, U7	XH2.54-4	编码器4P	3
串口通信		U3, U8	XH2.54-4	XH2.54插座-4P	2
STM32F103C8T6		U4	LQFP-48_7x7x05P	STM32F103C8T6	1
TJA1050		U6	SOP8	SN65HVD230D	1
AMS1117-3.3		U10	SOT223	AMS1117	1
IIC		U11	XH2.54-4	XH2.54插座-4P	1
8MHZ-无源		Y1	XTAL3225 无源	XTAL-3225	1