
ОТЧЕТ ПО ЛАБОРАТОРНОЙ РАБОТЕ №2

Горпинич Елена Михайловна НПМбд-01-21

НАСТРОЙКА GITHUB



НАСТРОЙКА GIT

```
emgorpinich@emgorpinich:~$ git config --global core.quotepath false
emgorpinich@emgorpinich:~$ git config --global init.defaultBranch master
emgorpinich@emgorpinich:~$ git config --global core.autocrlf input
emgorpinich@emgorpinich:~$ git config --global core.safecrlf warn
```

СОЗДАНИЕ КЛЮЧА SSH


```
emgorpinich@emgorpinich:~$ ssh-keygen -t rsa -b 4096
Generating public/private rsa key pair.
Enter file in which to save the key (/home/emgorpinich/.ssh/id_rsa): lab2_1
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in lab2 1
Your public key has been saved in lab2_1.pub
The key fingerprint is:
SHA256:C4qjXaz9nBcwua33lXF1skiX1LSYb/BFk8bCHBKl1RY emgorpinich@emgorpinich
The key's randomart image is:
+---[RSA 4096]----+
            o=+=E=|
            +=00+
            ..+B.+
            . 0++0
```


СОЗДАНИЕ КЛЮЧА GPG

```
emgorpinich@emgorpinich:~$ gpg --full-generate-key
gpg (GnuPG) 2.2.19; Copyright (C) 2019 Free Software Foundation, Inc.
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.
Please select what kind of key you want:
   (1) RSA and RSA (default)
   (2) DSA and Elgamal
   (3) DSA (sign only)
   (4) RSA (sign only)
  (14) Existing key from card
Your selection? 1
RSA keys may be between 1024 and 4096 bits long.
What keysize do you want? (3072) 4096
Requested keysize is 4096 bits
Please specify how long the key should be valid.
         0 = key does not expire
      <n> = key expires in n days
      <n>w = key expires in n weeks
      <n>m = key expires in n months
      <n>y = key expires in n years
Key is valid for? (0) 0
Key does not expire at all
Is this correct? (y/N) y
GnuPG needs to construct a user ID to identify your key.
Real name: ElenaGorpinich
Email address: gorpinich-lena@mail.ru
Comment:
You selected this USER-ID:
    "ElenaGorpinich <gorpinich-lena@mail.ru>"
```

```
Change (N)ame, (C)omment, (E)mail or (0)kay/(0)uit? 0
We need to generate a lot of random bytes. It is a good idea to perform
some other action (type on the keyboard, move the mouse, utilize the
disks) during the prime generation; this gives the random number
generator a better chance to gain enough entropy.
We need to generate a lot of random bytes. It is a good idea to perform
some other action (type on the keyboard, move the mouse, utilize the
disks) during the prime generation; this gives the random number
generator a better chance to gain enough entropy.
gpg: key 46A3B8E79662EF24 marked as ultimately trusted
gpg: revocation certificate stored as '/home/emgorpinich/.gnupg/openpgp-revocs.d/75F4D4D859A5758BADDECAS
E46A3B8E79662EF24.rev'
public and secret key created and signed.
    rsa4096 2022-04-23 [SC]
      75F4D4D859A5758BADDECA5E46A3B8E79662EF24
                         ElenaGorpinich < gorpinich-lena@mail.ru>
    rsa4096 2022-04-23 [E]
```

ДОБАВЛЕНИЕ КЛЮЧА PGP НА GITHUB






НАСТРОИМ АВТОМАТИЧЕСКИЕ ПОДПИСИ КОММИТОВ GIT

```
emgorpinich@emgorpinich:~$ git config --global user.signingkey 46A3B8E79662EF24
emgorpinich@emgorpinich:~$ git config --global commit.gpgsign true
emgorpinich@emgorpinich:~$ git config --global gpg.program $(which gpg2)
```

СОЗДАНИЕ РЕПОЗИТОРИЯ



Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? Import a repository.

Owner *	Repository name *
	/ study_2021-2022_os-intro
Great repository names are sh Your new repository will be created as study_2021-2022_os-intro arnacle?	
Description (optional)	
O Public Anyone on the interest	net can see this repository. You choose who can commit.
Private You choose who car	n see and commit to this repository.
Initialize this repository	
Skip this step if you're im	porting an existing repository.
Add a README file	
This is where you can wri	te a long description for your project. Learn more.
Add .gitignore	
Choose which files not to tra-	ck from a list of templates. Learn more.
.gitignore template: None	•
	•
Choose a license	ney can and can't do with your code. Learn more.

(i) You are creating a public repository in your personal account.