



# EPICODE S1/L1

UTM per MacOs

## KALI LINUX

*Ip a e ping*





# METASPLOITABLE 2

*ip a e ping*

```
msfadmin@metasploitable:~$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        inet6 ::1/128 scope host
            valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 7a:a7:42:d3:74:56 brd ff:ff:ff:ff:ff:ff
    inet 192.168.50.101/24 brd 192.168.50.255 scope global eth0
        inet6 fe80::78a7:42ff:fed3:7456/64 scope link
            valid_lft forever preferred_lft forever
msfadmin@metasploitable:~$ ping 192.168.50.100
PING 192.168.50.100 (192.168.50.100) 56(84) bytes of data.
64 bytes from 192.168.50.100: icmp_seq=1 ttl=64 time=1.06 ms
64 bytes from 192.168.50.100: icmp_seq=2 ttl=64 time=0.796 ms
64 bytes from 192.168.50.100: icmp_seq=3 ttl=64 time=0.679 ms
64 bytes from 192.168.50.100: icmp_seq=4 ttl=64 time=0.994 ms
64 bytes from 192.168.50.100: icmp_seq=5 ttl=64 time=1.54 ms
64 bytes from 192.168.50.100: icmp_seq=6 ttl=64 time=1.68 ms
64 bytes from 192.168.50.100: icmp_seq=7 ttl=64 time=1.46 ms
64 bytes from 192.168.50.100: icmp_seq=8 ttl=64 time=1.57 ms
[3]+  Stopped                  ping 192.168.50.100
msfadmin@metasploitable:~$
```

```
msfadmin@metasploitable:~$ ping 192.168.50.102
PING 192.168.50.102 (192.168.50.102) 56(84) bytes of data.
64 bytes from 192.168.50.102: icmp_seq=1 ttl=128 time=18.0 ms
64 bytes from 192.168.50.102: icmp_seq=2 ttl=128 time=1.36 ms
64 bytes from 192.168.50.102: icmp_seq=3 ttl=128 time=1.95 ms
64 bytes from 192.168.50.102: icmp_seq=4 ttl=128 time=2.21 ms
64 bytes from 192.168.50.102: icmp_seq=5 ttl=128 time=1.59 ms
64 bytes from 192.168.50.102: icmp_seq=6 ttl=128 time=6.47 ms
64 bytes from 192.168.50.102: icmp_seq=7 ttl=128 time=1.53 ms
64 bytes from 192.168.50.102: icmp_seq=8 ttl=128 time=2.31 ms
64 bytes from 192.168.50.102: icmp_seq=9 ttl=128 time=2.39 ms
64 bytes from 192.168.50.102: icmp_seq=10 ttl=128 time=2.50 ms
64 bytes from 192.168.50.102: icmp_seq=11 ttl=128 time=2.26 ms
64 bytes from 192.168.50.102: icmp_seq=12 ttl=128 time=2.34 ms
64 bytes from 192.168.50.102: icmp_seq=13 ttl=128 time=2.18 ms
64 bytes from 192.168.50.102: icmp_seq=14 ttl=128 time=1.01 ms
64 bytes from 192.168.50.102: icmp_seq=15 ttl=128 time=2.09 ms
64 bytes from 192.168.50.102: icmp_seq=16 ttl=128 time=2.06 ms
64 bytes from 192.168.50.102: icmp_seq=17 ttl=128 time=2.97 ms
64 bytes from 192.168.50.102: icmp_seq=18 ttl=128 time=2.20 ms
64 bytes from 192.168.50.102: icmp_seq=19 ttl=128 time=1.65 ms
64 bytes from 192.168.50.102: icmp_seq=20 ttl=128 time=1.75 ms
[1]+  Stopped                  ping 192.168.50.102
msfadmin@metasploitable:~$
```

# WINDOWS 7

Ipconfig e ping

