

[Pull requests](#) [Issues](#) [Marketplace](#) [Explore](#)[Eleyas21](#) / [my-first-website](#)[Unwatch](#)

1

[Star](#)

0

[Fork](#)

0

[Code](#)[Issues](#)[Pull requests](#)[Actions](#)[Projects](#)[Wiki](#)[Security](#)[Insights](#)[Settings](#)

## Quick setup — if you've done this kind of thing before

[Set up in Desktop](#)

or

[HTTPS](#)[SSH](#)<https://github.com/Eleyas21/my-first-website.git>

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

## ...or create a new repository on the command line

```
echo "# my-first-website" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/Eleyas21/my-first-website.git
git push -u origin main
```



## ...or push an existing repository from the command line

```
git remote add origin https://github.com/Eleyas21/my-first-website.git
git branch -M main
git push -u origin main
```



## ...or import code from another repository

You can initialize this repository with code from a Subversion, Mercurial, or TFS project.

[Import code](#)

**ProTip!** Use the URL for this page when adding GitHub as a remote.

