

ABDiBUSINESSTECH



Abdi Business Technologies

Project: Atlas

SSO

Integration Document


1) Project Description

Atlas is a SSO project to be used in all of Abdi Ibrahim's web-based authentication needs. This project is also will be used as application catalog. Atlas login page will be used for all of the applications login pages.

2) High-Level Project Architecture

Atlas has been developed with modular monolith structure. There are two layers in the app. One for application catalog and one for authentication operations. This document is for authentication layer.

Below is a flow for typical SSO. In this diagram Auth Server would be Atlas.



SSO steps would be;

- User browses to an app.
- App redirects the user to Atlas.
- Atlas checks if there is a session for that user, if not redirects them to login page.
- After that, Atlas redirects the user to the application.
- Application uses token generated from Atlas to get user's information from Atlas then logs them in to the app.

This flow is repeated every time user browses to a respective application. This ensures user sessions and information is provided from Atlas and allows respective applications not to handle authentication flows.

3) Atlas Authentication Flow

Each application needs to have a client id and a secret. These two keys will be used to authenticate applications to Atlas and initialize the flow. These keys must be kept secret.

On the login view of each app, each view should check if there is a URL parameter called “*auth_code*” to proceed with the login flow. If there is no parameter, application should redirect the user to

```
https://atlas-test.abdiibrahim.com.tr/auth/authorize?response_type=code&client_id={CLIENT_ID}&scope=profile
```

This endpoint will redirect the user to Atlas’ login page and allow user to either create a session or use the existing session. After this controls, Atlas will redirect to the redirect URL given by the respective application with “*auth_code*” URL parameter. With this “*auth_code*” application can now ask for an access token from Atlas. To get access token, on login view, app should make a POST request to the endpoint.

```
https://atlas-test.abdiibrahim.com.tr/auth/token
```

With the form-data

```
files = {  
    'grant_type': 'authorization_code',  
    'scope': 'profile',  
    'code': auth_code,  
}
```

And the Basic Authentication

```
auth=(client_id, client_secret)
```

Response from Atlas will return a JSON consists of “*access_token*” field which will be used to retrieve user data. With this “*access_token*” application should make a GET request to the endpoint.

```
https://atlas-test.abdiibrahim.com.tr/api/user/oauth
```

With the headers *access_token* coming from Atlas.

```
headers = {  
    "Authorization": f"Bearer {'access_token'}"  
}
```

This GET request will return the respective user’s data as JSON. Then the application can use this data to log in the user and carry on its login flow.

4) Response Model

Successful call will return the following JSON object.

```
{
  "status": 200,
  "message": "OK",
  "data": {
    "email": "",
    "fullname": "",
    "first_name": "",
    "last_name": "",
    "display_name": "",
    "description": "",
    "pager": "",
    "domain": "",
    "title_code": "",
    "title": "",
    "company": "",
    "department": "",
    "start_date": "",
    "birth_date": "",
    "employee_type": "",
    "gender": "",
    "location": "",
    "phone_num": "",
    "is_admin": bool,
  }
}
```