

Juthoor

Palestinian Roots Platform

Project Progress Report Phase 0 + Step 2 Complete

April 2026

Mission: Connecting 15.2 million scattered Palestinians through a unified, intelligent family tree network. Arabic-first. Free access by mission.

Stack	Next.js 14 + TypeScript + Supabase (Postgres) + Tailwind CSS
Languages	Arabic-first, Bilingual AR/EN, RTL layout
Standard	GEDCOM 7.0.18 aligned (international genealogy format)
Repository	github.com/yossefbouz/juthoor

What We Built

Phase 0 - Foundation (Complete)

- Done Scaffolded the full web application from a production-ready starter template
- Done Applied Juthoor brand identity: olive, gold, terra cotta color palette
- Done Set up Arabic fonts: Cairo (UI text), Amiri (display headings), Inter (Latin)
- Done Configured Arabic-first (RTL) layout from day one
- Done Connected to Supabase cloud database with authentication ready
- Done Dev server running clean, all code pushed to GitHub

Step 2 - Database Schema (Complete)

- Done Designed database aligned with GEDCOM 7 international genealogy standard
- Done Created 10 database tables covering persons, families, events, places, and matching
- Done Created 6 enum types for gender, events, names, pedigree, matches, and roles
- Done Enabled Row Level Security (RLS) with 38 access control policies
- Done Built helper functions: `is_admin()`, `can_access_tree()`, `can_write_tree()`
- Done Seeded 263 depopulated Palestinian villages across all 14 historic districts
- Done Generated TypeScript type definitions for the entire schema
- Done Created auto-profile-on-signup trigger and auto-updated-at triggers

Database Architecture

Our database is aligned with the **GEDCOM 7.0.18** international genealogy standard. This means family data can be imported from and exported to any genealogy software worldwide (Ancestry, MyHeritage, FamilySearch, Gramps, etc.) without data loss.


Core Tables - GEDCOM Aligned

Table	GEDCOM Tag	Purpose	Key Fields
persons	INDI	Individual person record	gender, display_name_ar/en, gedcom_xref
person_names	NAME	Multiple names per person (Arabic + English)	given_name, surname, prefix, lang, name_type
families	FAM	Family unit (links two partners)	partner1_id, partner2_id, gedcom_xref
family_children	CHIL	Child-to-family link with pedigree	child_id, pedigree (birth/adopted/foster)
events	BIRT/DEAT/MARR...	Life events for persons and families	event_type, date, place_id, cause
places	PLAC	Bilingual places with coordinates	name_ar, name_en, lat/lng, district
trees	-	Family tree container	name, owner_id, is_public
tree_members	-	Access control per tree	role: owner/collaborator/read_only
matches	-	Fellegi-Sunter matching results	confidence_score, status, breakdown
profiles	SUBM	User profiles (extends auth)	display_name, preferred_language, is_admin

Blue = Person records | Green = Family & Places | Yellow = Events | Purple = Matching

How the Data Connects

The database mirrors how real family relationships work. Here is the data flow:



Why GEDCOM Alignment Matters

GEDCOM is the universal standard used by every major genealogy platform (Ancestry.com, MyHeritage, FamilySearch, Gramps). By building our database to match GEDCOM 7.0.18, we get:

Import: Users can upload .ged files from any genealogy software and their tree appears instantly

Export: Users can download their Juthoor tree as a .ged file and use it anywhere

No data loss: Names, dates, places, relationships all transfer perfectly

Arabic support: GEDCOM 7 has built-in support for translated names (TRAN tag), perfect for our bilingual AR/EN approach

Future-proof: Compatible with the global genealogy ecosystem

Palestinian Villages - Seeded Data

We seeded the database with **263 depopulated Palestinian villages** from the 1948 Nakba, covering all 14 historic districts. Each village has Arabic and English names, GPS coordinates, and the year of depopulation.

Villages by District

District (EN)	District (AR)	Villages Seeded
Gaza	ghaza	38
Safad	safad	37
Ramle	al-ramlah	36
Haifa	hayfa	28
Jerusalem	al-quds	23
Acre	akka	22
Beisan	baysan	21
Tulkarm	tulkarm	11
Tiberias	tabariyya	11
Jaffa	yafa	10
Hebron	al-khalil	10
Jenin	janin	4
Nazareth	al-nasirah	4
Beersheba	bi'r al-sab'	8

Total: 263 villages seeded | All 14 districts covered | Bilingual Arabic/English | GPS coordinates included | Source: Wikipedia + Palestine Remembered

Security & Access Control

Every table is protected by Row Level Security (RLS). This means the database itself enforces who can see and edit what, not just the application code. **38 security policies** are active.

Who	Can Do	On What
Tree Owner	Read + Write + Delete	Their own tree and all data in it
Collaborator	Read + Write	Trees they're invited to
Read-Only Member	Read only	Trees shared with them
Any Logged-in User	Read only	Public trees (Master Tree) + All villages
Admin	Full access	Everything: villages, matches, all trees
Anonymous	Nothing	No access to any data

Roadmap & Next Steps

Phase	Status	What It Delivers
Phase 0: Foundation	DONE	Scaffold, branding, Arabic RTL, Supabase, GitHub
Step 2: Database	DONE	10 tables, GEDCOM alignment, 263 villages, RLS, TypeScript types
Step 3: Tree Builder	NEXT	Add Person form, 360-degree view, visual tree rendering, GEDCOM import/export
Step 4: Family Finder	Planned	Search, phonetic matching, Arabic name variants
Step 5: Matching Engine	Planned	Fellegi-Sunter batch matching, admin review, auto-merge
Phase 2: Growth	Future	Collaboration, village pages, document uploads
Phase 3: Scale	Future	Performance, mobile apps, 20K MAU target