
# DB - Assignment 1 - ERDs

Elazar Fine

# <u>Q1.</u>



## **Q2**.

### AS GIVEN:

Student: (StudentID, StudentName, DateOfBirth, Door#, Street, City, State, PIN, CourseID)

Course: (CourseID, CourseName)

Subject: (SubjectID, LecturerID, SubjectName, CourseID)

Lecturer: (LecturerID, SubjectID, LecturerName, CourseID, StudentID)

Attends: (StudentID, CourseID)

Takes: (LecturerID, CourseID)

Hobbies: (StudentID, Hobby)

### **CRUCIAL NOTE:**

There is a big synchronization issue with Lecturer and Subject having each other as Foreign Keys.

So to fix we keep FK only in one of them like so:

Subject: (SubjectID, SubjectName, CourseID)

Lecturer: (LecturerID, SubjectID, LecturerName, CourseID, StudentID)

Or:

Subject: (<u>SubjectID</u>, LecturerID, SubjectName, CourseID) Lecturer: (<u>LecturerID</u>, LecturerName, CourseID, StudentID)

And to fix this in the diagram we draw only the relationship, as shown in Lecture 3, Slide #20:

# MID MName FID FName MID MName wither or M Table MID MName Wife F Table FID FName Husband Afela College of Engineering Database Systems The Relational Model 20

### **Minor Note:**

Student doesn't really need the CourseID FK since there is already a relationship 'Attends', unless we give that FK a special meaning (for example: 'favourite course'), but that requires renaming it to that meaning.