The beamer-rl package

Salim Bou

Repository: https://github.com/seloumi/beamer-rl Bug tracker: https://github.com/seloumi/beamer-rl/issues

March 11, 2019

Contents

Introduction 1

How to use beamer-rl 2

Examples 3



text in subsection •

text in subsubsection •



Introduction

Creating beamer presentation for right to left language (like arabic) using pdfLTEX or XTLTEX still poses many problems due to bugs not currently resolved especially for colors and hyperlinks

How to use beamer-rl

- ديناميكا حرارية
 ميكانيكا
 كلاسيكية
 لاغرانج
 هاملتوني
 المتصل
 سماوية

طاقة، حركة

- دینامیکا حراریةمیکانیکاکلاسیکیة
- الأغرائج
 المتصل
 المتصل
 سماوية



شكل: عنوان الصورة

Lorem

On 21 April 1820, during a lecture, Ørsted noticed a compass [Dijkstra, 1982] needle deflected from magnetic north when an electric current from a battery was switched on and off.

أورستد

لاحظ هانز أورستد في 21 أبريل 1820 وهو يُعد أحد التجارب أن إبرة البوصلة تنحرف عن اتجاهها نحو الشمال عندما كان يغلق ويفتح التيار في دائرة كهربائية يُعدها.

columns

One line (but aligned).

One line (but aligned).

نص عربي طويل من اليمين لليسار، مكتوب على سطرين.

نص عربي طويل من اليمين لليسار، مكتوب على سطرين.

.The proof uses reductio ad absurdum



There is no largest prime number

- •Suppose p were the largest prime number \bullet
- Let q be the product of the first p numbers @
 - Then q + 1 is not divisible by any of them \bigcirc
- q + 1 is greater than 1, thus divisible by some prime number p and in the first p numbers

.The proof uses reductio ad absurdum



There is no largest prime number

- •Suppose p were the largest prime number \bullet
- Let q be the product of the first p numbers ②
 - Then q + 1 is not divisible by any of them \bigcirc
- But q + 1 is greater than 1, thus divisible by some prime number \P not in the first p numbers



.The proof uses reductio ad absurdum



There is no largest prime number

- •Suppose p were the largest prime number \bullet
- •Let q be the product of the first p numbers \bigcirc
- •Then q + 1 is not divisible by any of them \odot
- But q + 1 is greater than 1, thus divisible by some prime number \bigcirc not in the first p numbers

.The proof uses reductio ad absurdum



There is no largest prime number

- •Suppose p were the largest prime number \bullet
- Let q be the product of the first p numbers \bigcirc
- Then q + 1 is not divisible by any of them \bullet
- But q + 1 is greater than 1, thus divisible by some prime number \bullet not in the first p numbers

.Verbatim text

```
int main (void)
std::vector<bool> is_prime (100, true);
for (int i = 2; i < 100; i++)
if (is prime[i])
std::cout << i << " ":
for (int j = i; j < 100; is_prime [j] = false, j+=i);
return 0;
}
```

Note the use of std::.

.Verbatim text

```
int main (void)
std::vector<bool> is_prime (100, true);
for (int i = 2; i < 100; i++)
if (is prime[i])
std::cout << i << " ":
for (int j = i; j < 100; is_prime [j] = false, j+=i);
return 0;
}
```

Note the use of std::.

hyperlink

- •First item •
- Second item •
- Third item
 - ♦ الرجوع إلى الشريحة الثانية

hyperlink


- First item •
- Second item
 - Third item
 - ♦ الرجوع إلى الشريحة الثانية

hyperlink

- First item •
- Second item
 - .Third item •

♦ الرجوع إلى الشريحة الثانية

zooming



text in subsection

Introduction How to use beamer-Examples

zooming

lmage

Bibliography

A. Salomaa .Formal Languages •Academic Press, 1973





Smoothsort, an alternative for sorting in situ Science of Computer Programming, 1)3(:223--233, 1982