

The beamer-rl package

Salim Bou

Repository: <https://github.com/seloumi/beamer-rl>

Bug tracker: <https://github.com/seloumi/beamer-rl/issues>

March 26, 2019

Introduction 1

How to use beamer-rl 2

Examples 3

- Blocks •

- enumerate, itemize •

- hyperlinks •

- Theorems •

- zooming •

Some notes 4

Creating beamer presentation for right to left language (like arabic) using pdf \LaTeX or X \LaTeX still poses many problems due to bugs not currently resolved especially for colors and hyperlinks

The Lua \LaTeX team set solutions for these issues thanks to them and to *Javier Bezos* for his works on the package `babel` and `bidir` writing

```
\documentclass{beamer}  
\usepackage[nil,bidi=basic-r,layout=counters]{babel}  
\babelprovide[import=ar-DZ, main]{arabic}  
\babelfont{sf}{Amiri}  
\usepackage{beamer-rl}  
  
\mode<presentation>{\usetheme{Warsaw}}  
\begin{document}  
...  
\end{document}
```

```
\setbeamertemplate{blocks}[default]
```

Lorem

On 21 April 1820, during a lecture, Ørsted noticed a compass needle deflected from magnetic north when an electric current from a battery was switched on and off.

```
\setbeamertemplate{blocks}[rounded][shadow=true]
```

أورستد

لاحظ هانز أورستد في 21 أبريل 1820 وهو يُعد أحد التجارب أن إبرة البوصلة تنحرف عن اتجاهها نحو الشمال عندما كان يغلق ويفتح التيار في دائرة كهربائية يُعدها.

① فيزياء تطبيقية

② فيزياء تجريبية

③ فيزياء نظرية

• فيزياء تطبيقية

• فيزياء تجريبية

• فيزياء نظرية

•First item ●

•Second item ●

•Third item ●

◀ الرجوع إلى الشريحة الثانية

- First item ●
- Second item ●
- Third item ●

◀ الرجوع إلى الشريحة الثانية

- First item •
- Second item •
- Third item •

◀ الرجوع إلى الشريحة الثانية

.The proof uses *reductio ad absurdum*

نظرية.

.There is no largest prime number

برهان.

.Suppose p were the largest prime number ①

.Let q be the product of the first p numbers ②

.Then $q + 1$ is not divisible by any of them ③

But $q + 1$ is greater than 1, thus divisible by some prime number not in ④



.the first p numbers

.The proof uses *reductio ad absurdum*

نظرية.

.There is no largest prime number

برهان.

.Suppose p were the largest prime number ①

.Let q be the product of the first p numbers ②

.Then $q + 1$ is not divisible by any of them ③

But $q + 1$ is greater than 1, thus divisible by some prime number not in ④
□ .the first p numbers

.The proof uses *reductio ad absurdum*

نظرية.

.There is no largest prime number

برهان.

.Suppose p were the largest prime number ①

.Let q be the product of the first p numbers ②

.Then $q + 1$ is not divisible by any of them ③

But $q + 1$ is greater than 1, thus divisible by some prime number not in ④



.the first p numbers

.The proof uses *reductio ad absurdum*

نظرية.

.There is no largest prime number

برهان.


.Suppose p were the largest prime number ①

.Let q be the product of the first p numbers ②

.Then $q + 1$ is not divisible by any of them ③

But $q + 1$ is greater than 1, thus divisible by some prime number not in ④
the first p numbers







Image

The insertion of the package `beamer-rl` with `\usepackage{beamer-rl}` must always be done before the declaration of the theme

The `beamer-rl` package modify the definition of `\blacktriangleright` so it have the same meaning as `\blacktriangleleft`, if you need to use the original command you can use `\blackTriangleright`

In some cases you need to use `\babelsublr` command from `bebel` package to insert a left to right text within your right to left text, or you can use the Lua_{TEX} command `\textdir TLT` to change direction of text