Monday Scorecard Email

Every Monday your inbox gets last week's five numbers, what changed, your biggest leak and the test you wrote down, or a nudge to fill them in.

BUILDER | 20 MIN | PLAYBOOK: FOUNDER KPI DASHBOARD | PLAYBOOK: AUTOMATION STARTER PACK

WHEN THIS HAPPENS	THIS HAPPENS
Every Monday morning, or the day and hour you choose	A one-screen email with your latest numbers, the change from last week, the biggest drop and your call for the week

TOOLS	COST	SETUP	CHECKED
Google Sheets, Apps Script, Gmail	$0 with a free Google account.	about 15 min	2026-10

YOU WALK AWAY WITH
A weekly email built from your Weekly Founder Scorecard that makes the ten-minute Monday review hard to skip.

USE IT
Once your Weekly Founder Scorecard has week 1 in it, so the Monday review on the systems roadmap becomes a ritual.

One week is a data point. Three weeks is a trend. You only get the trend if you show up every Monday.

This email reads your Weekly Founder Scorecard and puts the numbers, the change and your own call in front of you. If last week is missing, it says so first.

What this does

- Your latest week: reach, visits, leads, sales and revenue, each with the change from the week before.
- Your four conversion rates: reach to visits, visits to leads, leads to sales and revenue per sale.
- The biggest drop, plus the double down, pause, kill and one test you wrote.
- From week 2 on, how far weekly revenue has moved since week 1.
- If last week isn't filled in, the email opens with a reminder and the link.

Before you start

- [ ] Your Weekly Founder Scorecard uploaded to Google Drive and saved as a Google Sheet (File, Save as Google Sheets).
- [ ] Week 1 filled in. Guesses are fine for week one. Zero is a number.
- [ ] 15 minutes on a computer.

Set it up

1. In your Weekly Founder Scorecard, open Extensions, then Apps Script.

2. Delete the sample code. Paste the whole script from 127-monday-scorecard.gs, or from the end of this recipe.
3. At the top, edit SCORECARD_EMAIL: the day and hour you'll actually sit down. Click Save.
4. In the menu next to Run, pick setupMondayEmail. Click Run and allow the permissions. If you see "Google hasn't verified this app", click Advanced, then Go to the project. Every personal script shows that.
5. Pick sendMondayScorecard and click Run to see this week's email now.

> Pick a time you'll keep. Hour 8 means between 8 and 9 am. Review at night? Set hour to 18. The time follows the time zone in Project Settings (the gear).

The email

WHAT LANDS IN YOUR INBOX (FILLED EXAMPLE) COPY

```
Subject: Monday scorecard: week 4

Week 4 (week of Nov 23)

Reach: 15,500 (+41% vs last week)
Visits: 480 (+14% vs last week)
Leads: 30 (-3% vs last week)
Sales: 6 (-14% vs last week)
Revenue: $230 (-6% vs last week)

Reach to visits: 3.1%
Visits to leads: 6.3%
Leads to sales: 20%
Revenue per sale: $38

Biggest drop: Reach to visits: fix bio, pinned posts, first line
Double down on: Comment CLEAN posts
One test this week: Follow up every Thursday

Since week 1, weekly revenue went from $70 to $230.
```

Make it a ritual

1. Open the email and click the link.
2. Fill in last week: same sources, same order.
3. Read the rates. Find the biggest drop, not the biggest number.
4. Write one double down, one pause, one kill and one test.
5. Put the test on your calendar. Then do your Weekly CEO Review.

Test it

- [ ] sendMondayScorecard sent you an email with your latest week.
- [ ] The numbers match the Scorecard tab.

- [ ] Triggers (the clock icon) shows one weekly trigger for sendMondayScorecard.

Keep it human

> The email shows where to look. The call is yours. Don't get emotional about one number. Read them together.

If it breaks

- "Start with week 1" every time: the Reach column is empty or holds text. Type numbers only, no units.
- An error about the header row: the tab isn't named Scorecard, or the Week or Reach header changed.
- It arrived at the wrong time: check the hour in SCORECARD_EMAIL and the time zone in Project Settings.
- Something else: open Executions (the list icon) in Apps Script to see every run and error.

Next step

Turn the numbers into next week's top three with the Weekly CEO Review.

Appendix: the script

Copy everything below, from the first line to the last, into Extensions > Apps Script. The same code is in the .gs file that comes with this recipe.

MONDAY SCORECARD EMAIL SCRIPT (127-MONDAY-SCORECARD.GS)

```
/**
 * @OnlyCurrentDoc
 * 127 Monday Scorecard Email
 *
 * Every Monday morning, this script reads the Scorecard tab of your Weekly Founder Scorecard
 * and emails you a one-screen summary: your latest five numbers, the change from the week
 * before, your conversion rates, the biggest drop, and the call you wrote down.
 * If last week isn't filled in yet, the email says so first, with the link.
 *
 * Setup (full steps in the Monday Scorecard Email recipe):
 *   1. Your Weekly Founder Scorecard must be a Google Sheet (File > Save as Google Sheets).
 *   2. Extensions > Apps Script, delete what's there, paste this file, edit SCORECARD_EMAIL, Save.
 *   3. Pick "setupMondayEmail" in the function menu and press Run. Allow the permissions.
 *   4. Pick "sendMondayScorecard" and press Run once to see the email.
 */

const SCORECARD_EMAIL = {
  day: 'MONDAY',            // MONDAY, TUESDAY ... SUNDAY
  hour: 8,                  // the email arrives between this hour and the next (24-hour clock)
  scorecardTab: 'Scorecard' // the tab name in your Weekly Founder Scorecard
};

const MS_NUMBERS = [
  ['Reach', 'Reach'], ['Visits', 'Visits'], ['Leads', 'Leads'], ['Sales', 'Sales'], ['Revenue', 'Revenue ($)'],
];
const MS_RATES = [
  ['Reach to visits', 'Reach to visits', 'pct1'], ['Visits to leads', 'Visits to leads', 'pct1'],
  ['Leads to sales', 'Leads to sales', 'pct0'], ['Revenue per sale', 'Revenue per sale', 'usd'],
];

/** Run once. Installs the weekly trigger. */
function setupMondayEmail() {
  ScriptApp.getProjectTriggers()
    .filter((t) => t.getHandlerFunction() === 'sendMondayScorecard')
    .forEach((t) => ScriptApp.deleteTrigger(t));
  ScriptApp.newTrigger('sendMondayScorecard').timeBased()
    .onWeekDay(ScriptApp.WeekDay[SCORECARD_EMAIL.day]).atHour(SCORECARD_EMAIL.hour).create();
  const ss = SpreadsheetApp.getActive();
  msHeaders_(msSheet_(ss));
  msSay_(ss, 'Monday Scorecard Email is on. It arrives every ' + SCORECARD_EMAIL.day.toLowerCase() + ' around ' +
SCORECARD_EMAIL.hour + ':00.');
}

/** Builds and sends the weekly summary. */
function sendMondayScorecard() {
  const ss = SpreadsheetApp.getActive();
  const report = msReport_(msSheet_(ss), msStartOfDay_(new Date()));
  MailApp.sendEmail({ to: msMe_(), subject: report.subject, body: report.text, htmlBody: report.html });
  return report;
}

/** Reads the Scorecard tab and builds the email. */
function msReport_(sh, today) {
  const h = msHeaders_(sh);
  const lastRow = sh.getLastRow();
  const rows = lastRow > h.row ? sh.getRange(h.row + 1, 1, lastRow - h.row, sh.getLastColumn()).getValues() : [];
```

```
  const get = (r, text) => { const c = msCol_(h, text); return c ? r[c - 1] : ''; };
  const filled = rows.filter((r) => typeof get(r, 'Reach') === 'number');
  const link = sh.getParent().getUrl() + '#gid=' + sh.getSheetId();
  if (!filled.length) {
    const text = 'Your scorecard is empty. Ten minutes: pull last week\'s five numbers from the same places every
time ' +
      '(platform analytics, site dashboard, DMs, payment app) and type them into week 1. Guesses are fine for week
one. ' +
      'Zero is a number.\n\n' + link;
    return { subject: 'Monday scorecard: start with week 1', text: text, html: msHtml_([text]) };
  }
  const latest = filled[filled.length - 1];
  const prev = filled.length > 1 ? filled[filled.length - 2] : null;
  const first = filled[0];
  const week = get(latest, 'Week') || filled.length;
  const weekOf = get(latest, 'Week of');
  // last week's Monday: if the latest filled week started before it, last week is missing
  const lastMonday = new Date(today.getTime());
  lastMonday.setDate(lastMonday.getDate() - ((today.getDay() + 6) % 7) - 7);
  const missing = msIsDate_(weekOf) && msStartOfDay_(weekOf) < lastMonday;

  const lines = [];
  const html = [];
  if (missing) {
    const msg = 'Last week isn\'t in yet. Ten minutes, same sources, same order. Zero is a number.';
    lines.push(msg, '');
    html.push('<p style="margin:0 0 14px;padding:10px 12px;background:#FFF3D6;border-radius:6px"><b>' + msg +
'</b></p>');
  }
  lines.push('Week ' + week + (msIsDate_(weekOf) ? ' (week of ' + msFmtDate_(weekOf) + ')' : ''), '');
  const rowsHtml = [];
  MS_NUMBERS.forEach(([label, header]) => {
    const v = get(latest, header);
    const p = prev ? get(prev, header) : '';
    const change = typeof v === 'number' && typeof p === 'number' && p !== 0 ? v / p - 1 : null;
    const val = header === 'Revenue ($)' ? msFmt_(v, 'usd') : msFmt_(v, 'int');
    lines.push(label + ': ' + val + (change === null ? '' : ' (' + msSigned_(change) + ' vs last week)'));
    rowsHtml.push([label, val, change === null ? '' : msSigned_(change), change]);
  });
  lines.push('');
  MS_RATES.forEach(([label, header, f]) => {
    lines.push(label + ': ' + msFmt_(get(latest, header), f));
    rowsHtml.push([label, msFmt_(get(latest, header), f), '', null]);
  });
  const leak = String(get(latest, 'Biggest drop') || '').trim();
  const calls = [['Biggest drop', leak], ['Double down on', get(latest, 'Double down')], ['Pause', get(latest,
'Pause')],
    ['Kill', get(latest, 'Kill')], ['One test this week', get(latest, 'One test')]]
    .filter(([, v]) => String(v || '').trim());
  lines.push('');
  calls.forEach(([k, v]) => lines.push(k + ': ' + v));
  if (prev && first !== latest) {
    const r0 = get(first, 'Revenue ($)');
    const r1 = get(latest, 'Revenue ($)');
    if (typeof r0 === 'number' && typeof r1 === 'number' && r0 > 0) lines.push('', 'Since week 1, weekly revenue
went from ' + msFmt_(r0, 'usd') + ' to ' + msFmt_(r1, 'usd') + '.');
  }
  lines.push('', 'Fix the leak before you pour more people in the top. Put your one test on the calendar.', '',
link);

  html.push('<p style="margin:0 0 10px;font-size:16px"><b>Week ' + week + '</b>' + (msIsDate_(weekOf) ? ' <span
style="color:#6E6E79">week of ' + msFmtDate_(weekOf) + '</span>' : '') + '</p>');
  html.push('<table cellpadding="6" style="border-collapse:collapse;font-size:14px;margin:0 0 14px">' +
rowsHtml.map(([k, v, c, n]) =>
    '<tr><td style="border-bottom:1px solid #E5E5EA;color:#3A3A44">' + k + '</td><td style="border-bottom:1px
solid #E5E5EA;text-align:right"><b>' + v + '</b></td>' +
    '<td style="border-bottom:1px solid #E5E5EA;text-align:right;color:' + (n === null ? '#6E6E79' : n < 0 ?
```

```
'#B4483A' : '#2F7D57') + '">' + c + '</td></tr>').join('') + '</table>');
  if (calls.length) html.push('<p style="margin:0 0 14px">' + calls.map(([k, v]) => '<b>' + k + ':</b> ' +
msEsc_(v)).join('<br>') + '</p>');
  html.push('<p style="margin:0 0 14px">Fix the leak before you pour more people in the top. Put your one test on
the calendar.</p>');
  html.push('<p style="margin:0"><a href="' + link + '">Open your scorecard</a></p>');
  return {
    subject: 'Monday scorecard: week ' + week + (missing ? ' (add last week)' : ''),
    text: lines.join('\n'),
    html: msHtml_(html, true),
  };
}

// ------------------------------------------------------------- helpers

function msSheet_(ss) {
  const sh = ss.getSheetByName(SCORECARD_EMAIL.scorecardTab);
  if (!sh) throw new Error('No tab named "' + SCORECARD_EMAIL.scorecardTab + '". Change scorecardTab in
SCORECARD_EMAIL to match your tab name.');
  return sh;
}

/** Finds the header row (the one with Week and a Reach column) and maps header text to column numbers. */
function msHeaders_(sh) {
  const top = sh.getRange(1, 1, Math.min(10, sh.getMaxRows()), sh.getLastColumn()).getValues();
  for (let r = 0; r < top.length; r++) {
    const row = top[r].map((v) => String(v).trim());
    if (row.indexOf('Week') > -1 && row.some((v) => v.indexOf('Reach') === 0)) {
      const cols = {};
      row.forEach((hd, i) => { if (hd) cols[hd] = i + 1; });
      return { row: r + 1, cols: cols };
    }
  }
  throw new Error('Could not find the header row (a row with "Week" and "Reach") in the "' + sh.getName() + '"
tab.');
}

/** Column number for a header, by exact text first, then by how the header starts. */
function msCol_(h, text) {
  if (h.cols[text]) return h.cols[text];
  const key = Object.keys(h.cols).find((k) => k.indexOf(text) === 0);
  return key ? h.cols[key] : null;
}

function msFmt_(v, f) {
  if (typeof v !== 'number') return '-';
  if (f === 'usd') return '$' + Math.round(v).toLocaleString('en-US');
  if (f === 'pct1') return (v * 100).toFixed(1) + '%';
  if (f === 'pct0') return Math.round(v * 100) + '%';
  return Math.round(v).toLocaleString('en-US');
}

function msSigned_(x) {
  const p = Math.round(x * 100);
  return (p > 0 ? '+' : '') + p + '%';
}

function msIsDate_(v) {
  return Object.prototype.toString.call(v) === '[object Date]' && !isNaN(v.getTime());
}

function msStartOfDay_(d) {
  const x = new Date(d.getTime());
  x.setHours(0, 0, 0, 0);
  return x;
}
```

```
function msFmtDate_(d) {
  return Utilities.formatDate(d, Session.getScriptTimeZone(), 'MMM d');
}

function msEsc_(s) {
  return String(s).replace(/&/g, '&amp;').replace(/</g, '&lt;').replace(/>/g, '&gt;');
}

function msHtml_(parts, raw) {
  const body = raw ? parts.join('') : parts.map((p) => '<p>' + msEsc_(p).replace(/\n/g, '<br>') +
'</p>').join('');
  return '<div style="font-family:Arial,Helvetica,sans-serif;color:#1B1B20;max-width:520px">' + body +
    '<p style="margin:18px 0 0;color:#6E6E79;font-size:12px">Make today day one. 127</p></div>';
}

function msMe_() {
  return Session.getEffectiveUser().getEmail();
}

function msSay_(ss, msg) {
  console.log(msg);
  try { ss.toast(msg, '127', 8); } catch (err) { /* no open sheet to show it in */ }
}
```

Make today day one.

© 2026 127 Group LLC. For your own use as a 127 member. 127group.io

127