



AI Assistant 2026.1 ▼

Restrict or disable AI Assistant features

Last modified: 14 October 2025

You can restrict the use of AI Assistant if you do not want to share source code with third parties, or choose to disable it entirely.




Refer to [Data Handling](#) to learn more about how your code and data are handled.

Feedback


Disable AI Assistant for the current project

You can disable AI Assistant for the project that is currently open in your IDE.

1. Click the @ **JetBrains AI** widget located in the toolbar in the window header.



2. Hover over the **Disable AI Assistant** option and click **Disable for This Project**.




The **JetBrains AI** widget icon will change, and a notification that AI features are disabled for the project will appear. This information will also be duplicated in the **AI Chat**.

As a result, all AI Assistant icons in the toolbars and AI actions in the context menu will become unavailable.


Permanently disable AI Assistant

To disable AI Assistant on the IDE level, you can disable the AI Assistant plugin.

1. Click the @ **JetBrains AI** widget located in the toolbar in the window header.



2. Hover over the **Disable AI Assistant** option and select the **Disable Permanently via Plugin** option.



3. On the plugin's description pane that opens, click **Disable**.



If the AI Assistant plugin description pane has not opened, you can search for the plugin's name in **Settings | Plugins | Installed**.

You can also uninstall the plugin on the same plugin's description pane by clicking the  arrow button to open the actions list, selecting **Uninstall**, and then restarting the IDE.



For more information about enabling and disabling AI Assistant on a company level, refer to [How to enable AI Assistant for companies](#).

Restrict usage of AI Assistant for a project

As an alternative to disabling AI Assistant, you can create a file that will restrict the usage of AI features in the project.

- Create an empty file named `.noai` in the root directory of the project.

When this file is present, all AI Assistant features are fully disabled for the project. Even if this project is opened in another IDE, the AI Assistant features will not be available.

 AI Assistant

Business ↗

 AI Assistant is disabled because the project root contains a `.noi` file.

 Note that this file affects only the JetBrains AI Assistant plugin and does not affect any third-party AI integration plugins for JetBrains IDEs or other tools that may send code to external LLMs ([Large Language Model](#) ↗).

Restrict usage of AI Assistant in specific files or folders

You can restrict AI Assistant from processing specific files or folders by creating and configuring an `.aiignore` file.

 Files added to the `.aiignore` are not processed by AI Assistant, and AI features are disabled for them. However, in some cases, ignored files may still be processed due to unforeseen issues. If you notice any unexpected behavior, please report it so we can investigate.

 If your project already contains a `.cursorignore`, `.codeiumignore`, or `.aiexclude` file, there is no need to create a separate `.aiignore` file, as these files are also supported. As long as they are located in the root folder of the project, they will be used to restrict AI Assistant's access to the specified files and folders.

1. Navigate to **Settings | Tools | AI Assistant | Project Settings**.
2. Select the **Enable `.aiignore`** checkbox and click **Create `.aiignore` file**.



If you do not want to apply restrictions immediately, leave the **Enable .aiignore** setting unchecked. You can enable it later after finalizing the list of restricted files and folders.

3. Specify a pattern to exclude files and/or folders from processing by AI Assistant. The `.aiignore` file uses the same syntax as a [.gitignore](https://git-scm.com/docs/gitignore) file and provides a configuration template.

```
🗑 .aiignore ×  
1 # An .aiignore file follows the same syntax as a .gitignore file.  
2 # .gitignore documentation: https://git-scm.com/docs/gitignore  
3  
4 # you can ignore files  
5 .DS_Store  
6 *.log  
7 *.tmp  
8  
9 # or folders  
10 dist/  
11 build/  
12 out/  
13
```

The configured file might look like this:

```
# Ignore build output directories  
target/  
out/  
  
# Ignore Maven wrapper files  
.mvn/  
  
# Ignore project files  
.idea/  
*.iml  
  
# Ignore compiled Java class files  
*.class
```

```
# Ignore all .java files except the ones from the 'src/main' folder
*.java
!src/main/**/*.java

# Ignore test reports and test directories
test-results/
allure-results/

# Ignore logs and temporary files
logs/
*.log
```

As a result, if you try to invoke any AI Assistant action in a restricted file, you will receive the following message:

**AI Has No Access to This File**

This file is listed in .aiignore and cannot be processed by AI

[Open AI Ignore file](#)[OK](#)


Disable AI Assistant on a network level

You can restrict access to AI Assistant by blocking the following [JetBrains AI](#) service's base URLs on a network level:

- `https://api.jetbrains.ai/`
(for Mainland China: `https://api.ai.jetbrains.com.cn/`)
- `https://api.app.prod.grazie.aws.intellij.net/`


Hide the AI Chat tool window and JetBrains AI widget

Even if you do not have the AI Assistant plugin installed, you may still notice the  **AI Chat** tool window offering to install the plugin, and the  **JetBrains AI** widget in the toolbar in the window header.



These items are not the AI Assistant plugin, and they have no access to your code. However, if you still wish to remove them, you can do so.

To hide the **AI Chat** tool window, right-click the icon and select **Hide**:






If you later decide to restore the tool window, press **Shift** twice and search for the  **AI Assistant** action.

To hide the **JetBrains AI** widget:

1. Right-click the  icon and select **Customize Toolbar**.
2. In the **Customize Main Toolbar** dialog, select the widget and click  **Remove**.



3. Click **Apply** to save the changes.



If you later decide to restore the widget:

1. Right-click anywhere in the main toolbar and select **Customize Toolbar**.
2. Choose the part of the toolbar where you want to add the widget (**Right** by default), and click **Add**.
3. Search for the `AIAssistantHubPopupAction` action, select it, and click **OK**.

Disable AI Assistant in terminal

When used in the **New Terminal** (an experimental terminal engine available in IDEs of version 2024.*, deprecated in later versions), AI Assistant can recognize natural language and convert it into corresponding terminal commands.

However, some terminal commands may resemble natural language queries, which can cause AI Assistant to interpret them as part of your prompt rather than actual commands. To disable this behavior:

1. Click  in the tool window header.
2. Clear the **Detect Natural Language** option.

For additional information, refer to [Generate terminal commands](#).