

**UNIVERSIDAD AUTÓNOMA DE BAJA  
CALIFORNIA**  
**Facultad de Ingeniería, Arquitectura y Diseño**

**Ingeniero en Software y Tecnologías Emergentes**



**Nombre Alumno:**  
Eliel Alfonso Ontiveros Ojeda

**Grupo:**  
932

**Practica #3**

06/09/2023

## Procedimiento

### Ejercicio 1

```
1 import scipy.stats as stats
2 import math
3
4 std_deviation = 0.0015
5 sample_size = 75
6 sample_mean = 0.310
7 confidence_level = 0.95
8
9 standard_error_mean = std_deviation / math.sqrt(sample_size)
10
11 degrees_of_freedom = sample_size - 1
12 critical_value = stats.t.ppf((1 + confidence_level) / 2, df=degrees_of_freedom)
13
14 confidence_interval = (
15     sample_mean - critical_value * standard_error_mean,
16     sample_mean + critical_value * standard_error_mean
17 )
18
19 print(f"{confidence_level * 100}% confidence interval for the mean depth:")
20 print(f"({confidence_interval[0]:.5f}, {confidence_interval[1]:.5f}) inches")
```

```
In [3]: runfile('C:/Users/Eliei/OneDrive/Documentos/Universidad/
Estadística Avanzada/Unidad 1/Practica_3.py', wdir='C:/Users/
Eliei/OneDrive/Documentos/Universidad/Estadística Avanzada/Unidad
1')
95.0% confidence interval for the mean depth:
(0.30965, 0.31035) inches
```

## Ejercicio 2

```
1  import scipy.stats as stats
2  import math
3
4  std_deviation = 0.0015
5  sample_size = 75
6  sample_mean = 0.310
7  confidence_level = 0.95
8
9  standard_error_mean = std_deviation / math.sqrt(sample_size)
10
11 degrees_of_freedom = sample_size - 1
12 critical_value = stats.t.ppf((1 + confidence_level) / 2, df=degrees_of_freedom)
13
14 confidence_interval = (
15     sample_mean - critical_value * standard_error_mean,
16     sample_mean + critical_value * standard_error_mean
17 )
18
19 print(f"{confidence_level * 100}% confidence interval for the mean depth:")
20 print(f"({confidence_interval[0]:.5f}, {confidence_interval[1]:.5f}) inches")
```

```
In [4]: runfile('C:/Users/Eliei/OneDrive/Documentos/Universidad/
Estadística Avanzada/Unidad 1/Practica_3.2.py', wdir='C:/Users/
Eliei/OneDrive/Documentos/Universidad/Estadística Avanzada/Unidad
1')
95.0% confidence interval for the mean depth:
(0.30965, 0.31035) inches
```

### Ejercicio 3

```
1  import scipy.stats as stats
2  import math
3
4  population_mean = 3
5  standard_deviation = 1.6
6  sample_size = 48
7  confidence_level = 0.95
8
9  standard_error_mean = standard_deviation / math.sqrt(sample_size)
10
11 degrees_of_freedom = sample_size - 1
12 critical_value = stats.t.ppf((1 + confidence_level) / 2, df=degrees_of_freedom)
13
14 confidence_interval = (
15     population_mean - critical_value * standard_error_mean,
16     population_mean + critical_value * standard_error_mean
17 )
18
19 print(f"{confidence_level * 100}% confidence interval for the mean price:")
20 print(f"({confidence_interval[0]:.2f}, {confidence_interval[1]:.2f}) per kilogram")
```

```
In [5]: runfile('C:/Users/ElieL/OneDrive/Documentos/Universidad/
Estadística Avanzada/Unidad 1/Practica_3.3.py', wdir='C:/Users/
ElieL/OneDrive/Documentos/Universidad/Estadística Avanzada/Unidad
1')
95.0% confidence interval for the mean price:
($2.54, $3.46) per kilogram
```